

SPSS statistical analysis results

lcm

Tukey HSD

treatment	N	Subset for alpha = 0.05				
		1	2	3	4	5
10.00	3	.0000	43.0000	49.7000	53.9000	100.0000
11.00	3	.0000				
12.00	3	.0000				
13.00	3	.0000				
14.00	3	.0000				
15.00	3	.0000				
16.00	3	.0000				
17.00	3	.0000				
18.00	3	.0000				
7.00	3			49.7000	53.9000	
4.00	3					
1.00	3					
2.00	3					
3.00	3					
5.00	3					
6.00	3					
8.00	3					
9.00	3					
Sig.		1.000	1.000	1.000	1.000	1.000

Averages for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Day 5

Tukey HSD

treatment	N	Subset for alpha = 0.05			
		1	2	3	4
3	3	.0000	11.1100 11.5233	22.6333	100.0000
4	3				
1	3				
2	3			22.6333	100.0000
0	3				
Sig.		1.000	.794	1.000	1.000

Averages for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

day10

Tukey HSD

treatment	N	Subset for alpha = 0.05				
		1	2	3	4	5
3	3	.0000	9.0533	31.3700	38.8233	100.0000
4	3					
1	3					
2	3					
0	3					
Sig.		1.000	1.000	1.000	1.000	1.000

Averages for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Day 15

Tukey HSD

treatment	N	Subset for alpha = 0.05				
		1	2	3	4	5
3	3	.0000	3.7000	50.9767	69.4133	100.0000
4	3					
2	3					
1	3					
0	3					
Sig.		1.000	1.000	1.000	1.000	1.000

Averages for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.

Day 30

Tukey HSD

treatment	N	Subset for alpha = 0.05		
		1	2	3
3	3	.0000	3.7000	99.6667
4	3			
1	3			
2	3			
0	3			
Sig.		1.000	1.000	.794

Averages for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 3.000.