Supporting Information

Impact of Matrix Metalloproteinase-9 On Periodontitis and Cardiovascular Diseases

Gaetano Isola 1,*, Alessandro Polizzi 1, Vincenzo Ronsivalle 1, Angela Alibrandi², Giuseppe Palazzo 1 and Antonino Lo Giudice 1

¹ Department of General Surgery and Surgical-Medical Specialties, Unit of Oral Pathology, School of Dentistry, University of Catania, 95124 Catania, Italy

² Department of Economical, Business and Environmental Sciences and Quantitative Methods, University of Messina, Messina, Italy

Table 1. STROBE Statement – checklist of items that should be included in reports of observational studies.

	Item No	Recommendation
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract [page 2]
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found [page 2]
		Introduction
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported [page 4–5]
Objectives	3	State specific objectives, including any prespecified hypotheses [page 5]
•		Methods
Study design	4	Present key elements of study design early in the paper [page 5]
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection [page 5–6]
Participants	6	(a) <i>Cross-sectional study</i> —Give the eligibility criteria, and the sources and methods of selection of participants [page 4]
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable [page 4–5]
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group [page 5–7]
Bias	9	Describe any efforts to address potential sources of bias [page 5–7]
Study size	10	Explain how the study size was arrived at [page 7]

			Explain how quantitative variables were handled in the analyses. If applicable, describe	
Quantitative va	riables	les 11	which groupings were chosen and why [page 7–8]	
			(a) Describe all statistical methods, including those used to control for confounding	
Statistical methods			[page 6]	
		10	(b) Describe any methods used to examine subgroups and interactions [page 7–8]	
		s 12	(d) <i>Cross-sectional study</i> —If applicable, describe analytical methods taking account of	
			sampling strategy [page 7–8]	
			(e) Describe any sensitivity analyses [page 7–8]	
			Results	
Participants			port numbers of individuals at each stage of study—e.g., numbers potentially eligible,	
	13*	examir	ned for eligibility, confirmed eligible, included in the study, completing follow-up, and	
	10		analysed [page 9–10]	
			(b) Give reasons for non-participation at each stage [page 9]	
		(a) Give c	haracteristics of study participants (e.g., demographic, clinical, social) and information on	
Descriptive data	14*-		exposures and potential confounders [page 9–10]	
Descriptive data	. 1 1		ate number of participants with missing data for each variable of interest [page page 6-8]	
			s-sectional study—Report numbers of outcome events or summary measures [page 7]	
Main results			inadjusted estimates and, if applicable, confounder-adjusted estimates and their precision	
		(e.g., 95% confidence interval). Make clear which confounders were adjusted for and why they were		
	16 -		included [page 9–10]	
	-	(b) Report category boundaries when continuous variables were categorized [page 8]		
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time		
		_	period [page 8]	
Other analyses	17	Report of	ther analyses done—e.g., analyses of subgroups and interactions, and sensitivity analyses	
<i>.</i>		[page 8]		
V and many life	10		Discussion	
Key results Limitations Interpretation	18	D:	Summarise key results with reference to study objectives [page 9]	
	19	Discus	ss limitations of the study, taking into account sources of potential bias or imprecision.	
		Civo a co	Discuss both direction and magnitude of any potential bias [page 10] autious overall interpretation of results considering objectives, limitations, multiplicity of	
	20	Give a Ca	analyses, results from similar studies, and other relevant evidence [page 10]	
Generalisability	21		Discuss the generalisability (external validity) of the study results [page 9–10]	
<u> </u>			Other information	
Funding		Give the	source of funding and the role of the funders for the present study and, if applicable, for	
	22	Sive the	the original study on which the present article is based [page 11]	

.

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.