

SUPPORTING INFORMATION

Synthesis and Antibacterial Activity Studies of the Conjugates of Curcumin with *closو-Dodecaborate* and Cobalt Bis(Dicarbollide) Boron Clusters §

Anna A. Druzina ^{1,*}, Natalia E. Grammatikova ², Olga B. Zhidkova ¹, Anastasia A. Nekrasova ^{1,3}, Nadezhda V. Dudarova ¹, Irina D. Kosenko ¹, Mikhail A. Grin ³, Vladimir I. Bregadze ¹

¹ A.N. Nesmeyanov Institute of Organoelement Compounds, Russian Academy of Sciences, 28 Vavilov Str., 119991 Moscow, Russia; nekrasova_na@list.ru (N.A.N); nadezjdino_96@mail.ru (N.V.D.); Zolga57@mail.ru (O.B.Z.); kosenko@ineos.ac.ru (I.D.K.); sivaev@ineos.ac.ru (I.B.S.); bre@ineos.ac.ru (V.I.B)

² Gause Institute of New Antibiotics, 11 B. Pirogovskaya, 119021, Moscow, Russia; ngrammatikova@yandex.ru (NEG)

³ M.V. Lomonosov Institute of Fine Chemical Technology, MIREA—Russian Technological University, 86 Vernadsky Av., 119571 Moscow, Russia; michael_grin@mail.ru (M.A.G)

* Correspondence: ilinova_anna@mail.ru (A.A.D.); Tel.: +7-926-404-5566

§ Dedicated to Professor Valery Petrosyan on the occasion of his 80th Jubilee and in recognition of his outstanding contributions to physical organic and organometallic chemistry.

¹H, ¹¹B and ¹³C NMR, IR and high-resolution mass spectra of compounds **4, 5, 9-11**

Display Report

Analysis Info

Analysis Name D:\Data\Chizhov\INEOS\Bregadze\Laskova\Nov_01_2021_1\da-039_&clb.d
 Method tune_wide_neg.m
 Sample Name /CHIZ DA-039
 Comment CH3OH 100 %, dil. 2000, calibrant added

Acquisition Date 01.11.2021 13:50:37

Operator BDAL@DE

Instrument / Ser# micrOTOF 10248

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	3200 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste





Figure S1. ESI-HRMS spectrum of compound 4

Display Report

Analysis Info

Analysis Name D:\Data\Chizhov\INEOS\Bregadze\Druzina\Jan_17_2022\da-047_&clb-.d
 Method tune_wide_neg.m
 Sample Name /CHIZ DA-047
 Comment CH3CN 100 %, dil. 200, calibrant added

Acquisition Date 17.01.2022 18:56:24
 Operator BDAL@DE
 Instrument / Ser# micrOTOF 10248

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	3200 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste





Figure S2. ESI-HRMS spectrum of compound 5

Display Report

Analysis Info

Analysis Name C:\AOC2022\Druzina\Jan_17\da-048_&clb.d
 Method tune_wide_neg.m
 Sample Name /CH3Z DA-048
 Comment CH3CN 100 %, dil. 20, calibrant added

Acquisition Date 17.01.2022 19:06:37

 Operator BDAL@DE
 Instrument / Ser# micrOTOF 10248

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	3200 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste




Figure S3. ESI-HRMS spectrum of compound 9

Display Report

Analysis Info

Analysis Name C:\AOC2022\Druzina\Jan_17\da-050_&clb-.d
 Method tune_wide_neg.m
 Sample Name /CH3Z DA-050
 Comment CH3CN 100 %, dil. 20, calibrant added

Acquisition Date 17.01.2022 19:17:16

Operator BDAL@DE
 Instrument / Ser# micrOTOF 10248

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	3200 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste





Figure S4. ESI-HRMS spectrum of compound 10

Display Report

Analysis Info

Analysis Name C:\AOC2022\Druzina\Jan_17\da-049_&clb.d
 Method tune_wide_neg.m
 Sample Name /CH3Z DA-049
 Comment CH3CN 100 %, dil. 20, calibrant added

Acquisition Date 17.01.2022 19:12:24

Operator BDAL@DE
 Instrument / Ser# micrOTOF 10248

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.4 Bar
Focus	Not active			Set Dry Heater	180 °C
Scan Begin	50 m/z	Set Capillary	3200 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste





Figure S5. ESI-HRMS spectrum of compound 11




Figure S6. IR spectrum of compound 4




Figure S7. IR spectrum of compound 5




Figure S8. IR spectrum of compound 9




Figure S9. IR spectrum of compound 10




Figure S10. IR spectrum of compound 11




Figure S11. ^1H NMR spectrum of compound 4




Figure S12. $^{11}\text{B}\{\text{H}\}$ NMR spectrum of compound 4




Figure S13. ^{11}B NMR spectrum of compound 4




Figure S14. ^{13}C NMR spectrum of compound 4




Figure S15. ^1H NMR spectrum of compound 5




Figure S16. $^{11}\text{B}\{\text{H}\}$ NMR spectrum of compound 5




Figure S17. ^{11}B NMR spectrum of compound 5




Figure S18. ^{13}C NMR spectrum of compound 5




Figure S19. ^1H NMR spectrum of compound 9




Figure S20. $^{11}\text{B} \{^1\text{H}\}$ NMR spectrum of compound 9




Figure S21. ^{11}B NMR spectrum of compound 9




Figure S22. ^{13}C NMR spectrum of compound 9




Figure S23. ^1H NMR spectrum of compound 10




Figure S24. $^{11}\text{B}\{\text{H}\}$ NMR spectrum of compound **10**




Figure S25. ^{11}B NMR spectrum of compound 10




Figure S26. ^{13}C NMR spectrum of compound 10




Figure S27. ^1H NMR spectrum of compound 11




Figure S28. $^{11}\text{B}\{\text{H}\}$ NMR spectrum of compound **11**




Figure S29. ^{11}B NMR spectrum of compound **11**




Figure S30. ^{13}C NMR spectrum of compound 11