

Supplementary Information

Synergistic effect of Flavonoids and Metformin on protection of the Methylglyoxal-Induced Damage in PC-12 Neuroblastoma Cells: Structure- Activity Relationship and Potential Target

Danyang Zhang ¹, Xiaoshi He ¹, Ting Wang ², Yan Xing ¹, Jing Wang ², Zhilong Xiu ¹,
Yongming Bao ^{1,3}, Zhansheng Zhao ^{2*}, Yuesheng Dong ^{1*}

1 MOE Key Laboratory of Bio-Intelligent Manufacturing, School of Bioengineering,
Dalian University of Technology, Dalian, 116024, China

2 Department of Endocrinology, The Second Hospital of Hebei Medical University,
Shijiazhuang, Hebei, 050000, China

3 School of Ocean Science and Technology, Dalian University of Technology, Panjin,
124221, China

* To whom correspondence should be addressed:

Zhansheng Zhao, Department of Endocrinology, The Second Hospital of Hebei
Medical University, No.215 Heping West Road, Shijiazhuang, 050000, China.

Email: zhshzhao@sina.com

Yuesheng Dong, School of Bioengineering, Dalian University of Technology. No. 2
Linggong Road, Dalian, 116024, China.

E-mail: yshdong@dlut.edu.cn




Figure S1 Cell viability of drug combinations on PC-12 cells. Data shown are the mean \pm SD of three independent experiments. n.s. indicate no significant differences between the two groups. ($p>0.05$)




Figure S2 Protective effect of the combination of metformin and EGCG against MG-induced SH-SY5Y cells.