

Figure S1. Effects of endogenous ABA on *RBOHD* (A) and *RBOHF* (B) transcripts under *PstDC3000* infection in *Arabidopsis*. Error bars indicate the standard error, and values were based on at least three independent replicates. Different letters indicate values that are significantly different ($p < 0.05$) from each other as determined by one-way ANOVA. These experiments were performed at least three times.




Figure S2. Effects of exogenous ABA on *RBOHD* (A) and *RBOHF* (B) transcripts under *PstDC3000* infection in *Arabidopsis*. Wild-type (Col-0) plants were treated with distilled water (H₂O) or ABA before inoculation with *PstDC3000*. Error bars indicate the standard error, and values were based on at least three independent replicates. Different letters indicate values that are significantly different ($p < 0.05$) from each other as determined by one-way ANOVA. These experiments were performed at least three times.

Table S1. List of genotyping primers.

Mutant, Transgene, and RT-PCR	Primer Name: Sequence (5'→3')
<i>rbohD</i>	rbohD-F: CCATTTAACGTGTGATTT
	rbohD-R: TCCATGTCGTTTTCTGAT
<i>rbohF</i>	rbohF-F: AACGATTCTCATGGTCTC
	rbohF-R: CTATGCATTGAGCGAAAT
35S::ABA2	35SABA2-F: CTCTGCCGACAGTGGTCC
	35SABA2-R: CACACCTCACCTCCGAGA
<i>PR1</i>	qpr1-F: TACTGGCTATTCTCGATT
	qpr1-R: CGTAAGGCCCACCAGAGT
<i>RBOHD</i>	qrbohD-F: ATTAGTCTTAGTGCTTCTGC
	qrbohD-R: GTCTAAGCTTCTGACTTAAC
<i>RBOHF</i>	qrbohF-F: GAGTGCATCTGCAAATAAGC
	qrbohF-R: CATTCTATGTATTCTGACTCT