

Table S7. List of primers for RT-PCR validation.

Nº	Gene	Pr_dir 5' → 3'	Pr_rev 5' → 3'	Length (bp)	T primer annealing (°C)
1.	<i>SISN1</i>	TCTCTAACGTGGTCGAGGGT	AGGGCATGATTGTTTGTGTC	176	59
2.	<i>SISN7</i>	TGTTCAAAGGCAGGACGACA	AGGACATTTAGGCCCTCCCT	133	59
3.	<i>SIRALF1</i>	AGGGGAGTATTGCAGAGTGC	TTGAGCTCCAGGTTTGCAGT	173	59
4.	<i>SIRALF7</i>	AGGTGCAACAAGTAACTGAAGC	CCGTCGCGTCGAAAGATAGA	120	59
5.	<i>SIMEG2</i>	CATGCTGCCCCAATTTACAA	GCAAGCATACTGCTTTAGCCC	169	60
6.	<i>SIOlee1.2</i>	TGCCAAGATCCTTGAGGGTC	ACTCTTGTTGGGTGAAGGGC	148	60
7.	<i>SIThi2</i>	TTCGTGTGCGAGAGAGTCTG	TGACACAGACAGTACGAGCG	151	61
8.	<i>SIDEFL2</i>	TGCTTGTCATGGCTACTGGAC	GGTCTCACATACCGAGGCAC	119	62
9.	<i>SIDEFL8</i>	CCTACTGGTGTGGTTGTCCC	GGACCCTCCATTTCCACAG	86	59
10.	<i>SIKnot1</i>	GCTGCTCAAGATGTGATGGC	TCCAACAGGCCTGACAGAAC	130	59
11.	<i>SILTPd6.8</i>	AATGGCCAAGTTTGGTGCAAC	CAAGGTGCACTAAGTCATTTAGC	251	60
12.	<i>SILTP1.5</i>	AAGCCTTAAGCTGTGGGCAA	GAAGATCAGCAGCTTTGCGG	210	61
13.	<i>SILTP2.3</i>	TTGCCTTAGCGCGATCACAT	GGGGTAGGGAACACCACAAG	169	59
14.	<i>SICRP1</i>	TGTTTCCTTGCTATGTTTGTGTTGA	GGCAAGGCACAAAGTTAGGC	128	60
15.	<i>SIEPF1</i>	GGGTTTCGATGCCACCAAGTT	TCTAGTGGTGTGGTGCATGG	151	62
16.	<i>EF1-α</i>	ACCTTTGCTGAATACCCTCCATTG	CACAGTTCCTTCCCCTTCTTCTG	150	59-62
17.	<i>SIHev1</i>	TGGGCATGATCACACCCTAT	AAGCCTACAACACAACGTCT	431	58