

Table S1. Primers used in real-time quantitative PCR (qPCR), for the relative quantification of the studied miRNAs.

Direction	Amplified miRNA or snoRNA	Sequence (5'→3')	Length (nt ¹)	T _m (°C)
Forward	miR-15a-5p	TAGCAGCACATAATGGTTTGT	21	54
	miR-16-5p	TAGCAGCACGTAAATATTGGCG	22	57
	miR-21-5p	GTAGCTTATCAGACTGATGTTGAAA	25	54
	miR-25-3p	ATTGCACTTGTCTCGGTCTGA	21	58
	miR-125b-5p	TCCCTGAGACCCTAACTTGTGAA	23	59
	miR-155-5p	AATGCTAATCGTGATAGGGGTAA	23	55
	miR-221-3p	GCTACATTGTCTGCTGGGTTTCA	23	60
	miR-222-3p	GAGCTACATCTGGCTACTGGGTAA	24	60
	miR-223-3p	TGTCAGTTTGTCAAATACCCCAA	23	56
	<i>SNORD43</i>	ACTTATTGACGGGCGGACA	19	59
<i>SNORD48</i>	TGATGATGACCCAGGTA ACTCT	23	59	
Reverse	Universal primer	GCGAGCACAGAATTAATACGAC	22	56

¹ Nucleotides.