

Supplementary material to

Zein-based Films Containing Monolaurin/Eugenol or Essential Oils with Perspective for Bioactive Packaging

Jana Sedlarikova ^{1,*}, Magda Janalikova ^{2,*}, Pavel Pleva ², Lucie Pavlatkova ², Antonin Minarik ^{3,4}, and Petra Peer ²

¹ Department of Fat, Surfactant and Cosmetics Technology, Faculty of Technology, Tomas Bata University in Zlin, Vavreckova 275, 760 01 Zlin, Czech Republic

² Department of Environmental Protection Engineering, Faculty of Technology, Tomas Bata University in Zlin, Vavreckova 275, 760 01 Zlin, Czech Republic

³ Department of Physics and Materials Engineering, Faculty of Technology, Tomas Bata University in Zlin, Vavreckova 275, 760 01 Zlin, Czech Republic

⁴ Centre of Polymer Systems, Tomas Bata University in Zlin, Trida Tomase Bati 5678, 76001 Zlin, Czech Republic

* Correspondence: sedlarikova@utb.cz; mjanalikova@utb.cz

In this supplementary material, the following figures are presented:

- Figure S1. SEM photographs of zein-based films with active compounds combinations: Z, zein; O, oregano; T, thyme; EU, eugenol; ML, monolaurin; 2: 2 wt%; 3: 3 wt%
- Figure S2. SEM photographs of zein-based films with active compounds combinations: Z, zein; O, oregano; T, thyme; EU, eugenol; ML, monolaurin; 2: 2 wt%; 5: 5 wt%
- Figure S3. Appearance of solvent cast zein-based films.




Figure S1. SEM photographs of zein-based films with active compounds combinations: Z, zein; O, oregano; T, thyme; EU, eugenol; ML, monolaurin; 2: 2 wt%; 3: 3 wt%




Figure S2. SEM photographs of zein-based films with active compounds combinations: Z, zein; O, oregano; T, thyme; EU, eugenol; ML, monolaurin; 2: 2 wt%; 5: 5 wt%




Figure S3. Appearance of solvent cast zein-based films.