

Supporting Information for

4-[(3,4-Dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1*H*-pyrazol-4-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione

Soukhyarani Gopal Nayak and Boja Poojary*

Department of Chemistry, Mangalore University, Mangalagangothri-574 199, Karnataka,

India.

*e-mail: *bojapoojary@gmail*.




Figure S1. FTIR Spectrum of 4-[(3,4-dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1H-pyrazol-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione




Figure S2. Mass Spectrum of 4-[(3,4-dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1*H*-pyrazol-4-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione




Figure S3. ¹H-NMR Spectrum of 4-[(3,4-dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1*H*-pyrazol-4-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione




Figure S4. Expanded aromatic region of ¹H-NMR Spectrum of 4-[(3,4-dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1*H*-pyrazol-4-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione




Figure S5. Expanded aliphatic region of ¹H-NMR Spectrum of 4-[(3,4-dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1H-pyrazol-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione




Figure S6. ¹³C-NMR Spectrum of 4-[(3,4-dimethoxybenzylidene)amino]-5-(5-methyl-1-phenyl-1H-pyrazol-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione