

Supplementary Materials

O-((Ferrocenyl)(3-fluorophenyl)methyl)hydroxylamine

Angeliki S. Foscolos ¹, Maria Georgiou ², Minas S. Papadopoulos ² and Aristeidis Chiotellis ^{2,*}

¹ School of Health Sciences, Department of Pharmacy, Division of Pharmaceutical Chemistry, National and Kapodistrian University of Athens Panepistimioupoli-Zografou, 15784 Athens, Greece; angelique.lumiere@windowslive.com

² Institute of Nuclear & Radiological Sciences & Technology, Energy & Safety, National Center for Scientific Research "Demokritos", 15310 Athens, Greece; georgioumr@gmail.com (M.G.); mspap@rrp.demokritos.gr (M.S.P.)

* Correspondence: achiotel@rrp.demokritos.gr

Ferrocenyl alcohol 4




Figure S1. ¹H-NMR spectrum.




Figure S2. ¹³C-NMR spectrum.

IDO_082_B #86-103 RT: 0.83-0.92 AV: 13 NL: 1.39E8
 F: FTMS + c APCI corona Full ms [100.00-1000.00]




Figure S3. HRMS spectrum.

Ferrocenyl hydroxylamine 6




Figure S4. 1H-NMR spectrum.




Figure S5. 13C-NMR spectrum.

IDO_087 #4-97 RT: 0.03-0.97 AV: 42 NL: 2.55E8
F: FTMS + c APCI corona Full ms [100.00-1000.00]




Figure S6. HRMS spectrum.