

Supplementary Material

2-((3-(4-Methoxyphenyl)-4,5-dihydroisoxazol-5-yl)methyl)benzo[d]isothiazol-3(2H)-one1,1-dioxide

Ayoub El Mahmoudi ¹, Karim Chkirate ², Hamza Tachallait ^{1,3}, Luc Van Meervelt ⁴ and Khalid Bougrin^{1,3*}

¹ *Equipe de Chimie des Plantes et de Synthèse Organique et Bioorganique, URAC23, Faculty of Science, B.P. 1014, Geophysics, Natural Patrimony and Green Chemistry (GEOPAC) Research Center, Mohammed V University in Rabat, Morocco.*

² *Laboratory of Heterocyclic Organic Chemistry URAC 21, Pharmacochimie Competence Center, Av. Ibn Battouta, BP 1014, Faculty of Sciences, Mohammed V University in Rabat, Morocco*

³ *Chemical & Biochemical Sciences Green-Process Engineering (CBS) Mohammed VI Polytechnic University, Lot 660, Hay Moulay Rachid, Benguerir, Morocco.*

⁴ *KU Leuven, Chemistry Department, Celestijnenlaan 200F box 2404, Leuven, (Heverlee), B-3001, Belgium*

*** Corresponding author:**

Prof. Khalid Bougrin

Email address: kbougrin@yahoo.fr or k.bougrin@um5.ac.ma

Table of contents

1. Copie of characteristic ^1H NMR and ^{13}C NMR spectra.....	2-3
2. Copie of characteristic ESI-MS spectra.....	4

1. Copie of characteristic ^1H NMR and ^{13}C NMR spectra of 3




Figure S1. ^1H NMR spectrum of (3).




Figure S2. ^{13}C NMR Spectrum of (3).

2. Copie of characteristic ESI-MS spectra




Figure S3. ESI⁺-MS spectrum of (3).