

Supporting Information

Title: Synthesis and preliminary biological evaluation of two fluoroolefin analogs of Largazole inspired by the structural similarity of the side chain unit in Psammaplin A

Authors: Bingbing Zhang ^{1,†}, Guangsheng Shan ^{1,†}, YinYing Zheng ^{1,†}, Xiaoling Yu ^{1,2}, Zhu-Wei Ruan ¹, Yang Li ¹ and Xinsheng Lei ^{1,3*}

Affiliations:

¹ School of Pharmacy, Fudan University, 826 Zhangheng Road, Pudong Zone, Shanghai 201203, China

² College of Chemistry and Molecular Engineering, Zhengzhou University, Zhengzhou, Henan Province 450001, China.

³ Key Laboratory of Synthetic Chemistry of Natural Substances, Shanghai Institute of Organic Chemistry, Chinese Academy of Sciences, Shanghai 200032, China.

* Correspondence: leixs@fudan.edu.cn; Tel.: +86-021-51980128

† These authors contributed equally to the work.

Contact email: leixs@fudan.edu.cn

Table of Contents


1.	General Experimental	S3
2.	^1H NMR Spectra of 3	S4
3.	^1H , ^{13}C and ^{19}F NMR Spectra of Z-isomer of 4	S5-6
4.	^1H , ^{13}C and ^{19}F NMR Spectra of E-isomer of 4	S7-8
5.	^1H , ^{13}C and ^{19}F NMR Spectra of 5	S9-10
6.	^1H , ^{13}C and ^{19}F NMR Spectra of 8	S11-12
7.	^1H , ^{13}C and ^{19}F NMR Spectra of 9	S13-14
8.	^1H , ^{13}C and ^{19}F NMR Spectra of 11	S15-16
9.	^1H , ^{13}C , ^{19}F NMR, COSY, HMQC and HMBC Spectra of 13a	S17-20
10.	^1H , ^{13}C , ^{19}F NMR, COSY, HMQC and HMBC Spectra of 13b	S21-24
11.	^1H , ^{13}C and ^{19}F NMR Spectra of 14a	S25-26
12.	^1H , ^{13}C and ^{19}F NMR Spectra of 14b	S27-28
13.	^1H NMR Spectra of 15a	S29
14.	^1H and ^{19}F NMR Spectra of 15b	S30
15.	^1H , ^{13}C , ^{19}F NMR, COSY, HMQC and HMBC Spectra of 16a	S31-34
16.	^1H , ^{13}C and ^{19}F NMR Spectra of 16b	S35-36
17.	The concentration-response curves of the compounds in the enzymatic assays.....	S37
18.	The concentration-response curves of the compounds in the cellular assays.....	S37

Experimental Section

General Methods. The chemicals and reagents were purchased from Acros, Alfa Aesar, and National Chemical Reagent Group Co. Ltd., P. R. China, and used without further purification. Anhydrous solvents (THF, MeOH, DMF, CH₂Cl₂, and CH₃CN) used in the reactions were dried and freshly distilled before use. All the reactions were carried out under Ar atmosphere, otherwise stated else. The progress of the reactions was monitored by TLC (silica-coated glass plates) and visualized under UV light, and by using iodine or phosphomolybdic acid. Melting points were measured on a SGW X-4 microscopy melting point apparatus without correction. ¹H NMR and ¹³C NMR spectra were recorded either on a 400 MHz Varian Instrument at 25 °C or 600 MHz Bruke Instrument at 25 °C, using TMS as an internal standard, respectively. Multiplicity is tabulated as s for singlet, d for doublet, dd for doublet of doublet, t for triplet, and m for multiplet. HRMS spectra were recorded on Finnigan-Mat-95 mass spectrometer, equipped with ESI source.


3-(tritylthio)propanal (3).

¹H NMR Spectrum of 3




ethyl 2-fluoro-5-(tritylthio)pent-2-enoate (4).


^1H NMR Spectrum of Z-isomer of 4



¹³C NMR Spectrum of Z-isomer of 4




Spectrum of Z-isomer of 4




E-isomer of 4


¹H NMR Spectrum of E-isomer of 4



¹³C NMR Spectrum of E-isomer of 4




¹⁹F NMR Spectrum of E-isomer of 4




(Z)-2-fluoro-5-(tritylthio)pent-2-enal (5).


¹H NMR Spectrum of 5



¹³C NMR Spectrum of 5




¹⁹F NMR Spectrum of 5




(S,Z)-1-((R)-4-benzyl-2-thioxothiazolidin-3-yl)-4-fluoro-3-hydroxy-7-(tritylthio)hept-4-en-1-one (8).


¹H NMR Spectra of 8



¹³C NMR Spectra of **8**




¹⁹F NMR Spectra of **8**




(S,Z)-1-((R)-4-benzyl-2-thioxothiazolidin-3-yl)-4-fluoro-3-hydroxy-7-(tritylthio)hept-4-en-1-one (9).

¹H NMR Spectra of 9



¹³C NMR Spectra of **9**




¹⁹F NMR Spectra of **9**





(R)-methyl 2'-((S,Z)-4-fluoro-3-hydroxy-7-(tritylthio)hept-4-enamido)methyl)-4-methyl-4,5-dihydro-[2,4'-bithiazole]-4-carboxylate (11)

¹H NMR Spectra of 11





¹³C NMR Spectra of 11

S-9-74_C13-CDCl₃_20150313
 S-9-74 C13-CDCl₃ 150313




¹⁹F NMR Spectra of 11

S-9-74_F19-CDCl₃_150330
 S-9-74 F19-CDCl₃ 150330




(R)-methyl 2'-(*(5S,8S*)-1-(9H-fluoren-9-yl)-8-((Z)-1-fluoro-4-(tritylthio)but-1-en-1-yl)-5-isopropyl-3,6,10-trioxo-2,7-dioxa-4,11-diazadodecan-12-yl)-4-methyl-4,5-dihydro-[2,4'-bithiazole]-4-carboxylate (13a).

¹H NMR Spectra of **13a**





¹³C NMR Spectra of 13a




¹⁹F NMR Spectra of 13a

S-9-76_F19-CDC13_150317


S-9-76 F19-CDC13 150317
o.




H-H COSY Spectra of **13a**



H-C HMQC Spectra of **13a**




H-C HMBC Spectra of **13a**




(4R)-methyl 2'-((5S)-5-benzyl-1-(9H-fluoren-9-yl)-8-((Z)-1-fluoro-4-(tritylthio)but-1-en-1-yl)-3,6,10-trioxo-2,7-dioxa-4,11-diazadodecan-12-yl)-4-methyl-4,5-dihydro-[2,4'-bithiazole]-4-carboxylate (13b)


¹H NMR Spectra of **13b**




¹³C NMR Spectra of 13b




¹⁹F NMR Spectra of 13b




H-H COSY Spectra of **13b**



H-C HMQC Spectra of **13b**




H-C HMBC Spectra of **13b**





(5R,8S,11S)-11-((Z)-1-fluoro-4-(tritylthio)but-1-en-1-yl)-8-isopropyl-5-methyl-10-oxa-3,17-dithia-7,14,19,20-tetraazatricyclo[14.2.1.12,5]icosa-1(18),2(20),16(19)-triene-6,9,13-trione (14a).

¹H NMR Spectra of 14a





¹³C NMR Spectra of **14a**

S-9-90_C13-CDE13520150323
S-9-90 C13-CDE13520150323
| VV | - 153.80 - 147.49
| VV | - 144.78




¹⁹F NMR Spectra of **14a**

S-9-90_F19-CDC13_150326
S-9-90 F19-CDC13 150326




(5R,8S)-8-benzyl-11-((Z)-1-fluoro-4-(tritylthio)but-1-en-1-yl)-5-methyl-10-oxa-3,17-dithia-7,14,19,20-tetraazatricyclo[14.2.1.1^{2,5}]icos-1(18),2(20),16(19)-triene-6,9,13-trione (14b)


¹H NMR Spectra of 14b



¹³C NMR Spectra of 14b




¹⁹F NMR Spectra of 14b




(5R,8S,11S)-11-((Z)-1-fluoro-4-mercaptopbut-1-en-1-yl)-8-isopropyl-5-methyl-10-oxa-3,17-dithia-7,14,19,20-tetraazatricyclo[14.2.1.1^{2,5}]icos-1(18),2(20),16(19)-triene-6,9,13-trione (15a).


¹H NMR Spectra of **15a**



(5R,8S)-8-benzyl-11-((Z)-1-fluoro-4-mercaptopbut-1-en-1-yl)-5-methyl-10-oxa-3,17-dithia-7,14,19,20-tetraazatricyclo[14.2.1.1^{2,5}]icos-1(18),2(20),16(19)-triene-6,9,13-trione (15b)




¹⁹F NMR Spectra of 15b




S-((Z)-4-fluoro-4-((5R,8S,11S)-8-isopropyl-5-methyl-6,9,13-trioxo-10-oxa-3,17-dithia-7,14,19,20-tetraazatricyclo[14.2.1.12,5]icosa-1(18),2(20),16(19)-trien-11-yl)but-3-en-1-yl)octanethioate (16a).


¹H NMR Spectra of 16a




¹³C NMR Spectra of 16a




¹⁹F NMR Spectra of 16a (CF₃Cl and CF₃CO₂H as the reference)




H-H COSY Spectra of 16a



H-C HMQC Spectra of 16a




H-C HMBC Spectra of **16a**




S-((Z)-4-((5R,8S)-8-benzyl-5-methyl-6,9,13-trioxo-10-oxa-3,17-dithia-7,14,19,20-tetraazatricyclo[14.2.1.1^{2,5}]icos-1(18),2(20),16(19)-trien-11-yl)-4-fluorobut-3-en-1-yl)octanethioate (16b)


¹H NMR Spectra of 16b




¹³C NMR Spectra of 16b




¹⁹F NMR Spectra of 16b




Largazole




Largazole thiol




16a




15a





15b



SAHA



The concentration-response curves of the compounds in the enzymatic assays (HDAC 1, 2, 3, 8 and 6).



The concentration-response curves of the compounds in the cellular assays