

Supplementary Table 1 Associations of different R/S models with anxiety in close relationships:
results of linear regression, adjusted for age, gender and education level.

Model		Anxiety in close relationships	
		B	Std. Error
1	Non-religious	1	
	Religious	-2.64**	1.00
2A	Stable non-religious	1	
	Unstable non-religious	3.89***	1.09
	Converts	2.24	2.55
	Stable religious	-1.38	1.14
2B	Non-religious	1	
	Religious, who perceive God as distant	-1.29	1.13
	Religious, who perceive God as close	-5.86***	1.62
3	Stable non-religious	1	
	Unstable non-religious	3.90***	1.09
	Converts, who perceive God as distant	8.06*	3.28
	Converts, who perceive God as close	-2.05	4.13
	Stable religious, who perceive God as distant	-0.41	1.26
	Stable religious, who perceive God as close	-3.87*	1.80

Notes: *p < 0.05, **p < 0.01, ***p < 0.001; Significant associations are highlighted in bold font

Supplementary Table 2 Associations of different R/S models with selected BSI symptoms and the GSI: results of linear regression, adjusted for age, gender and education level.

Model	Somatization		Obsessive Compulsive		Interpersonal sensitivity		Depression		Anxiety	
	B	Std. Error	B	Std. Error	B	Std. Error	B	Std. Error	B	Std. Error
1	Non-religious	1		1		1		1		1
	Religious	0.09**	0.03	0.12***	0.03	0.06	0.04	0.07	0.04	0.09**
2A	Stable non-religious	1		1		1		1		1
	Unstable non-religious	0.07*	0.03	0.10**	0.03	0.13**	0.04	0.07	0.04	0.11**
	Converts	0.42**	0.08	0.52**	0.08	0.51**	0.09	0.57**	0.09	0.60***
	Stable religious	0.08*	0.03	0.12**	0.04	0.07	0.04	0.04	0.04	0.08*
2B	Non-religious	1		1		1		1		1
	Religious, who perceive God as distant	0.13**	0.03	0.14**	0.04	0.09*	0.04	0.10*	0.04	0.10**
	Religious, who perceive God as close	-0.01	0.05	0.08	0.05	0.003	0.06	0.001	0.06	0.06
3	Stable non-religious	1		1		1		1		1
	Unstable non-religious	0.07*	0.03	0.10**	0.03	0.13**	0.04	0.07	0.04	0.11**
	Converts, who perceive God as distant	0.66**	0.10	0.74**	0.10	0.71**	0.12	0.80**	0.11	0.79***
	Converts, who perceive God as close	0.08	0.12	0.10	0.13	0.20	0.15	0.24	0.14	0.27*
	Stable religious, who perceive God as	0.11**	0.04	0.13**	0.04	0.08	0.05	0.06	0.04	0.08*
	Stable religious, who perceive God as	0.01	0.05	0.11	0.06	0.03	0.07	-0.01	0.06	0.07

Notes: *p < 0.050. **p < 0.010. ***p < 0.001; Significant associations are highlighted in bold font

Supplementary Table 2 (continuation)

		Hostility		Phobic Anxiety		Paranoid Ideation		Psychoticism		Global Severity Index	
		B	Std. Error	B	Std. Error	B	Std. Error	B	Std. Error	B	Std. Error
1	Non-religious	1		1		1		1		1	
	Religious	-0.01	0.03	0.06	0.03	0.03	0.03	0.07*	0.03	0.07*	0.03
2A	Stable non-religious	1		1		1		1		1	
	Unstable non-religious	0.08*	0.03	0.09**	0.03	0.09*	0.04	0.10*	0.03	0.09**	0.03
	Converts	0.30**	0.08	0.43***	0.08	0.42**	0.09	0.57**	0.08	0.48***	0.07
	Stable religious	-0.01	0.04	0.05	0.04	0.03	0.04	0.05	0.04	0.06	0.03
2B	Non-religious	1		1		1		1		1	
	Religious, who perceive God as distant	0.03	0.04	0.09*	0.03	0.07	0.04	0.09*	0.03	0.10**	0.03
	Religious, who perceive God as close	-0.11*	0.05	-0.01	0.05	-0.07	0.06	0.02	0.05	0.002	0.04
3	Stable non-religious	1		1		1		1		1	
	Unstable non-religious	0.08*	0.03	0.09**	0.03	0.09*	0.04	0.10**	0.03	0.09**	0.03
	Converts, who perceive God as distant	0.60**	0.10	0.62***	0.10	0.71**	0.11	0.86**	0.10	0.72***	0.09
	Converts, who perceive God as close	-0.05	0.13	0.18	0.13	0.06	0.14	0.12	0.12	0.12	0.11
	Stable religious, who perceive God as	0.01	0.04	0.07	0.04	0.05	0.04	0.05	0.04	0.07*	0.03
	Stable religious, who perceive God as	-0.07	0.06	-0.005	0.06	-0.04	0.06	0.04	0.05	0.02	0.05

Notes: *p < 0.050. **p < 0.010. ***p < 0.001