

Article

Sustainable Development of Road Transport in the EU: Multi-Criteria Analysis of Countries' Achievements

Indre Siksnylyte-Butkiene *  and Dalia Streimikiene 

Institute of Social Sciences and Applied Informatics, Kaunas Faculty, Vilnius University, Muitines 8,
LT-50229 Kaunas, Lithuania

* Correspondence: indre.siksnylyte@knf.vu.lt

Abstract: One quarter of global energy consumption goes towards meeting transport needs. In Europe, the share of energy for transport is much higher and accounts for about a third. Therefore, it is very important to monitor the sustainable development and progress of the sector. This paper seeks to develop a framework for the sustainability assessment of road transport in EU countries and to evaluate the countries' achievements in the last decade. The research adheres to the provision that the developed framework should be easily applied in future studies. Therefore, significant attention is paid to the selection of indicators and their availability, as well as the selection of the research instrument itself. The multi-criteria decision-making (MCDM) technique TOPSIS has been applied for calculations and countries' ranking, in order to compare countries' achievements in the last decade (2010–2020). The last ten years' analysis allows us to identify the direction of individual countries in developing road transport.

Keywords: road transport; sustainable transport development; multi-criteria decision-making; TOPSIS; energy crisis



Citation: Siksnylyte-Butkiene, I.; Streimikiene, D. Sustainable Development of Road Transport in the EU: Multi-Criteria Analysis of Countries' Achievements. *Energies* **2022**, *15*, 8291. <https://doi.org/10.3390/en15218291>

Academic Editor: Paul Stewart

Received: 27 September 2022

Accepted: 3 November 2022

Published: 6 November 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Sustainable energy development issues are crucial today for many countries around the world. The significance of such problems as energy security, energy dependence or renewable energy development has become clear not only in political documents, but also in the everyday activity of energy customers. European countries began to face a significant increase in energy prices in the second half of 2021 [1]. The economy as a whole and the energy sector have not yet recovered from the effects caused by the COVID-19 pandemic, effects which have been proven by many scientific studies. A wide analysis of these effects can be found in review articles such as: [2–6], etc. Especially large challenges face European energy consumers in 2022. The economic uncertainty due to the Russia invasion of Ukraine has driven energy prices to unprecedented heights. Although Europe reacted immediately at the entire region level with proposals for how countries can manage the energy crisis [7], prices continue to rise. The main problem is that countries needed to prepare in advance to manage such an unprecedented situation. It can be said that, for many years, the level of European energy security was very low, and the ambitions to strengthen it too small. Some European Union (EU) countries have developed relationships and new energy grid connections for many years, despite the threat of energy dependency or the warnings of other countries, such as those of the Baltic State. Taking the example of Germany, Russia stopped their supply of gas, and the German authorities do not know whether they will be able to fully ensure heating in the winter of 2022–2023. However, it is not just supply problems that can be found in the development of the EU energy sector. A significant role is played by energy efficiency and inland energy generation. Energy generation from renewables does not require fossil fuels. Clean energy is one of the most significant cores for a country's energy dependency; this has been well-known for many years. At the same time, the increase in energy efficiency can ensure energy affordability for energy consumers.

The war in Ukraine and the pandemic have led to energy deficits and price increases in various types of energy sources. The transport sector was one of the first to feel the consequences: prices rose sharply on the first day of the war. Globally, about a quarter of all energy consumption goes towards meeting transport needs, while in Europe, the share for transport is significantly higher and accounts for about a third. The energy sector is the biggest emitter of carbon emissions and one of the main factors contributing to climate change. Therefore, it is very important that measures regarding climate change mitigation are implemented in all energy sectors, including transport. Moreover, sustainable transport development has clear links with people's health and quality of life, as well as the level of energy poverty. Therefore, it is very important to measure the sustainable development and progress of the sector. This study seeks to develop a framework for the sustainability assessment of road transport in EU countries and to apply it for the analysis of achievements made in the last decade. The study adheres to the provision that the developed framework should be easily applied in future to monitor the progress made. Therefore, significant attention is paid to the selection of indicators and their availability, as well as the selection of the research instrument itself. In order to compare countries' achievements in the last decade (2010–2020), the multi-criteria decision-making (MCDM) technique TOPSIS has been applied for calculations and countries' ranking. The selected technique is one of the most popular tools for sustainability assessment studies. Moreover, the comprehensive logic of calculations and the easy and fast computation process can contribute to the repeatability of the research. The sensitivity analysis was performed by creating four weighting scenarios. The analysis of the results of the last decade allows to identify the direction that individual countries are taking in the development of road transport. The analysis and assessment of the results can also serve as guidance for policy makers in planning measures for future sustainable transport development.

This paper consists of several sections. The Section 2 overviews the scientific literature, which applied a multi-criteria analysis for the analysis of different sustainable transport development issues. The main directions of EU energy policy towards the sustainable transport development are analysed in the Section 3. An overview of the latest road transport indicators in EU countries is presented in the Section 4. The Section 5 introduces methods and data for the assessment. The results of the achievements made during the last decade and the subsequent discussion are provided in the Section 6. Finally, the conclusions are presented.

2. Literature Review of Multi-Criteria Analysis Application in Transport Studies

The interest in sustainable transport development has increased significantly over the last decade in both the scientific literature and political documents. Multi-criteria analysis for sustainable transport decision making is one of the most popular tools to account for all conflicting aspects of the problem. The main application areas in which different MCDM techniques have been applied in transport studies can be divided into six main categories (Figure 1).

Transport policy studies are usually designed for policy makers and local authorities as supporting instruments for decision making. Transport policy research can be divided into two main groups: one part of the studies focuses on issues related to sustainable urban planning, while the other part focuses on the fulfilment of policy goals. The following are examples of urban transport planning studies. For transport planning in metropolitan areas, Ciesla et al. [8] applied the MAJA technique and proposed a model that considers financial, safety, ecological and qualitative aspects. By the application of the AHP method, Kramar et al. [9] presented a strategic urban planning approach for the implementation of sustainable policy targets. A decision-making tool for local authorities or construction planners was introduced in the study by Casanovas-Rubio et al. [10]. The authors applied the MAUT technique to develop the model, which measures the impact of construction work on mobility in a city. Different multi-criteria techniques have been applied for the analysis and measurement of policy objectives implementation. For example, Neofytou et al. [11]

used the PROMETHEE II technique for the assessment of energy efficiency measures in the building and transport sectors. Interesting research was carried out by Sayyadi and Awasthi [12], in which the sustainability of different transportation policy scenarios was evaluated by the application of the AHP method. Hoefer and Madlener [13] applied the MAUT technique and performed an analysis of several energy transition scenarios. The NAIAD approach was used in the study by Corral and Hernandez [14], in which a decision support system involving various stakeholders was proposed for transport policy planning. Keseru et al. [15] proposed a methodology which takes into account stakeholders' preferences for future transport planning. The proposed methodology combines several techniques, but its basis lies in the multi-criteria approach.




Figure 1. MCMD application areas in sustainable transport decision making.

Studies that were developed for sustainability assessment purposes were also performed for other reasons, such as the evaluation of transport infrastructure [16–18], sustainability assessment of transport services [19–21], and sustainability measurement of the transport sector of a specific city or whole country. Czech et al. [22] proposed a tool for the assessment of sustainable transport development. The authors selected thirty indicators to reflect the aspects of transport sustainability. The tool was applied in practice for the sustainability assessment of transport development in Polish voivodeships. The same indicators were used for the sustainability assessment of transport sector development in twenty-four European countries in the study by Czech et al. [23]. The authors applied a dynamic approach and performed an assessment taking into account thirty indicators. Castillo and Pitfield [24] introduced a methodological framework for the sustainable transport development indicators selection by applying the AHP method. An integrated urban transport and logistics sustainability index based on the AHP method was proposed by Senne et al. [25]. Jasti and Ram [26] used the AHP method and selected twenty-nine indicators for the sustainability assessment of the public transport system in a selected India city. The authors applied the same approach for the sustainability measurement of the metro rail system in the largest city of India, Mumbai [27]. The authors applied the MIVES method for their calculations. In terms of smart city and sustainability aspects, Shmelev and Shmeleva [28] analysed 57 cities by applying the ELECTRE III, NAIAD and APIS techniques; they also created the indicators system. Wang et al. [29] applied the integrated entropy-CoCoSo approach for the sustainability assessment of existing road transportation systems in the Organization for Economic Cooperation and Development (OECD) countries.

The range of problems analysed in the other sustainable transport categories are also vast, and many different methods have been used. For example, the questions analysed in transport project selection studies are various, such as evaluation systems for the analysis and ranking investment projects [30,31]; the assessment of vehicles alternatives [32]; failure

analysis of public transport systems [33], etc. However, most studies analysed issues of transport infrastructure development and applied various MCDM techniques, such as AHP [34,35], ANP [36,37], TOPSIS [34], PROMETHEE [34], MULTIMOORA [38], MACBETH [39] and DEMATEL [37]. Public transport planning studies have been applied using many different MCDM techniques and address different sustainable transport planning issues, such as mobility alternatives selection [40], determination of Park and Ride locations [41], transport infrastructure planning [42–44], etc. A wide variety of methods are applied: TOPSIS [45], MABAC [46], ARAS [43], COMET [47], SIMUS [48], etc. Mostly, the questions in the logistics studies are related to sustainable freight planning, while the methods selection articles propose tools for decision making, paying attention to the involvement of stakeholders.

3. EU Energy Policy towards Sustainable Transport Development

The major sustainability issues to be addressed in transport policies are linked to climate change mitigation. Therefore, transport plays an important role in the decarbonization directions of the EU [49]. The EU is the world flagship for low-carbon energy transition. In 2019, the European Parliament issued a call for the European Commission to take into account the climate emergency and to develop policy proposals to limiting global warming, in order to address the 1.5 °C target [50]. In 2021, the EU Climate Law was adopted by the European Parliament and introduced the legally binding greenhouse gas (GHG) emissions reduction target of 55% by 2030, with the aim of achieving climate neutrality by 2050 in the EU. This confirms the EU leadership fight against global climate change. Consequently, the European Commission issued the European Green Deal, which is the main policy document for the EU to create a climate-neutral society by 2050. In order to achieve its ambitious climate goals, the EU has initiated a revision of the linked legislation and regulations for specific sectors with a direct influence on GHG under the Fit for 55 package. The transport sector is also included. This is the only sector of the EU economy in which GHG emissions have increased by more than 25% since 1990, and in 2020 they were higher again. The transport sector is very important for GHG emission reduction policies in the EU, as it comprises more than a fifth of the total GHG emissions in the EU [51].

The specific legal regulations that will allow the EU to implement the Green Deal are included in the Fit for 55 package, which was issued in 2021 by the European Commission. The Fit for 55 package includes the revision of existing legislation on GHG emissions reduction in energy. The package was issued, and the European Commission adopted the amendments of Renewable Energy Directive II by proposing the GHG intensity reduction target for 2030, instead of the share of renewable energy sources in transport. The Fit for 55 package adopted in 2021 consists of 13 related amended legislations and six newly recommended laws linked to energy and climate.

As civil aviation makes more than 13% of total GHG emissions from the transport sector in the EU, in 2022, the European Parliament adopted the Emissions Trading System (ETS) revision for the aviation sector, by applying the same requirements to all flights that depart from countries in the European Economic Area. The synthetic fuel—or even hydrogen—will become aviation fuel from 2025, and it is planned to reach 85% by 2050 in all EU airports. The European Commission is also planning to quicken the decarbonisation of the transport sector by outspreading the ETS to the maritime transport sector.

The European Commission adopted the Renewable Energy Directive (2009/28/EC) [52] in 2009, setting the RES targets for EU member states to achieve 10% of renewables in all energy used in transport by 2020. The Renewable Energy Directive also provides sustainability criteria for the RES used in transport, and only biofuels have been compliant with them since 2011. The increase in the share of RES in transport and the electrification of road and rail transport were the main drivers of the growth of RES share in the transport sector [53].

The European Commission issued the new Renewable Energy Directive in 2018 (2018/2001) [54]. In this directive, the sustainability criteria for bioenergy were made stricter. The target for 2030 was set for RES in transport, i.e., –14%.

Cars and vans are major road transport polluters and contribute more than 15% of GHG emissions [55]. The European Commission issued a proposal to achieve zero emissions from cars and vans by 2035 in the EU. The in-between GHG emissions reduction targets were fixed at 55% for cars and 50% for vans by 2030.

There are plans to introduce ETS II for carbon pricing in road transport and heating in the EU. It is foreseen that regular consumers would be exempted from carbon pricing via ETS II until 2029, and only businesses entities would be eligible to pay a carbon price on such fuels as heating oil.

However, it is necessary to stress that road transport electrification is likely to play a major role in transport decarbonization [56,57]. Even though electric and hydrogen vehicles are carbon-free vehicles, the electricity needed to charge electric vehicles or produce hydrogen is not necessarily carbon-free [58,59]. In many countries, except, for instance, Norway, the generation of electricity that is necessary to charge electric vehicles comes from fossil fuels. Therefore, the effectiveness of transport electrification as an emission abatement measure depends heavily on the decarbonisation of electricity sector. If fossil fuel power plants are not replaced by carbon-free options, the overall GHG emission will increase due to the electrification of road transport [60,61].

The main policies promoting the decarbonisation of the transport sector are fiscal initiatives, the regulation of GHG emissions and other standards, and the development of relevant infrastructure, as well as information dissemination and raising awareness [62,63]. The fiscal incentives allow an increase in the initial uptake of electric vehicles and achieving economies of scale in electric vehicles and battery manufacturing industries. Such policies and measures as purchase subsidies and/or vehicle purchase and registration tax rebates are popular around the world, as they allow a reduction in the price gap between electric and conventional vehicles [64,65].

The tightening CO₂ emissions standards for conventional vehicles are another important driver of electric vehicles penetration in the market [66]. CO₂ emissions standards for vehicles in the EU play an important role in promoting electric car sales. Another important measure is the development of relevant infrastructure, such as convenient and affordable publicly accessible chargers, which are the main measure to scale up electric vehicles. In order to address infrastructure requirements, governments provide financial support for the development of electric vehicles' charging infrastructure. Direct investment in the installation of publicly accessible chargers is among the most popular support measures [60]. Further, there are building codes requiring newly constructed buildings to include charging points. The introduction of differentiated circulation fees for electric and conventional vehicles, or the establishment of preferential zero carbon areas of parking are also among popular policies to promote the decarbonisation of road transport.

Another important policy measure is the introduction of differentiated taxation of vehicles and fuels based on their environmental performance, and GHG emissions will enable the fast development of clean vehicle industries [67,68]. Nevertheless, more actions are necessary for light-commercial vehicles, medium- and heavy-duty trucks, and buses, as they have an increasing negative influence on energy consumption, atmospheric pollution and GHG emissions. It is necessary to highlight that medium- and heavy-duty vehicles contribute about 5% of all four-wheeled road vehicles and are responsible for more than 30% of road transport GHG emissions.

EU countries have adopted several policies and measures to overcome the main consumer barriers of electric vehicles, such as affordability, convenience, and awareness [69–72]. In terms of electric vehicles development, the key policies and measures adopted in EU member states are financial incentives aiming to address the cost gap between electric vehicles and conventional cars, the extension of electric vehicles charging stations and

other necessary infrastructure. Information dissemination campaigns are also an important measure to increase public awareness about the benefits of electric vehicles [73]

The purchase subsidies for electric vehicles and annual tax exemptions on electric vehicle registration and operation are popular measures in such countries as The Netherlands, Slovakia, the Czech Republic and Norway, where electric cars are quite popular in big cities. It is recommended to introduce all supplementary policies such as exemptions or rebates of parking fees or parking permits for electric vehicles, exemptions of road tolls, and congestion charges, which are influential instruments to provide clear cost advantages for the drivers of electric vehicles.

4. An Overview of Countries' Achievements

This section overviews the most important and the newest available indicators of road transport in the EU member states. The indicators for the overview were selected according to their significance in reflecting the problem. These indicators are GHG emissions from fuel combustion in road transport; the share of passenger diesel cars; the share of passenger electrical cars; passenger cars by age; passenger cars per 1000 inhabitants; share of buses and trains in inland passenger transport; motor coaches, buses and trolley buses by age; the share of electrical motor coaches, buses and trolley buses; road traffic deaths rate; and investments and expenditures on road transport infrastructure.

The average GHG emissions from fuel combustion in road transport in the EU-28 was 1.54 tonnes/person in 2020 (Figure 2). Although the values of GHG emissions range from 0.92 in Romania to 7.41 in Luxembourg, mostly, the emissions level does not significantly diverge from the EU-28 average in many countries. However, the countries with relatively high values (tonnes/person) should be individuated: Luxembourg (7.41), Austria (2.31), Slovenia (2.17), Cyprus (2.16), Lithuania (2.12), Ireland (1.95) and Denmark (1.93). The biggest influence for such results is international road traffic. Particularly high values of GHG emissions per person are in Luxembourg. The country is at the heart of the main traffic axes for Western Europe; it is a central point for international road traffic and has a high volume of road transit traffic. The transit traffic is for both passengers (tourists on an outward or return journey) and goods (freight transport). The domestic traffic is responsible for only a quarter of the fuels sold in Luxembourg for road transport.

The pollution of diesel cars is the reason for the goal of abandoning them as soon as possible in Europe, or to reduce the number of diesel cars to a minimum. The popularity of diesel cars differs among countries (Figure 3). However, several countries can be individuated, in which diesel vehicles are very popular. In some countries, the share of passenger diesel cars accounted more than half of all passenger cars, these countries being Lithuania (67.72%), Latvia (63.34%), Bulgaria (59.1%), Ireland (58.69%), France (57.46%), Portugal (56.9%), Austria (54.53%), Croatia (54.47%), Spain (54.44%), Luxembourg (53.18%) and Slovenia (50.29%). It is also necessary to mention that in some of these countries the car park is quite old (e.g., Lithuania, Latvia, Bulgaria). The share of diesel cars stopped growing in the last few years in Lithuania and Latvia, but clear decreasing trends are yet to be seen. Bulgaria differs from other countries in that the number of diesel cars in the country continues to grow, most of which are polluting and old cars from Western Europe.




Figure 2. GHG emissions from fuel combustion in road transport in EU countries in 2020, tonnes/person. Source: [74].




Figure 3. Share of passenger diesel cars in EU countries in 2020, %. Source: [74].

One of the measures to encourage the shift away from polluting diesel cars is through various support mechanisms for the purchase of electric cars. These mechanisms differ among countries. The development of electric cars is also significantly influenced by the development of solar energy at the household level, the level of public awareness, and according to economic factors. For these reasons, different penetration of the electric vehicles can be seen in the market (Figure 4). Although the EU-28 average was less than half a percent (0.44%) in some countries, the share of electric cars was more than twice as large. The biggest share of passenger electric cars was observed in The Netherlands (1.98%) in 2020. Twice or more the EU-28 average were Denmark (1.17%), Sweden (1.13%), Luxembourg (1.03) and Austria (0.87%). The countries where electric cars did not make up more than 0.1% can be individuated: Cyprus (0.04%), Poland (0.04%), Croatia (0.08%) and Romania (0.08%). Many countries were significantly below the EU-28 average, e.g., Italy (0.13%), Czech Republic (0.13%), Latvia (0.16%), Lithuania (0.16%), Estonia (0.22%) and Spain (0.23%).




Figure 4. The share of passenger electrical cars in EU countries in 2020, %. Note: the data for Bulgaria, Greece and Slovakia are not available. Source: [74].

The environmental footprint from the transport sector can be decreased by the development of clean technologies and improvements in energy efficiency. The old polluting and energy inefficient cars should be replaced in order to implement climate change and energy policy goals. Figure 5 presents the share of passenger cars by age in EU countries in 2020. Figure 5 shows that the differences among countries are significant. Four countries can be identified as having no passenger cars older than twenty years: Luxembourg, Italy, Ireland and the Czech Republic. In contrast, a significant percent of all passenger car parks is older than twenty years in Poland (40%), Estonia (32.7%), Finland (28.45%), Lithuania (24.76%) and Romania (24.28%). Citizens in Luxembourg have the newest cars, where more than half of the cars are less than five years old, and the share of cars aged less than ten years accounts for 76% of all passenger cars in the country. Countries with the highest indicators include Belgium, Denmark and Austria, where the share of cars less than ten years old accounts for more than 60%.




Figure 5. Passenger cars by age in EU countries in 2020, %. Note: the data for Bulgaria, Greece and Slovakia are not available. Source: [74].

The number of passenger cars per 1000 inhabitants differs significantly among countries from 379 in Romania to 682 in Luxembourg (Figure 6). These differences are influenced by many factors, such as geographical aspects, distribution of the population, the tax policy of a country, affordability and other economic aspects, the development of public transport infrastructure, etc. The well-developed public transport infrastructure is one of the essential cores for sustainable transport development.




Figure 6. Passenger cars per 1000 inhabitants in EU countries in 2020, number. Source: Eurostat: [74].

A well-developed public transport infrastructure that meets people's needs can significantly reduce environmental pollution, ensure smooth transportation services, reduce city noise, contribute to safe traffic, and ensure the quality of people's lives. The share of buses and trains in inland passenger transport differs significantly among EU countries (Figure 7). The lowest value was observed in Lithuania, where the share of buses and trains in inland passenger transport only reached 5.8%. Public transport services are not popular in the country. People have a preference for private cars not only for long travel, but also for travel in the city. Such preferences can be determined by many factors, but the most significant is convenience in terms of transport services. Thus, the low usage of public transport services is strongly determined by transport infrastructure planning issues (e.g., availability, travel time, comfort level, affordability, etc.).




Figure 7. Share of buses and trains in inland passenger transport in EU countries in 2020, %. Source: [74].

The huge gap between countries can be observed when analysing the age of public transport infrastructure between countries (Figure 8). For example, more than half (52%) of motor coaches, buses and trolley buses in Poland are older than twenty years. In comparison, 52% of motor coaches, buses and trolley buses in Luxembourg are less than five years old. Countries with the newest road public transport infrastructure are Sweden, Austria, The Netherlands, France and Germany, while the oldest motor coaches, buses and trolley buses are in Poland, Cyprus, Estonia, Finland and Romania.

The share of electric motor coaches, buses and trolley buses is quite low in many countries and mostly do not reach more than 1% (Figure 9), but several countries have impressive results. The highest achievements were in The Netherlands, where electric buses accounted for almost 13% in 2020. Good results were also obtained in Luxembourg (6.71%), Latvia (6.53%) and Lithuania (5.5%).

Sweden has impressive results regarding the share of RES in the transport sector (Figure 10). Almost one third (31.9%) of energy consumed in transport comes from RES. In most other countries, the share of RES ranges between 9 and 12%. However, in countries such as Greece, Lithuania, Croatia, Cyprus, Latvia and Poland, the portion of RES is low and accounts for only 5–7%. The urgent measures should be implemented in order to achieve the EU transport policy goals, especially in these countries which are falling behind.




Figure 8. Motor coaches, buses and trolley buses by age in EU countries in 2020, %. Note: the data for Bulgaria, Greece and Slovakia are not available. Source: [74].




Figure 9. The share of electrical motor coaches, buses and trolley buses in EU countries in 2020, %. Note: the data for Greece and Slovakia are not available. Source: [74].




Figure 10. The share of RES in transport in EU countries in 2020, %. Source: [74].

The road traffic deaths show the rate of persons killed in road accidents per the average number of people in the country. Surprisingly, the rate differs between some countries by more than four times. Specific examples are Sweden with the value of 2, and Romania, with the value of 8.5 (Figure 11). The lowest number of road fatalities was in 2020 (18,800). This significant decrease was influenced by the COVID-19 lockdowns [75]. In 2021, the number increased, but it was much lower than before the pandemic and reached 19,800. The EU target for 2030 is to decrease the number of road deaths by 11,400 or less [76]. Road safety depends on many factors, such as: the compliance of transport infrastructure with people's needs; level of public awareness; regulatory system, etc.




Figure 11. Road traffic deaths in EU countries in 2020, rate. Source: [74].

Appropriate and timely targeted investments and road maintenance that ensure high safety requirements can reduce the number of road traffic accidents to a minimum. The highest investments in road infrastructure in 2020 per person were in Sweden (EUR 284), Lithuania (EUR 230) and Malta (EUR 230) (Figure 12). The biggest expenditures on road infrastructure per person were in Sweden (EUR 393) and Lithuania (EUR 303). In 2020,

Romania and Slovenia made no new investment in road transport, while the expenditures were quite high in these countries.




Figure 12. Investments and expenditures on road transport infrastructure in EU countries in 2020, EUR/person. Source: [74].

Transport, especially road transport, plays an important role in terms of the sustainable development of a country [77], as it has a direct impact on the increase in GHG emissions and atmospheric pollution. The increase in the use of public transport and the decrease in passenger cars per capita, as well as passenger diesel cars share, allows a reduction in the climate change burden of transport and GHG emissions from the transport sector [66]. Another important driver is the increase in the share of renewables in transport and the fast penetration of electric and hybrid vehicles. The decrease in road traffic deaths is an important social aspect of transport sustainability, as in some EU countries such as Bulgaria, Romania, Latvia and Poland, this indicator continues to show illustrate a terrifying situation though a clear decrease in trends since 2010, which can be noticed in all EU member states.

As can be seen from the presented transport data, the results and achievements of the EU countries differ significantly in terms of road transport development. Therefore, it is important to monitor the countries' achievements and to implement the sustainable transport development policy in the whole region. Looking at historical data, many countries have achieved significant results. However, this is not enough to combat climate change, and the energy transition must be accelerated.

5. Methods and Data

The study intends for the developed road transport sustainability assessment system to be easily applied in the future to monitor the progress. To ensure this, significant attention is paid to the selection of indicators and their availability. Only then can the full picture be seen of the entire region and the impact of the applied policy on the countries' achievements. Six indicators have been selected for the assessment and ranking of countries' achievements in the last decade. These indicators can be grouped into three categories, which reflect mobility (passenger cars per 1000 inhabitants, number; share of buses and trains in inland passenger transport, %); environmental (RES in transport, %; passenger diesel cars, %); and health aspects (GHG emissions from fuel combustion in road transport, tonnes/person; road traffic deaths, rate). A well-developed public transport system is essential for sustainable city development and people's well-being. The mobility options developed significantly affect air quality and people's health [78]. Two indicators to reflect

the mobility situation have been selected, one of which reflects the development level of the public transport system, the other reflecting the usage of private cars in inland passenger transport. The share of RES and reduction in polluting cars are among the objectives of the EU's transport policy. These objectives are also a part of the measures to combat climate change [53,55]. Therefore, indicators such as the share of RES and the share of diesel cars are included in the assessment. The reduction in GHG emissions and the decrease in road traffic deaths are also a part of the EU's objectives [51,76].

The multi-criteria decision-making (MCDM) technique TOPSIS has been applied for calculations and countries' ranking in the period of 2010–2020. Calculation with the TOPSIS method takes into account the distance from the positive and negative ideal solution [79]. The best alternative is that which is closest to the positive ideal solution and the greatest distance from the negative ideal solution. The TOPSIS approach has a fairly simple calculation process and quickly obtained the assessment results. The logic of computation is rational and expressed in a simple mathematical form, and the evaluation process is fast compared with other techniques. From the decision-makers' perspective, it is easy to interpret the results obtained and to understand the importance of the criteria selected for the final results [80–82]. The TOPSIS technique has been widely applied in sustainability assessment studies. The selected method is a suitable and logical tool for this type of research and has been applied for the comparison of achievements made in EU countries [83]. The selected countries are evaluated and ranked in accordance with the following seven steps:

Step 1. Decision matrix formation with m alternatives and n criteria:

$$D = [x_{ij}] = \begin{matrix} & \begin{matrix} X_1 & X_2 & \dots & X_n \end{matrix} \\ \begin{matrix} a_1 \\ a_2 \\ \dots \\ a_m \end{matrix} & \begin{bmatrix} x_{11} & x_{12} & \dots & x_{1n} \\ x_{21} & x_{22} & \dots & x_{2n} \\ \dots & \dots & \dots & \dots \\ x_{m1} & x_{m2} & \dots & x_{mn} \end{bmatrix} \end{matrix} \quad (1)$$

Step 2. The normalised matrix is obtained by the equation presented below:

$$\bar{x}_{ij} = \frac{x_{ij}}{\sqrt{\sum_{i=1}^m x_{ij}^2}}; i = \overline{1, m}, j = \overline{1, n}, \quad (2)$$

Step 3. The weighted normalised matrix is computed by Equation (3):

$$V = \begin{bmatrix} w_1 r_{11} & w_2 r_{12} & \dots & w_n r_{1n} \\ w_1 r_{21} & w_2 r_{22} & \dots & w_n r_{2n} \\ \dots & \dots & \dots & \dots \\ w_1 r_{m1} & w_2 r_{m2} & \dots & w_n r_{mn} \end{bmatrix}; \sum_{j=1}^n w_j = 1 \quad (3)$$

Step 4. Determination of the positive A^+ ideal solution and negative A^- ideal solution:

$$A^+ = \{\max_j v_{ij} \mid i \in I, (\min_j v_{ij} \mid i \in I'), j = \overline{1, n}\} = \{v^+_1, v^+_2 \dots v^+_n\}; \quad (4)$$

$$A^- = \{\min_j v_{ij} \mid i \in I, (\max_j v_{ij} \mid i \in I'), j = \overline{1, n}\} = \{v^-_1, v^-_2 \dots v^-_n\} \quad (5)$$

Step 5. The relative distance of each solution from the positive A^+ ideal solution and negative A^- ideal solution is calculated:

$$S_i^+ = \sqrt{\sum_{j=1}^n (v_{ij} - v_j^+)^2}, i = \overline{1, m}, \quad (6)$$

$$S_i^- = \sqrt{\sum_{j=1}^n (v_{ij} - v_j^-)^2}, i = \overline{1, m}, \quad (7)$$

Step 6. Calculations of the relative distance of each alternative from the ideal solution are calculated by Equation (8):

$$C_i = \frac{S_i^+}{S_i^+ + S_i^-} \quad (8)$$

Step 7. Selection of the best alternative, i.e., that which is closest to 1. The best alternative has the highest C_i value. Based on the values of C_i , a ranking of countries is created.

For the measurement of countries' achievements made during the period under analysis, equal weights of all indicators selected were assumed (basic scenario). In order to perform a sensitivity analysis and validate the results, the three additional scenarios were created, and rankings for 2010 and 2020 were calculated. Each of the scenarios focuses on one of the dimensions, with the remaining two assigned with lower weights. The scenarios' weighting schemes are presented in Table 1:

Table 1. Weighting schemes for sensitivity analysis.

Scenario	Mobility		Health		Environment	
	Share of Buses and Trains in Inland Passenger Transport, %	Passenger Cars per 1000 Inhabitants, Number	Road Traffic Deaths, Rate	GHG Emissions from Fuel Combustion in Road Transport, Tonnes/Person	Passenger Diesel Cars, %	RES in Transport, %
S1 (Basic)	16.67%	16.67%	16.67%	16.67%	16.67%	16.67%
S2 (Mobility-oriented)	25%	25%	12.5%	12.5%	12.5%	12.5%
S3 (Health-oriented)	12.5%	12.5%	25%	25%	12.5%	12.5%
S4 (Environment-oriented)	12.5%	12.5%	12.5%	12.5%	25%	25%

Road transport indicators of EU member states in 2010 and 2020 are provided in Appendix A.

6. Results

The results of the assessment and countries' ranking (basic scenario) in the last decade are provided in Table 2. As can be seen from the results, the best performing country in the region in 2020 was Sweden, with the score of relative distance to the ideal solution 0.842. The results of the countries ranked in the other positions do not differ to a significant extent. However, one country had an especially different result from the others: the final result of Luxembourg was very low, and the country took last place with the score of 0.257 in the ranking. This was caused by a significant deviation of one of the indicators selected for the assessment from the results of the other countries. As already mentioned in Section 4, Luxembourg is unique from the other European countries because it is a central point for international road traffic in Europe.

Table 2. Transport sector sustainability of the EU countries and achievements made in the last decade (2010–2020).

Countries	2020				2010				Change 2010–2020
	Relative Distance from the Ideal Positive Solution	Relative Distance from the Ideal Negative Solution	Relative Distance of the Al- ternative from the Ideal Solution	Rank	Relative Distance from the Ideal Positive Solution	Relative Distance from the Ideal Negative Solution	Relative Distance of the Al- ternative from the Ideal Solution	Rank	
Sweden	0.024	0.130	0.842	1	0.038	0.144	0.790	1	0
Hungary	0.062	0.108	0.634	2	0.041	0.144	0.779	2	0
The Netherlands	0.062	0.107	0.633	3	0.063	0.130	0.672	9	6
Malta	0.066	0.110	0.625	4	0.083	0.132	0.616	23	19
Finland	0.062	0.098	0.612	5	0.061	0.126	0.676	8	3
Slovakia	0.071	0.104	0.593	6	0.044	0.143	0.763	3	−3
Italy	0.071	0.100	0.587	7	0.066	0.125	0.655	11	4
Estonia	0.068	0.096	0.584	8	0.079	0.128	0.617	22	14
Denmark	0.069	0.097	0.584	9	0.072	0.124	0.632	18	9
Germany	0.071	0.097	0.579	10	0.054	0.132	0.709	6	−4
Czech Republic	0.072	0.098	0.577	11	0.052	0.133	0.719	5	−6
Belgium	0.071	0.093	0.568	12	0.078	0.118	0.603	26	14
Greece	0.081	0.105	0.564	13	0.075	0.132	0.636	16	3
Spain	0.077	0.098	0.561	14	0.069	0.125	0.646	12	−2
Ireland	0.075	0.094	0.556	15	0.069	0.121	0.638	14	−1
France	0.078	0.096	0.553	16	0.074	0.125	0.629	19	3
Romania	0.084	0.104	0.553	17	0.079	0.137	0.634	17	0
Austria	0.074	0.090	0.548	18	0.063	0.133	0.678	7	−11
Slovenia	0.076	0.087	0.533	19	0.075	0.115	0.607	24	5
Portugal	0.083	0.094	0.533	20	0.071	0.125	0.637	15	−5
Bulgaria	0.084	0.095	0.529	21	0.080	0.130	0.620	20	−1
Cyprus	0.080	0.089	0.528	22	0.073	0.119	0.619	21	−1
Poland	0.084	0.092	0.523	23	0.051	0.138	0.729	4	−19
Croatia	0.086	0.094	0.522	24	0.082	0.126	0.605	25	1
Latvia	0.091	0.091	0.498	25	0.065	0.130	0.665	10	−15
Lithuania	0.099	0.081	0.450	26	0.073	0.131	0.643	13	−13
Luxembourg	0.119	0.041	0.257	27	0.157	0.030	0.162	27	0

The results of the conducted study show that, in 2010, the best performing countries in terms of sustainable transport in the EU were new EU member states such as Slovakia, Hungary, the Czech Republic, Poland and Sweden. The situation changed in 2020, and The Netherlands, Malta and Finland appeared among the leading countries.

The main reasons for the high ranking of Slovakia, Hungary, Denmark and the Czech Republic in terms of transport sustainability in 2010 are linked to the high share of public transport (the leaders are Hungary, the Czech Republic and Slovakia); low number of passenger cars per 1000 inhabitants (leaders: Hungary, Slovakia and Romania); low GHG emissions from fuel combustion in transport (leaders: the Czech Republic, Hungary, Romania, etc.); and low share of passenger diesel cars (leaders: Slovakia, Greece etc.). At the same time, Sweden and The Netherlands had very low road traffic death rates. The highest share of RES in the transport sector was in Austria and Sweden.

In 2020, the main reasons for the high ranking of Sweden, Hungary, The Netherlands, Malta, and Finland were the decrease in GHG emissions from fuel combustion in transport due to an increase in the share of renewable energy in transport; fast penetration of electric and hybrid vehicles; and stricter standards adopted for road vehicles, including financial incentives such as purchase subsidies for electric vehicles and annual tax exemptions on electric vehicle registration and operation. The low road traffic deaths rate in Sweden, Malta, Denmark and The Netherlands in 2020 was another important contributor to the

high ranking of these countries in terms of sustainability. Hungary's high position was determined not only by a large share of RES, but also by a low number of cars per 1000 inhabitants and share of buses and trains in inland passenger transport.

Therefore, Eastern and Central European countries performed better in terms of high shares of public transport and a lower number of passenger cars per 1000 inhabitants, and Nordic countries led in terms of low road traffic deaths and a lower share of passenger diesel cars during all investigated periods.

The lowest performing country among the other analysed EU member states remained Luxembourg, with the highest GHG emissions from fuel combustion among other EU member states during all investigated periods. Luxembourg also had the highest rate of passenger cars per 1000 inhabitants during the 2010–2020 period among EU countries. Moreover, the country had the highest share of passenger diesel cars in 2010 among EU member states, and, although the situation improved slightly in 2020, the country is among the leaders according to this indicator.

In order to validate the results, different weighting schemes were assigned. The results and comparison of different weighting scenarios based on the TOPSIS technique are provided in Appendix B. The correlation coefficients for the utility scores among different weighting schemes demonstrate that the correlation is high (Tables 3 and 4). The lowest correlation coefficient is 0.85 for the Health- and Environment-oriented scenarios in 2010. In 2020, the lowest correlation coefficient is 0.77 for the same scenarios. Despite this, the correlation is significantly high.

Table 3. Correlation coefficients for utility scores, 2010.

	S1	S2	S3
S1	1		
S2	0.95	1	
S3	0.97	0.90	1
S4	0.94	0.86	0.85

Table 4. Correlation coefficients for utility scores, 2020.

	S1	S2	S3
S1	1		
S2	0.95	1	
S3	0.95	0.88	1
S4	0.92	0.87	0.77

The results of the conducted research can be compared with other studies analysing the transport sector development trends and policies in the EU. For example, Baran and Gorecka [84] applied a data envelopment analysis (DEA) for the efficiency measurement of road and rail freight transport in old and new EU countries. The results revealed that there are no significant inland transport efficiency differences between old and new EU countries. Moreover, no statistical correlation between a country's economic condition and road transport efficiency was found. The current research revealed that some differences between old and new members in terms of road transport sustainability can be identified. Mainly, these differences are related to the investments in new technologies for the reduction in GHG emissions and enlargement of RES in transport. Differences between old and new EU member states were also found in the study by Stefaniec et al. [85] in terms of social sustainability. The authors applied a DEA analysis for the assessment by analysing mobility, safety, accessibility, health, employment, and equity aspects in the regional transportation of old and new EU members. It was found that the new EU member states perform better in terms of social sustainability. This may be associated with a lower rate of motorization and a higher share of public transport. The current research also stressed that the share of public transport and lower number of passenger cars are specific for Eastern and Central

European countries, and that these countries are stronger compared to the old EU members in this aspect. Persyn et al. [86] performed an analysis of road transport costs between and within EU regions. The authors evaluated the impact on transport expenditures of an increase in fuel prices. A high impact on transport costs was found in Eastern Europe countries. Moreover, the investments in transport infrastructure made by the European Cohesion Policy program 2014–2020 were analysed. The authors compared the economic cost of upgrading the roads to the economic benefit. The performed analysis showed that the biggest effect can be identified in Eastern European countries, with the smallest effect in Western Europe.

7. Conclusions

The transport sector plays an important role in the decarbonization of the EU energy sector. Almost one third of energy consumed in the EU goes towards meeting transport needs. The transport sector is the only sector in the whole EU economy in which GHG emissions have increased by more than a quarter since 1990; therefore, it is very important to measure its sustainable development and progress.

This paper presented a framework for the sustainability assessment of road transport in EU countries and applied it for the analysis of achievements made in the last decade (2010–2020). The developed framework can be easily applied in the future to monitor the progress made. The proposed multi-criteria technique for countries' ranking can be easily applied in future studies and does not require sophisticated calculations. The results of the ranking can serve to identify leading countries, in order to follow the best measures implemented.

The proposed framework takes into account the essential indicators reflecting road transport sustainability issues and is a suitable tool for sustainability measurement and monitoring. The calculations can be carried out for the ranking and comparison of all EU members, and the framework can be applied to assess and monitor the annual achievements made by a selected country or countries, or country groups.

The multi-criteria assessment of EU countries in terms of transport sustainability during 2010 and 2020 allowed us to determine the most advanced and lagging countries and to assess the trends. Moreover, the sensitivity analysis was carried out by creating four weighting scenarios. However, certain quantitative variations across the scenarios exist, and qualitative conclusions persist. The best results regarding sustainable road transport development were achieved in Sweden, Hungary, The Netherlands, Malta and Finland. Sweden ranked first in the period under assessment. The country had impressive results in the share of RES in transport, where almost one third (31.9%) of energy consumed in transport comes from RES. The lowest ranking country was Luxembourg, due to the high share of GHG emissions and high popularity of passenger diesel cars for road transport.

As the RES enlargement is crucial for the future transport sector, the analysis of best practices and the most efficient measures to promote renewable technologies should be followed in EU member states, especially in those that are lagging behind. These urgent measures are necessary to boost the share of RES in transport for Greece, Lithuania, Poland, Latvia, Croatia and Cyprus. These countries should follow the example of Sweden. Although economic benefits are a very important issue for people, financial incentives for the purchase of electric cars are an ineffective measure in many countries today. First, the required and convenient for the users' infrastructure should be developed.

The conducted study has limitations, as not all important sustainability indicators linked to transport were used in the multi-criteria assessment and the ranking of countries due to data limits. Moreover, it is important to extend the analysis of transport sector sustainability by distinguishing the impact of the COVID-19 pandemic and the Russian invasion of Ukraine on transport sector sustainability in the EU member states. More in-depth discussions about each country's energy and transport policies are also necessary for future research, in order to better capture the impact of the implemented policies and measures on the sustainability of transport sector development in these countries and

transfer good case practices to other EU countries. Moreover, the other MCDM techniques can be applied for calculations and countries' ranking in future studies.

Author Contributions: The authors' contributions are equal. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Acknowledgments: The authors are thankful for the reviewers' comments and valuable suggestions.

Conflicts of Interest: The authors declare no conflict of interest.

Appendix A

Table A1. Road transport indicators of EU member states in 2010. Source: [74,87].

	Share of Buses and Trains in Inland Passenger Transport, %	Passenger Cars per 1000 Inhabitants, Number *	Road Traffic Deaths, Rate	GHG Emissions from Fuel Combustion in Road Transport, Tonnes/Person	Passenger Diesel Cars, %	RES in Transport, %
Belgium	19.8	480	7.8	2.354	60.29	4.8
Bulgaria	20	353	10.5	1.024	36.40	1.5
Czech Republic	26.5	429	7.7	1.558	26.82	5.2
Denmark	20.3	394	4.6	2.229	23.02	1.2
Germany	14.0	527	4.5	1.811	26.63	6.4
Estonia	16.4	416	5.9	1.568	24.81	0.4
Ireland	17.4	424	4.6	2.409	27.07	2.5
Greece	18.4	469	11.3	1.752	1.25	1.9
Spain	17.7	475	5.2	1.820	51.77	5.0
France	14.5	487	6.2	1.957	61.91	6.6
Croatia	16.3	355	9.9	1.327	35.24	1.1
Italy	18.3	619	6.9	1.786	37.82	4.9
Cyprus	18.1	551	7.2	2.874	9.94	2.0
Latvia	21.8	307	10.4	1.442	33.00	4.0
Lithuania	8.3	554	9.7	1.331	15.18	3.8
Luxembourg	16.5	659	6.3	12.837	63.73	2.1
Hungary	31.5	299	7.4	1.138	20.77	6.2
Malta	18.5	581	3.1	1.226	27.94	0.4
The Netherlands	13.5	464	3.2	1.998	16.77	3.4
Austria	20.4	530	6.6	2.611	55.08	10.7
Poland	23.9	453	10.3	1.272	22.45	6.6
Portugal	10.9	444	8.9	1.731	44.27	5.5
Romania	22	214	11.7	0.651	30.74	1.4
Slovenia	13.2	518	6.7	2.569	34.62	3.1
Slovakia	22.2	310	6.9	1.206	7.50	5.3
Finland	15.1	535	5.1	2.202	19.29	4.4
Sweden	15.4	460	2.8	2.080	13.99	9.6

* There are no available data for Denmark in 2010; therefore, the data for 2011 are included.

Table A2. Road transport indicators of EU member states in 2020. Source: Eurostat [74,87,88].

	Share of Buses and Trains in Inland Passenger Transport, %	Passenger Cars per 1000 Inhabitants, Number	Road Traffic Deaths, Rate	GHG Emissions from Fuel Combustion in Road Transport, Tonnes/Person	Passenger Diesel Cars *, %	RES in Transport, %
Belgium	13.5	510	4.3	1.801	48.12	11.0
Bulgaria	10.4	414	6.7	1.329	59.1	9.1
Czech Republic	18.3	565	4.8	1.628	39.48	9.4

Table A2. Cont.

	Share of Buses and Trains in Inland Passenger Transport, %	Passenger Cars per 1000 Inhabitants, Number	Road Traffic Deaths, Rate	GHG Emissions from Fuel Combustion in Road Transport, Tonnes/Person	Passenger Diesel Cars *, %	RES in Transport, %
Denmark	12.7	466	2.7	1.933	30.38	9.7
Germany	11.2	580	3.3	1.721	31.21	9.92
Estonia	11.6	608	4.4	1.635	40.40	12.2
Ireland	13.6	458	2.9	1.946	58.69	10.2
Greece	12.9	514	5.5	1.248	8.10	5.3
Spain	10.0	521	2.9	1.477	54.44	9.5
France	13.0	567	3.7	1.546	57.46	9.2
Croatia	11.1	433	5.9	1.386	54.47	6.6
Italy	14.1	670	4.0	1.324	43.88	10.7
Cyprus	12.4	645	5.4	2.156	21.38	7.4
Latvia	12.3	390	7.3	1.583	63.34	6.7
Lithuania	5.8	560	6.2	2.116	67.72	5.5
Luxembourg	13.4	682	4.1	7.407	53.18	12.6
Hungary	21.2	403	4.7	1.264	31.68	11.6
Malta	13.8	597	2.3	1.035	31.57	10.6
The Netherlands	9.9	503	3.0	1.459	12.54	12.6
Austria	19.4	570	3.9	2.307	54.53	10.3
Poland	12.4	664	6.6	1.638	31.51	6.6
Portugal	6.8	540	5.2	1.392	56.90	9.7
Romania	18.1	379	8.5	0.921	48.36	8.5
Slovenia	8.7	555	3.8	2.169	50.29	10.9
Slovakia	18.8	447	4.5	1.248	44.30	9.3
Finland	13.0	652	4.0	1.797	26.11	13.4
Sweden	16.0	476	2.0	1.365	35.39	31.9

* There are no available data for Slovakia, Greece and Bulgaria in 2020; therefore, the data for 2019 are included for Slovakia and Greece, while for Bulgaria the data for 2017 are included.

Appendix B

Table A3. Results and comparison of different weighting scenarios, 2010.

Country	S1		S2		S3		S4	
	Utility	Rank	Utility	Rank	Utility	Rank	Utility	Rank
Sweden	0.790	1	0.685	5	0.845	1	0.815	1
Hungary	0.779	2	0.797	1	0.828	2	0.706	2
Slovakia	0.763	3	0.743	2	0.825	3	0.699	3
Poland	0.729	4	0.701	4	0.767	8	0.688	4
Czech Republic	0.719	5	0.710	3	0.790	5	0.632	6
Germany	0.709	6	0.616	10	0.805	4	0.660	5
Austria	0.678	7	0.632	8	0.749	13	0.630	7
Finland	0.676	8	0.598	16	0.774	7	0.608	8
The Netherlands	0.672	9	0.602	15	0.782	6	0.589	10
Latvia	0.665	10	0.663	6	0.736	17	0.564	13
Italy	0.655	11	0.587	17	0.760	10	0.565	12
Spain	0.646	12	0.603	13	0.764	9	0.528	17
Lithuania	0.643	13	0.550	25	0.733	18	0.590	9

Table A3. Cont.

Country	S1		S2		S3		S4	
	Utility	Rank	Utility	Rank	Utility	Rank	Utility	Rank
Ireland	0.638	14	0.602	14	0.750	12	0.527	18
Portugal	0.637	15	0.567	24	0.733	19	0.553	14
Greece	0.636	16	0.604	12	0.706	26	0.569	11
Romania	0.634	17	0.644	7	0.716	22	0.511	19
Denmark	0.632	18	0.617	9	0.748	14	0.509	20
France	0.629	19	0.574	21	0.744	15	0.529	16
Bulgaria	0.620	20	0.612	11	0.718	20	0.489	23
Cyprus	0.619	21	0.572	23	0.709	25	0.543	15
Estonia	0.617	22	0.586	18	0.744	16	0.490	22
Malta	0.616	23	0.574	22	0.755	11	0.483	24
Slovenia	0.607	24	0.542	26	0.718	21	0.505	21
Croatia	0.605	25	0.583	19	0.713	23	0.476	26
Belgium	0.603	26	0.579	20	0.712	24	0.483	25
Luxembourg	0.162	27	0.185	27	0.155	27	0.156	27

Table A4. Results and comparison of different weighting scenarios, 2020.

Country	S1		S2		S3		S4	
	Utility	Rank	Utility	Rank	Utility	Rank	Utility	Rank
Sweden	0.842	1	0.803	1	0.889	1	0.819	1
Hungary	0.634	2	0.672	2	0.737	4	0.500	4
The Netherlands	0.633	3	0.584	7	0.754	3	0.538	2
Malta	0.625	4	0.602	4	0.761	2	0.490	5
Finland	0.612	5	0.574	9	0.723	5	0.513	3
Slovakia	0.593	6	0.623	3	0.717	7	0.441	11
Italy	0.587	7	0.564	11	0.721	6	0.449	10
Estonia	0.584	8	0.546	15	0.708	11	0.462	6
Denmark	0.584	9	0.570	10	0.712	9	0.455	8
Germany	0.579	10	0.544	16	0.713	8	0.454	9
Czech Republic	0.577	11	0.596	5	0.695	13	0.436	12
Belgium	0.568	12	0.559	12	0.693	15	0.429	13
Greece	0.564	13	0.553	14	0.680	16	0.455	7
Spain	0.561	14	0.528	18	0.710	10	0.412	16
Ireland	0.556	15	0.555	13	0.694	14	0.404	18
France	0.553	16	0.539	17	0.697	12	0.400	21
Romania	0.553	17	0.585	6	0.637	23	0.418	15
Austria	0.548	18	0.580	8	0.664	19	0.402	20
Slovenia	0.533	19	0.488	24	0.666	18	0.406	17
Portugal	0.533	20	0.488	24	0.671	17	0.396	22
Bulgaria	0.529	21	0.513	19	0.647	21	0.388	23
Cyprus	0.528	22	0.504	21	0.638	22	0.424	14
Poland	0.523	23	0.500	23	0.636	24	0.403	19
Croatia	0.522	24	0.511	20	0.653	20	0.374	24
Latvia	0.498	25	0.502	22	0.613	25	0.353	25
Lithuania	0.450	26	0.408	26	0.585	26	0.313	26
Luxembourg	0.257	27	0.289	27	0.240	27	0.262	27

References

- European Commission. Communication from the Commission to the European Parliament, the European Council, the Council, the European Economic and Social Committee and the Committee of the Regions. Tackling Rising Energy Prices: A Toolbox for Action and Support. Brussels, 2021a, COM(2021) 660 Final. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:52021DC0660> (accessed on 19 September 2022).
- Krarti, M.; Aldubyan, M. Review analysis of COVID-19 impact on electricity demand for residential buildings. *Renew. Sustain. Energy Rev.* **2021**, *143*, 110888. [\[CrossRef\]](#) [\[PubMed\]](#)
- Navon, A.; Machlev, R.; Carmon, D.; Onile, A.E.; Belikov, J.; Levron, Y. Effects of the COVID-19 Pandemic on Energy Systems and Electric Power Grids—A Review of the Challenges Ahead. *Energies* **2021**, *14*, 1056. [\[CrossRef\]](#)
- Zhong, H.W.; Tan, Z.F.; He, Y.L.; Xie, L.; Kang, C.Q. Implications of COVID-19 for the Electricity Industry: A Comprehensive Review. *CSEE J. Power Energy Syst.* **2021**, *6*, 489–495.
- Lu, H.-F.; Ma, X.; Ma, M.-D. Impacts of the COVID-19 pandemic on the energy sector. *J. Zhejiang Univ. A* **2021**, *22*, 941–956. [\[CrossRef\]](#)
- Siksnyte-Butkiene, I. Impact of the COVID-19 Pandemic to the Sustainability of the Energy Sector. *Sustainability* **2021**, *13*, 12973. [\[CrossRef\]](#)
- European Commission. REPowerEU: Joint European Action for More Affordable, Secure and Sustainable Energy. Communication from the Commission to the European Parliament, the European Council, the Council, the European Economic and Social Committee and the Committee of the Regions. 2022a, Strasbourg, 8 March 2022, COM(2022) 108 Final. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex:52022DC0108> (accessed on 19 September 2022).
- Cieřla, M.; Sobota, A.; Jacyna, M. Multi-Criteria Decision Making Process in Metropolitan Transport Means Selection Based on the Sharing Mobility Idea. *Sustainability* **2020**, *12*, 7231. [\[CrossRef\]](#)
- Kramar, U.; Dragan, D.; Topolšek, D. The Holistic Approach to Urban Mobility Planning with a Modified Focus Group, SWOT, and Fuzzy Analytical Hierarchical Process. *Sustainability* **2019**, *11*, 6599. [\[CrossRef\]](#)
- Casanovas-Rubio, M.D.; Ramos, G.; Armengou, J. Minimizing the Social Impact of Construction Work on Mobility: A Decision-Making Method. *Sustainability* **2020**, *12*, 1183. [\[CrossRef\]](#)
- Neofytou, H.; Sarafidis, Y.; Gkonis, N.; Mirasgedis, S.; Askounis, D. Energy Efficiency contribution to sustainable development: A multi-criteria approach in Greece. *Energy Sources Part B Econ. Plan. Policy* **2020**, *15*, 572–604. [\[CrossRef\]](#)
- Sayyadi, R.; Awasthi, A. An integrated approach based on system dynamics and ANP for evaluating sustainable transportation policies. *Int. J. Syst. Sci. Oper. Logist.* **2020**, *7*, 182–191. [\[CrossRef\]](#)
- Höfer, T.; Madlener, R. A participatory stakeholder process for evaluating sustainable energy transition scenarios. *Energy Policy* **2020**, *139*, 111277. [\[CrossRef\]](#)
- Corral, S.; Hernandez, Y. Social Sensitivity Analyses Applied to Environmental Assessment Processes. *Ecol. Econ.* **2017**, *141*, 1–10. [\[CrossRef\]](#)
- Keseru, I.; Coosemans, T.; Macharis, C. Stakeholders' preferences for the future of transport in Europe: Participatory evaluation of scenarios combining scenario planning and the multi-actor multi-criteria analysis. *Futures* **2021**, *127*, 102690. [\[CrossRef\]](#)
- Oltean-Dumbrava, C.; Miah, A. Assessment and relative sustainability of common types of roadside noise barriers. *J. Clean. Prod.* **2016**, *135*, 919–931. [\[CrossRef\]](#)
- Zapolskytė, S.; Vabuolytė, V.; Burinskienė, M.; Antuchevičienė, J. Assessment of Sustainable Mobility by MCDM Methods in the Science and Technology Parks of Vilnius, Lithuania. *Sustainability* **2020**, *12*, 9947. [\[CrossRef\]](#)
- Moradi, S.; Sierpiński, G.; Masoumi, H. System Dynamics Modeling and Fuzzy MCDM Approach as Support for Assessment of Sustainability Management on the Example of Transport Sector Company. *Energies* **2022**, *15*, 4917. [\[CrossRef\]](#)
- Alzoubi, A.M.; Nusair, A.A.; Taha, L.M. GIS based Multi Criteria Decision Analysis for analyzing accessibility of the disabled in the Greater Irbid Municipality Area, Irbid, Jordan. *Alex. Eng. J.* **2019**, *58*, 689–698. [\[CrossRef\]](#)
- Paul, A.; Moktadir, M.A.; Paul, S.K. An innovative decision-making framework for evaluating transportation service providers based on sustainable criteria. *Int. J. Prod. Res.* **2020**, *58*, 7334–7352. [\[CrossRef\]](#)
- Rao, S.-H. Transportation synthetic sustainability indices: A case of Taiwan intercity railway transport. *Ecol. Indic.* **2021**, *127*, 107753. [\[CrossRef\]](#)
- Czech, A.; Gralak, K.; Kacprzak, M.; Król, A. Quantitative Analysis of Sustainable Transport Development as a Support Tool for Transport System Management: Spatial Approach. *Energies* **2021**, *14*, 6149. [\[CrossRef\]](#)
- Czech, A.; Lewczuk, J.; Ustinovichius, L.; Kontrimovičius, R. Multi-Criteria Assessment of Transport Sustainability in Chosen European Union Countries: A Dynamic Approach. *Sustainability* **2022**, *14*, 8770. [\[CrossRef\]](#)
- Castillo, H.; Pitfield, D.E. ELASTIC—A methodological framework for identifying and selecting sustainable transport indicators. *Transp. Res. Part D Transp. Environ.* **2010**, *15*, 179–188. [\[CrossRef\]](#)
- Senne, C.M.; Lima, J.P.; Favaretto, F. An Index for the Sustainability of Integrated Urban Transport and Logistics: The Case Study of São Paulo. *Sustainability* **2021**, *13*, 12116. [\[CrossRef\]](#)
- Jasti, P.C.; Ram, V.V. Sustainable benchmarking of a public transport system using analytic hierarchy process and fuzzy logic: A case study of Hyderabad, India. *Public Transp.* **2019**, *11*, 457–485. [\[CrossRef\]](#)
- Jasti, P.C.; Ram, V.V. Integrated and Sustainable Benchmarking of Metro Rail System Using Analytic Hierarchy Process and Fuzzy Logic: A Case Study of Mumbai. *Urban Rail Transit* **2019**, *5*, 155–171. [\[CrossRef\]](#)

28. Shmelev, S.E.; Shmeleva, I.A. Global urban sustainability assessment: A multidimensional approach. *Sustain. Dev.* **2018**, *26*, 904–920. [\[CrossRef\]](#)
29. Wang, C.-N.; Le, T.Q.; Chang, K.-H.; Dang, T.-T. Measuring Road Transport Sustainability Using MCDM-Based Entropy Objective Weighting Method. *Symmetry* **2022**, *14*, 1033. [\[CrossRef\]](#)
30. Mohagheghi, V.; Mousavi, S.M.; Aghamohagheghi, M.; Vahdani, B. A new approach of multi-criteria analysis for the evaluation and selection of sustainable transport investment projects under uncertainty: A case study. *Int. J. Comput. Intell. Syst.* **2017**, *10*, 605–626. [\[CrossRef\]](#)
31. Henke, I.; Carteni, A.; Di Francesco, L. A Sustainable Evaluation Processes for Investments in the Transport Sector: A Combined Multi-Criteria and Cost–Benefit Analysis for a New Highway in Italy. *Sustainability* **2020**, *12*, 9854. [\[CrossRef\]](#)
32. van de Kaa, G.; Scholten, D.; Rezaei, J.; Milchram, C. The Battle between Battery and Fuel Cell Powered Electric Vehicles: A BMW Approach. *Energies* **2017**, *10*, 1707. [\[CrossRef\]](#)
33. Erdogan, M.; Kaya, I. Prioritizing failures by using hybrid multi criteria decision making methodology with a real case application. *Sustain. Cities Soc.* **2019**, *45*, 117–130. [\[CrossRef\]](#)
34. Broniewicz, E.; Ogrodnik, K. Multi-criteria analysis of transport infrastructure projects. *Transp. Res. Part D Transp. Environ.* **2020**, *83*, 102351. [\[CrossRef\]](#)
35. Barfod, M.B.; Sailing, K.B. A new composite decision support framework for strategic and sustainable transport appraisals. *Transp. Res. Part A-Policy Pract.* **2015**, *72*, 1–15. [\[CrossRef\]](#)
36. Tadić, S.; Krstić, M.; Roso, V.; Brnjac, N. Planning an Intermodal Terminal for the Sustainable Transport Networks. *Sustainability* **2019**, *11*, 4102. [\[CrossRef\]](#)
37. Yang, C.-H.; Lee, K.-C.; Chen, H.-C. Incorporating carbon footprint with activity-based costing constraints into sustainable public transport infrastructure project decisions. *J. Clean. Prod.* **2016**, *133*, 1154–1166. [\[CrossRef\]](#)
38. Turskis, Z.; Antuchevičienė, J.; Keršulienė, V.; Gaidukas, G. Hybrid Group MCDM Model to Select the Most Effective Alternative of the Second Runway of the Airport. *Symmetry* **2019**, *11*, 792. [\[CrossRef\]](#)
39. Donais, F.M.; Abi-Zeid, I.; Waygood, E.O.D.; Lavoie, R. Assessing and ranking the potential of a street to be redesigned as a Complete Street: A multi-criteria decision aiding approach. *Transp. Res. Part A Policy Pr.* **2019**, *124*, 1–19. [\[CrossRef\]](#)
40. Bulckaen, J.; Keseru, I.; Macharis, C. Sustainability versus stakeholder preferences: Searching for synergies in urban and regional mobility measures. *Res. Transp. Econ.* **2016**, *55*, 40–49. [\[CrossRef\]](#)
41. Ortega, J.; Moslem, S.; Tóth, J.; Péter, T.; Palaguachi, J.; Paguay, M. Using Best Worst Method for Sustainable Park and Ride Facility Location. *Sustainability* **2020**, *12*, 10083. [\[CrossRef\]](#)
42. Palevičius, V.; Burinskienė, M.; Podvezko, V.; Paliulis, G.M.; Šarkienė, E.; Šaparauskas, J. Research on the demand for parking lots of shopping centres. *Ėkon. Manag.* **2016**, *19*, 173–194. [\[CrossRef\]](#)
43. Zagorskas, J.; Turskis, Z. Setting Priority List for Construction Works of Bicycle Path Segments Based on Eckenrode Rating and Aras-F Decision Support Method Integrated in Gis. *Transport* **2020**, *35*, 179–192. [\[CrossRef\]](#)
44. Stoilova, S.; Munier, N. A Novel Fuzzy SIMUS Multicriteria Decision-Making Method. An Application in Railway Passenger Transport Planning. *Symmetry* **2021**, *13*, 483. [\[CrossRef\]](#)
45. Shishegaran, A.; Shishegaran, A.; Mazzulla, G.; Forciniti, C. y A Novel Approach for a Sustainability Evaluation of Developing System Interchange: The Case Study of the Sheikhfazolah-Yadegar Interchange, Tehran, Iran. *Int. J. Environ. Res. Public Health* **2020**, *17*, 435. [\[CrossRef\]](#)
46. Blagojević, A.; Stević, Z.; Marinković, D.; Kasalica, S.; Rajilić, S. A Novel Entropy-Fuzzy PIPRECIA-DEA Model for Safety Evaluation of Railway Traffic. *Symmetry* **2020**, *12*, 1479. [\[CrossRef\]](#)
47. Sałabun, W.; Palczewski, K.; Wątróbski, J. Multicriteria Approach to Sustainable Transport Evaluation under Incomplete Knowledge: Electric Bikes Case Study. *Sustainability* **2019**, *11*, 3314. [\[CrossRef\]](#)
48. Stoilova, S.; Munier, N.; Kendra, M.; Skrucany, T. Multi-Criteria Evaluation of Railway Network Performance in Countries of the TEN-T Orient–East Med Corridor. *Sustainability* **2020**, *12*, 1482. [\[CrossRef\]](#)
49. Bristow, A.; Nellthorp, J. Transport project appraisal in the European Union. *Transp. Policy* **2000**, *7*, 51–60. [\[CrossRef\]](#)
50. Papadis, E.; Tsatsaronis, G. Challenges in the decarbonization of the energy sector. *Energy* **2020**, *205*, 118025. [\[CrossRef\]](#)
51. European Commission; Directorate-General for Climate Action; Directorate-General for Energy; Directorate-General for Mobility and Transport; De Vita, A.; Capros, P.; Paroussos, L. EU reference scenario 2020: Energy, transport and GHG emissions: Trends to 2050. Publications Office, 2021; 184p, Available online: <https://data.europa.eu/doi/10.2833/35750> (accessed on 13 September 2022).
52. European Parliament; Council of the European Union. Directive 2009/28/EC of the European Parliament and of the Council of 23 April 2009 on the Promotion of the Use of Energy from Renewable Sources and Amending and Subsequently Repealing Directives 2001/77/EC and 2003/30/EC. *Off. J. Eur. Union* **2009**, *52*. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=OJ:L:2009:140:TOC> (accessed on 13 September 2022).
53. Ebadian, M.; van Dyk, S.; McMillan, J.D.; Saddler, J. Biofuels policies that have encouraged their production and use: An international perspective. *Energy Policy* **2020**, *147*, 111906. [\[CrossRef\]](#)

54. European Parliament; Council of the European Union. Directive (Eu) 2018/2001 of the European Parliament and of the Council of 11 December 2018 on the Promotion of the Use of Energy from Renewable Sources. *Off. J. Eur. Union* **2018**, L 328/82. Available online: https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=uriserv:OJ.L_.2018.328.01.0082.01.ENG (accessed on 14 September 2022).
55. Qin-Lei, J.; Liu, H.Z.; Yu, W.Q.; He, X. The Impact of Public Transportation on Carbon Emissions—From the Perspective of Energy Consumption. *Sustainability* **2022**, *14*, 6248.
56. Di Felice, L.J.; Renner, A.; Giampietro, M. Why should the EU implement electric vehicles? Viewing the relationship between evidence and dominant policy solutions through the lens of complexity. *Environ. Sci. Policy* **2021**, *123*, 1–10. [\[CrossRef\]](#)
57. Mehlig, D.; Woodward, H.; Oxley, T.; Holland, M.; ApSimon, H. Electrification of Road Transport and the Impacts on Air Quality and Health in the UK. *Atmosphere* **2021**, *12*, 1491. [\[CrossRef\]](#)
58. Blanco, H.G.; Gómez Vilchez, J.J.; Nijs, W.; Thiel, C.; Faaij, A. Soft-linking of a behavioral model for transport with energy system cost optimization applied to hydrogen in EU. *Renew. Sustain. Energy Rev.* **2019**, *115*, 109349. [\[CrossRef\]](#)
59. Blanco, H.; Nijs, W.; Ruf, J.; Faaij, A. Potential for hydrogen and Power-to-Liquid in a low-carbon EU energy system using cost optimization. *Appl. Energy* **2018**, *232*, 617–639. [\[CrossRef\]](#)
60. Zhang, R.; Fujimori, S. The role of transport electrification in global climate change mitigation scenarios. *Environ. Res. Lett.* **2020**, *15*, 034019. [\[CrossRef\]](#)
61. de Tena, D.L.; Pregar, T. Impact of electric vehicles on a future renewable energy-based power system in Europe with a focus on Germany. *Int. J. Energy Res.* **2018**, *42*, 2670–2685. [\[CrossRef\]](#)
62. Forrest, K.E.; Tarroja, B.; Zhang, L.; Shaffer, B.; Samuelson, S. Charging a renewable future: The impact of electric vehicle charging intelligence on energy storage requirements to meet renewable portfolio standards. *J. Power Sources* **2016**, *336*, 63–74. [\[CrossRef\]](#)
63. Thiel, C.; Nijs, W.; Simoes, S.; Schmidt, J.; Van Zyl, A.; Schmid, E. The impact of the EU car CO₂ regulation on the energy system and the role of electro-mobility to achieve transport decarbonisation. *Energy Policy* **2016**, *96*, 153–166. [\[CrossRef\]](#)
64. European Commission; Joint Research Centre; Institute for Energy and Transport. *The JRC-EU-TIMES Model: Assessing the Long Term Role of the SET Plan Energy Technologies*; Publications Office: Luxembourg, 2013. Available online: <https://data.europa.eu/doi/10.2790/97799> (accessed on 9 September 2022).
65. Liu, Z.; Song, J.; Kubal, J.; Susarla, N.; Knehr, K.W.; Islam, E.; Nelson, P.; Ahmed, S. Comparing total cost of ownership of battery electric vehicles and internal combustion engine vehicles. *Energy Policy* **2021**, *158*, 112564. [\[CrossRef\]](#)
66. de Blas, I.; Mediavilla, M.; Capellán-Pérez, I.; Duce, C. The limits of transport decarbonization under the current growth paradigm. *Energy Strat. Rev.* **2020**, *32*, 100543. [\[CrossRef\]](#)
67. Gunkel, P.A.; Bergaentzle, C.; Græsted Jensen, I.G.; Scheller, F. From passive to active: Flexibility from electric vehicles in the context of transmission system development. *Appl. Energy* **2020**, *277*, 115526. [\[CrossRef\]](#)
68. Alvarez Guerrero, J.D.; Bhattarai, B.; Shrestha, R.; Acker, T.L.; Castro, R. Integrating Electric Vehicles into Power System Operation Production Cost Models. *World Electr. Veh. J.* **2021**, *12*, 263. [\[CrossRef\]](#)
69. Perdiguero, J.; Jimenez, J.L. Policy Options for the Promotion of Electric Vehicles: A Review. IRENA, 2012. Available online: https://www.ub.edu/irea/working_papers/2012/201208.pdf (accessed on 21 September 2022).
70. Troitino, D.R. Transport policy in the European Union. *MEST J.* **2015**, *3*, 135–141. [\[CrossRef\]](#)
71. De Gennaro, M.; Paffumi, E.; Martini, G. Big Data for Supporting Low-Carbon Road Transport Policies in Europe: Applications, Challenges and Opportunities. *Big Data Res.* **2016**, *6*, 11–25. [\[CrossRef\]](#)
72. Tattini, J.; Gargiulo, M.; Karlsson, K. Reaching carbon neutral transport sector in Denmark—Evidence from the incorporation of modal shift into the TIMES energy system modeling framework. *Energy Policy* **2018**, *113*, 571–583. [\[CrossRef\]](#)
73. Franzò, S.; Nasca, A. The environmental impact of electric vehicles: A novel life cycle-based evaluation framework and its applications to multi-country scenarios. *J. Clean. Prod.* **2021**, *315*, 128005. [\[CrossRef\]](#)
74. Eurostat. Data Base by Themes. *Transport*. 2022. Available online: <https://ec.europa.eu/eurostat/data/database> (accessed on 15 September 2022).
75. ITF. *Road Safety Annual Report 2021: The Impact of COVID-19*; OECD Publishing: Paris, France, 2021; 67p.
76. European Commission. Mobility and Transport. 2021 Road Safety Statistics: What is Behind the Figures? Available online: https://transport.ec.europa.eu/2021-road-safety-statistics-what-behind-figures_en (accessed on 22 September 2022).
77. Ammermann, H.; Ruf, Y.; Lange, S.; Fundulea, D.; Martin, A. Fuel Cell Electric Buses—Potential for Sustainable Public Transport in Europe. Roland Berger, 2015. Available online: https://www.fch.europa.eu/sites/default/files/150909_FINAL_Bus_Study_Report_OUT_0.PDF (accessed on 18 August 2022).
78. Schulte-Fischedick, M.; Shan, Y.L.; Hubacek, K. Implications of COVID-19 lockdowns on surface passenger mobility and related CO₂ emission changes in Europe. *Appl. Energy* **2021**, *300*, 117396. [\[CrossRef\]](#)
79. Hwang, C.L.; Yoon, K. *Multiple Attributes Decision Making Methods and Applications*; Springer: Berlin/Hedelberg, Germany, 1981; pp. 22–51.
80. Shih, H.S.; Shyur, H.J.; Lee, E.S. An extension of TOPSIS for group decision making. *Math. Comput. Model* **2007**, *45*, 801–813. [\[CrossRef\]](#)
81. Boran, F.E.; Genc, S.; Kurt, M.; Akay, D. A multi-criteria intuitionistic fuzzy group decision making for supplier selection with TOPSIS method. *Expert Syst. Appl.* **2009**, *36*, 11363–11368. [\[CrossRef\]](#)

-
82. Jato-Espino, D.; Castillo-Lopez, E.; Rodriguez-Hernandez, J.; Canteras-Jordana, J.C. A review of application of multi-criteria decision making methods in construction. *Autom. Constr.* **2014**, *45*, 151–162. [[CrossRef](#)]
 83. Siksnyte-Butkiene, I.; Streimikiene, D.; Balezentis, T. Addressing sustainability issues in transition to carbon-neutral sustainable society with multi-criteria analysis. *Energy* **2022**, *254*, 124218. [[CrossRef](#)]
 84. Baran, J.; Gorecka, A.K. Economic and environmental aspects of inland transport in EU countries. *Econ. Res. Ekon. Istraživanja* **2019**, *32*, 1037–1059. [[CrossRef](#)]
 85. Stefaniec, A.; Hosseini, K.; Assani, S.; Hosseini, S.M.; Li, Y.J. Social sustainability of regional transportation: An assessment framework with application to EU road transport. *Socio-Econ. Plan. Sci.* **2021**, *78*, 101088. [[CrossRef](#)]
 86. Persyn, D.; Díaz-Lanchas, J.; Barbero, J. Estimating road transport costs between and within European Union regions. *Transp. Policy* **2022**, *124*, 33–42. [[CrossRef](#)]
 87. European Environment Agency. Data and Maps. Dieselisation (Share of Diesel Cars in the Total Passenger Car Fleet) in Europe. 2019. Available online: https://www.eea.europa.eu/data-and-maps/daviz/dieselisation-of-diesel-cars-in-4#tab-chart_1 (accessed on 15 September 2022).
 88. The European Automobile Manufacturers' Association. ACEA Vehicles in Use Report. 2021; 21p, Available online: <https://www.acea.auto/files/report-vehicles-in-use-europe-january-2021-1.pdf> (accessed on 15 September 2022).