

Supplementary Materials: High Performance Tunable Catalysts Prepared by Using 3D Printing

Cristian Yesid Chaparro-Garnica ¹, Esther Bailón-García ^{1,2,*}, Arantxa Davó-Quiñonero ¹, Patrick Da Costa ³, Dolores Lozano-Castelló ¹ and Agustín Bueno-López ¹

¹ Department of Inorganic Chemistry, University of Alicante, Carretera de San Vicente del Raspeig s/n, 03080 Alicante, Spain; cristian.chaparro@gcloud.ua.es (C.Y.C.-G.); arantxa.davo@tcd.ie (A.D.-Q.); d.lozano@ua.es (D.L.-C.); agus@ua.es (A.B.-L.)

² Carbon Materials Research Group, Department of Inorganic Chemistry, Faculty of Sciences, Campus Fuentenueva s/n, University of Granada, 18071 Granada, Spain

³ Institut Jean Le Rond d'Alembert, CNRS UMR 7190, 2 Place de la Gare de Ceinture, Sorbonne Université, 78210 Saint Cyr L'Ecole, France; patrick.da_costa@sorbonne-universite.fr

* Correspondence: estherbg@ugr.es




Figure S1. Thermogravimetric analysis of CPE+ template under N₂ atmosphere.




Figure S2. A) H₂-TPR profiles and B) XRD and C) Raman patterns of CeO₂ and Ni/CeO₂ catalysts, both powdered and supported (Ni/CeO₂-carbon monolith).



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).