

Carbon Nanotube-Based Thermoelectric Modules Enhanced by ZnO Nanowires

Patrycja Taborowska ¹, Tomasz Wasiak ¹, Mika Sahlman ², Mari Lundström ² and Dawid Janas ^{1,*}

¹ Department of Organic Chemistry, Bioorganic Chemistry and Biotechnology, Silesian University of Technology, B. Krzywoustego 4, 44-100 Gliwice, Poland; patrycja.taborowska@polsl.pl (P.T.); tomasz.wasiak@polsl.pl (T.W.)

² Hydrometallurgy and Corrosion, Department of Chemical and Metallurgical Engineering (CMET), School of Chemical Engineering, Aalto University, P.O. Box 16200, FI-00076 Aalto, Finland; mika.sahlman@aalto.fi (M.S.); mari.lundstrom@aalto.fi (M.L.)

* Correspondence: dawid.janas@polsl.pl; Tel.: +48-32-237-10-82

1. HR SEM imaging of SWCNT-ZnO NW hybrids

The micrograph shown below illustrates the microstructure of an SWCNT film containing 15 wt% ZnO NWs. SWCNTs and SWCNT bundles are wound around individual ZnO NWs.




Figure S1. SEM micrograph of an SWCNT film filled with 15 wt% ZnO NWs by weight.

Citation: Taborowska, P.; Wasiak, T.; Sahlman, M.; Lundström, M.; Janas, D. Carbon Nanotube-Based Thermoelectric Modules Enhanced by ZnO Nanowires. *Materials* **2022**, *15*, 1924. <https://doi.org/10.3390/ma15051924>

Academic Editor: Nuno Ferreira

Received: 8 February 2022

Accepted: 3 March 2022

Published: 4 March 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).