

Supplementary Table 1: Mean beverage intake (g) and 10th, 90th percentile for those who consumed any of the beverage category on the day of the survey

Age Group (yrs)	Males		Females		p	Total	
	Mean ¹ (g) (10 th -90 th %ile)	n ² (%)	Mean ¹ (g) (10 th -90 th %ile)	n ² (%)		Mean (Male vs female)	Mean ¹ (g) (10 th -90 th %ile)
All Beverages							
2-3	1062 (267-1910)	227 (99.6%)	932 (350-1530)	235 (99.6%)	0.037	999 ^a (307-1651)	462 (99.6%)
4-8	1200 (510-2000)	395 (99.5%)	1121 (549-1763)	392 (100.0%)	0.055	1162 ^a (538-1937)	787 (99.7%)
9-13	1543 (580-2505)	391 (99.7%)	1470 (574-2519)	395 (100.0%)	0.151	1506 ^b (574-2504)	786 (99.9%)
14-18	2079 (785-3718)	402 (99.8%)	1630 (716-2665)	369 (100.0%)	<0.001	1867 ^c (784-3273)	771 (99.9%)
2-18	1547 (586-2759)	1415 (99.6%)	1356 (574-2343)	1391 (99.9%)	<0.001	1454 (584-2531)	2806 (99.8%)
19-30	2715 (1015-4804)	739 (100.0%)	2034 (945-3183)	853 (100.0%)	<0.001	2383 ^d (975-4000)	1592 (100.0%)
31-50	2619 (1091-4524)	1669 (100.0%)	2182 (1021-3533)	1895 (99.9%)	<0.001	2406 ^d (1069-3950)	3564 (100.0%)
51-70	2252 (985-3750)	1338 (99.8%)	2086 (893-3426)	1565 (100.0%)	<0.001	2169 ^e (940-3540)	2903 (99.9%)
71+	1723 (808-2873)	532 (99.8%)	1688 (715-2805)	744 (99.9%)	0.52	1703 ^c (747-2807)	1276 (99.8%)
19+	2465 (1000-4222)	4278 (99.9%)	2065 (929-3374)	5057 (100.0%)	<0.001	2265 (968-3755)	9335 (99.9%)
Total	2258 (862-3909)	5693 (99.8%)	1910 (787-3235)	6448 (100.0%)	<0.001	2086 (826-3551)	12141 (99.9%)
Tea							
2-3	- ³	-	-	-	-	-	-
4-8	-	-	-	-	-	205 ^a (49-338)	30 (3.8%)
9-13	-	-	387 (186-1000)	36 (9.1%)	-	385 ^{a,b} (150-1000)	55 (7.0%)
14-18	434 (50-625)	37 (9.2%)	346 (200-534)	59 (16.0%)	0.035	396 ^a (200-584)	96 (12.4%)
2-18	394 (80-633)	72 (5.1%)	322 (185-530)	119 (8.5%)	0.042	356 (129-611)	191 (6.8%)
19-30	375 (229-660)	136 (18.4%)	441 (207-819)	293 (34.3%)	0.002	416 ^a (221-785)	429 (26.9%)
31-50	511 (200-1000)	583 (34.9%)	534 (200-1032)	950 (50.1%)	0.31	524 ^b (200-1004)	1533 (43.0%)
51-70	584 (207-1225)	687 (51.2%)	597 (181-1103)	1003 (64.1%)	0.59	591 ^c (200-1155)	1690 (58.2%)
71+	515 (198-1130)	335 (62.9%)	574 (190-1136)	528 (70.9%)	0.066	550 ^b (191-1128)	863 (67.5%)
19+	520 (202-1017)	1741 (40.7%)	546 (200-1044)	2774 (54.8%)	0.047	535 (200-1033)	4515 (48.3%)
Total	514 (200-1012)	1813 (31.8%)	537 (200-1031)	2893 (44.8%)	0.066	527 (200-1022)	4706 (38.7%)
Coffee							
2-3	-	-	-	-	-	-	-

4-8	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-
14-18	301 (205-504)	53 (13.2%)	311 (146-635)	47 (12.7%)	0.71	305 ^a (160-582)	100 (13.0%)
2-18	307 (203-539)	57 (4.0%)	311 (127-635)	54 (3.9%)	0.88	308 (160-582)	111 (3.9%)
19-30	377 (200-702)	265 (35.9%)	363 (200-660)	320 (37.5%)	0.45	370 ^{a,b} (200-671)	585 (36.7%)
31-50	519 (200-936)	1071 (64.2%)	477 (200-881)	1144 (60.3%)	0.011	498 ^c (200-919)	2215 (62.1%)
51-70	512 (181-1035)	920 (68.6%)	481 (166-981)	1037 (66.3%)	0.12	497 ^c (174-1018)	1957 (67.3%)
71+	421 (180-758)	347 (65.1%)	399 (136-714)	498 (66.8%)	0.35	409 ^b (153-731)	845 (66.1%)
19+	487 (200-936)	2603 (60.8%)	453 (181-850)	2999 (59.3%)	0.001	470 (187-905)	5602 (60.0%)
Total	481 (200-924)	2660 (46.7%)	450 (181-842)	3053 (47.3%)	0.002	466 (187-890)	5713 (47.0%)
Fruit Juice							
2-3	345 (84-818)	101 (44.3%)	276 (94-505)	92 (39.0%)	0.16	313 ^a (84-629)	193 (41.6%)
4-8	303 (130-526)	169 (42.6%)	300 (131-512)	155 (39.5%)	0.12	301 ^a (130-520)	324 (41.1%)
9-13	348 (158-728)	152 (38.8%)	347 (208-693)	152 (38.5%)	0.98	347 ^{a,b} (185-725)	304 (38.6%)
14-18	466 (210-914)	137 (34.0%)	373 (208-686)	131 (35.5%)	0.002	414 ^{b,c} (208-745)	268 (34.7%)
2-18	356 (131-735)	559 (39.4%)	333 (150-565)	530 (38.1%)	0.09	344 (147-630)	1089 (38.7%)
19-30	476 (260-756)	218 (29.5%)	378 (156-732)	214 (25.1%)	0.001	433 ^c (208-756)	432 (27.1%)
31-50	443 (156-840)	359 (21.5%)	360 (158-645)	370 (19.5%)	<0.001	406 ^c (158-735)	729 (20.4%)
51-70	342 (156-618)	278 (20.7%)	350 (105-634)	298 (19.0%)	0.67	346 ^a (141-634)	576 (19.8%)
71+	303 (154-472)	120 (22.5%)	335 (146-737)	167 (22.4%)	0.32	322 ^a (147-616)	287 (22.5%)
19+	420 (158-749)	975 (22.8%)	360 (147-651)	1049 (20.7%)	<0.001	391 (156-733)	2024 (21.7%)
Total	400 (156-742)	1534 (26.9%)	350 (147-634)	1579 (24.5%)	<0.001	376 (156-728)	3113 (25.6%)
Cordial							
2-3	416 (73-972)	28 (12.3%)	429 (77-1649)	26 (11.0%)	0.94	422 ^{a,b} (78-1039)	54 (11.6%)
4-8	425 (148-816)	52 (13.1%)	384 (147-788)	35 (8.9%)	0.48	408 ^a (147-788)	87 (11.0%)
9-13	480 (210-735)	57 (14.5%)	379 (146-630)	40 (10.1%)	0.06	440 ^a (210-735)	97 (12.3%)
14-18	541 (290-1026)	42 (10.4%)	439 (354-687)	32 (8.7%)	0.09	504 ^{a,c} (301-922)	74 (9.6%)
2-18	469 (204-815)	179 (12.6%)	398 (147-756)	133 (9.6%)	0.05	441 (163-788)	312 (11.1%)
19-30	671 (239-1132)	65 (8.8%)	567 (258-1313)	60 (7.0%)	0.24	637 ^{b,c} (261-1114)	125 (7.9%)
31-50	795 (210-1890)	134 (8.0%)	549 (257-982)	105 (5.5%)	<0.001	698 ^c (210-1530)	239 (6.7%)
51-70	602 (203-1102)	84 (6.3%)	509 (180-1200)	72 (4.6%)	0.27	560 ^{a,c} (200-1078)	156 (5.4%)
71+	545 (46-1411)	27 (5.1%)	267 (134-723)	23 (3.1%)	0.03	446 ^{a,c} (85-1088)	50 (3.9%)

19+	700 (210-1530)	310 (7.2%)	527 (210-1050)	260 (5.1%)	<0.001	633 (210-1446)	570 (6.1%)
Total	624 (210-1320)	489 (8.6%)	483 (202-927)	393 (6.1%)	<0.001	569 (210-1061)	882 (7.3%)
Soft drinks							
2-3	-	-	-	-	-	194 ^{a,b} (91-390)	32 (6.9%)
4-8	263 (104-390)	63 (15.9%)	279 (97-437)	81 (20.7%)	0.44	272 ^a (104-390)	144 (18.3%)
9-13	430 (195-750)	140 (35.7%)	404 (195-780)	128 (32.4%)	0.40	418 ^b (195-757)	268 (34.1%)
14-18	626 (208-1305)	202 (50.1%)	406 (198-624)	149 (40.4%)	<0.001	530 ^c (208-1055)	351 (45.5%)
2-18	485 (160-1040)	421 (29.6%)	368 (156-624)	374 (26.9%)	<0.001	430 (160-754)	795 (28.3%)
19-30	610 (260-1060)	320 (43.3%)	503 (250-780)	297 (34.8%)	<0.001	562 ^c (260-1016)	617 (38.8%)
31-50	589 (260-1125)	572 (34.3%)	487 (208-780)	519 (27.4%)	<0.001	547 ^c (250-1011)	1091 (30.6%)
51-70	610 (208-1276)	318 (23.7%)	443 (200-750)	298 (19.0%)	<0.001	542 ^c (208-1092)	616 (21.2%)
71+	459 (156-894)	76 (14.3%)	355 (156-632)	95 (12.8%)	0.061	408 ^b (156-778)	171 (13.4%)
19+	596 (260-1125)	1286 (30.0%)	478 (208-780)	1209 (23.9%)	<0.001	545 (208-1014)	2495 (26.7%)
Total	572 (208-1102)	1707 (29.9%)	451 (200-757)	1583 (24.5%)	<0.001	519 (208-970)	3290 (27.1%)
Energy drinks							
2-3	-	-	-	-	-	-	-
4-8	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-
14-18	573 (394-624)	27 (6.7%)	-	-	-	564 ^a (263-624)	46 (6.0%)
2-18	567 (335-624)	33 (2.3%)	471 (260-853)	27 (1.9%)	0.11	541 (261-624)	60 (2.1%)
19-30	751 (264-1560)	78 (10.6%)	358 (210-575)	28 (3.3%)	<0.001	622 ^a (252-1560)	106 (6.7%)
31-50	590 (174-1248)	80 (4.8%)	631 (233-1483)	19 (1.0%)	0.65	598 ^a (203-1248)	99 (2.8%)
51-70	-	-	-	-	-	546 ^a (252-1040)	24 (0.8%)
71+	-	-	-	-	-	-	-
19+	672 (263-1506)	177 (4.1%)	432 (210-624)	57 (1.1%)	<0.001	606 (251-1303)	234 (2.5%)
Total	650 (263-1303)	210 (3.7%)	440 (226-624)	84 (1.3%)	<0.001	593 (252-1248)	294 (2.4%)
Oth beverages							
2-3	-	-	-	-	-	91 ^a (4-281)	22 (4.7%)
4-8	162 (8-258)	25 (6.3%)	-	-	-	156 ^{a,b} (5-295)	45 (5.7%)
9-13	169 (8-266)	34 (8.7%)	128 (6-311)	21 (5.3%)	0.24	158 ^{a,b} (8-266)	55 (7.0%)
14-18	243 (190-263)	21 (5.2%)	210 (13-258)	20 (5.4%)	0.20	224 ^{a,b} (129-258)	41 (5.3%)
2-18	174 (8-266)	91 (6.4%)	155 (7-265)	72 (5.2%)	0.32	166 (8-265)	163 (5.8%)

19-30	231 (20-339)	29 (3.9%)	236 (12-618)	46 (5.4%)	0.84	234 ^b (12-516)	75 (4.7%)
31-50	206 (7-258)	28 (1.7%)	216 (9-344)	54 (2.8%)	0.75	212 ^{a,b} (9-270)	82 (2.3%)
51-70	251 (9-423)	25 (1.9%)	267 (11-905)	33 (2.1%)	0.88	259 ^b (10-410)	58 (2.0%)
71+	-	-	-	-		178 ^{a,b} (10-258)	31 (2.4%)
19+	227 (17-339)	94 (2.2%)	229 (10-531)	152 (3.0%)	0.94	228 (11-396)	246 (2.6%)
Total	203 (9-339)	185 (3.2%)	204 (10-408)	224 (3.5%)	0.96	203 (9-339)	409 (3.4%)
Plain milk							
2-3	345 (103-776)	124 (54.4%)	380 (103-743)	131 (55.5%)	0.39	361 ^{a,c} (103-773)	255 (55.0%)
4-8	256 (128-464)	121 (30.5%)	286 (52-569)	130 (33.2%)	0.21	270 ^b (93-517)	251 (31.8%)
9-13	357 (156-642)	87 (22.2%)	342 (198-623)	97 (24.6%)	0.60	348 ^{c,d} (156-627)	184 (23.4%)
14-18	446 (256-740)	56 (13.9%)	438 (206-1021)	43 (11.7%)	0.90	442 ^a (243-735)	99 (12.8%)
2-18	330 (127-624)	388 (27.3%)	344 (129-628)	401 (28.8%)	0.44	337 (129-624)	789 (28.1%)
19-30	463 (214-927)	92 (12.4%)	364 (31-680)	85 (10.0%)	0.005	431 ^a (93-927)	177 (11.1%)
31-50	336 (58-607)	149 (8.9%)	231 (32-412)	133 (7.0%)	<0.001	288 ^{b,d} (52-515)	282 (7.9%)
51-70	300 (30-519)	123 (9.2%)	186 (31-368)	119 (7.6%)	0.001	241 ^b (31-464)	242 (8.3%)
71+	259 (23-746)	47 (8.8%)	252 (42-535)	64 (8.6%)	0.89	255 ^b (31-535)	111 (8.7%)
19+	375 (62-773)	411 (9.6%)	256 (31-516)	401 (7.9%)	<0.001	322 (42-627)	812 (8.7%)
Total	356 (103-711)	799 (14.0%)	297 (53-603)	802 (12.4%)	<0.001	329 (73-624)	1601 (13.2%)
Flavoured milk							
2-3	368 (83-912)	38 (16.7%)	327 (167-593)	43 (18.2%)	0.55	346 ^{a,b,c} (142-621)	81 (17.5%)
4-8	325 (153-530)	85 (21.4%)	274 (157-520)	75 (19.1%)	0.042	302 ^a (156-529)	160 (20.3%)
9-13	398 (227-636)	97 (24.7%)	408 (211-726)	95 (24.1%)	0.76	403 ^{b,c} (218-726)	192 (24.4%)
14-18	431 (265-764)	80 (19.9%)	479 (199-999)	73 (19.8%)	0.33	455 ^{b,d} (210-875)	153 (19.8%)
2-18	381 (210-660)	300 (21.1%)	383 (170-674)	286 (20.5%)	0.98	382 (195-672)	586 (20.8%)
19-30	526 (312-795)	98 (13.3%)	479 (215-795)	107 (12.5%)	0.23	506 ^d (268-795)	205 (12.9%)
31-50	544 (263-951)	177 (10.6%)	387 (215-617)	184 (9.7%)	<0.001	476 ^{c,d} (223-795)	361 (10.1%)
51-70	464 (206-1011)	107 (8.0%)	378 (205-712)	112 (7.2%)	0.044	425 ^{b,d} (206-743)	219 (7.5%)
71+	328 (59-768)	40 (7.5%)	374 (208-619)	69 (9.3%)	0.38	354 ^{a,b} (127-661)	109 (8.5%)
19+	508 (261-874)	422 (9.9%)	412 (212-682)	472 (9.3%)	<0.001	466 (218-795)	894 (9.6%)
Total	463 (218-795)	722 (12.7%)	400 (210-679)	758 (11.8%)	<0.001	434 (212-742)	1480 (12.2%)
Milk alts							
2-3	-	-	-	-	-	-	-

4-8	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-
14-18	-	-	-	-	-	-	-
2-18	-	-	-	-	-	283 (72-531)	32 (1.1%)
19-30	-	-	-	-	-	-	-
31-50	-	-	275 (33-746)	21 (1.1%)	-	307 ^a (65-566)	35 (1.0%)
51-70	-	-	-	-	-	257 ^a (82-475)	25 (0.9%)
71+	-	-	-	-	-	-	-
19+	349 (237-524)	24 (0.6%)	256 (57-361)	53 (1.0%)	0.006	287 (82-412)	77 (0.8%)
Total	347 (206-572)	41 (0.7%)	253 (72-361)	68 (1.1%)	0.002	286 (82-444)	109 (0.9%)
Alcohol							
2-3	-	-	-	-	-	-	-
4-8	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-
14-18	1022 (258-2318)	24 (6.0%)	-	-	-	961 ^{a,b,c} (258-2318)	29 (3.8%)
2-18	911 (29-2318)	26 (1.8%)	-	-	-	862 (29-2318)	34 (1.2%)
19-30	1124 (253-2274)	238 (32.2%)	633 (29-1719)	156 (18.3%)	<0.001	962 ^a (159-2000)	394 (24.7%)
31-50	1089 (248-2587)	672 (40.3%)	510 (139-1010)	493 (26.0%)	<0.001	867 ^{a,b} (150-2000)	1165 (32.7%)
51-70	940 (249-1945)	617 (46.0%)	473 (70-974)	503 (32.1%)	<0.001	751 ^c (149-1529)	1120 (38.5%)
71+	516 (89-1139)	225 (42.2%)	348 (71-750)	176 (23.6%)	<0.001	448 ^d (75-994)	401 (31.4%)
19+	995 (238-2273)	1752 (40.9%)	500 (99-1010)	1328 (26.3%)	<0.001	806 (149-1818)	3080 (33.0%)
Total	993 (235-2273)	1778 (31.2%)	500 (99-1010)	1336 (20.7%)	<0.001	807 (149-1818)	3114 (25.6%)
Water							
2-3	647 (90-1370)	201 (88.2%)	568 (200-1000)	203 (86.0%)	0.13	608 ^a (129-1000)	404 (87.1%)
4-8	817 (240-1500)	371 (93.5%)	781 (250-1425)	369 (94.1%)	0.37	800 ^{a,b} (240-1500)	740 (93.8%)
9-13	1012 (250-2000)	363 (92.6%)	1021 (276-2000)	362 (91.6%)	0.84	1017 ^c (250-2000)	725 (92.1%)
14-18	1448 (350-3000)	347 (86.1%)	1157 (350-2000)	329 (89.2%)	<0.001	1305 ^d (350-2449)	676 (87.6%)
2-18	1026 (250-2000)	1282 (90.3%)	938 (250-2000)	1263 (90.7%)	0.003	983 (250-2000)	2545 (90.5%)
19-30	1581 (360-3000)	666 (90.1%)	1354 (400-2400)	758 (88.9%)	<0.001	1472 ^e (360-3000)	1424 (89.4%)
31-50	1438 (360-2813)	1373 (82.3%)	1338 (360-2491)	1678 (88.5%)	0.004	1388 ^d (360-2500)	3051 (85.6%)
51-70	1131 (250-2000)	972 (72.5%)	1171 (291-2000)	1364 (87.2%)	0.29	1152 ^f (280-2000)	2336 (80.4%)
71+	895 (200-1800)	405 (76.0%)	912 (250-2000)	637 (85.5%)	0.73	905 ^{b,c} (250-2000)	1042 (81.5%)

19+	1357 (330-2608)	3416 (79.8%)	1250 (350-2200)	4437 (87.7%)	<0.001	1302 (350-2434)	7853 (84.1%)
Total	1277 (290-2500)	4698 (82.4%)	1180 (310-2054)	5700 (88.4%)	<0.001	1227 (300-2250)	10398 (85.6%)

¹weighted mean, ²sample n, ³Summary data is not provided when cell count ≤20 individuals

Supplementary Table 2: Percentage contribution to energy, calcium, vitamin C, and total sugar intake for those who consumed the beverage (i.e. on the day that food intake was measured) and for the population.

Age grp (yrs)	% of Energy Intake ¹		% of Calcium Intake		% of Vitamin C Intake		% of Total Sugar Intake	
	Consumers	Population	Consumers	Population	Consumers	Population	Consumers	Population
All Beverages								
2-3	16.1 ^{b,d,e}	16.0 ^{b,d,e}	35.2 ^e	35.1 ^e	27.2 ^{a,b}	27.1 ^{a,b}	32.5 ^{a,b,c}	32.4 ^{a,b,c}
4-8	11.4 ^a	11.4 ^a	24.4 ^a	24.3 ^a	27.6 ^a	27.5 ^a	29.1 ^{b,f}	29.1 ^{b,f}
9-13	12.5 ^{a,b}	12.5 ^{a,b}	26.1 ^{a,b,d}	26.0 ^{a,b,d}	30.0 ^a	29.9 ^a	35.3 ^{c,e}	35.2 ^{c,e}
14-18	14.1 ^{b,c}	14.1 ^{b,c}	24.6 ^{a,b}	24.6 ^{a,b}	26.8 ^{a,b}	26.8 ^{a,b}	43.0 ^d	43.0 ^d
2-18	13.1	13.0	26.2	26.2	28.1	28.1	35.4	35.4
19-30	17.1 ^{d,e}	17.1 ^{d,e}	28.1 ^{c,d}	28.1 ^{c,d}	27.7 ^a	27.7 ^a	43.1 ^d	43.1 ^d
31-50	17.5 ^e	17.5 ^e	30.4 ^e	30.4 ^e	21.4 ^b	21.4 ^b	38.3 ^e	38.3 ^e
51-70	15.7 ^{c,d}	15.7 ^{c,d}	27.4 ^c	27.4 ^c	20.6 ^b	20.6 ^b	29.9 ^{a,b}	29.9 ^{a,b}
71+	13.6 ^b	13.6 ^b	25.8 ^{b,c}	25.7 ^{b,c}	18.4 ^b	18.4 ^b	25.3 ^f	25.3 ^f
19+	16.6	16.6	28.5	28.5	22.4	22.4	35.8	35.8
Total	15.8	15.8	28.0	28.0	23.7	23.7	35.8	35.7
Tea								
2-3	-	-	-	-	-	-	-	-
4-8	3.4 ^{a,b}	0.2 ^a	6.5 ^{a,b,c}	0.3 ^a	<0.1 ^{a,b}	<0.1 ^a	8.6 ^{a,b}	0.4 ^a
9-13	5.6 ^{b,c}	0.4 ^a	14.5 ^{a,b}	0.9 ^{a,b}	<0.1 ^{a,b}	<0.1 ^a	14.8 ^b	0.9 ^{a,b}
14-18	4.2 ^b	0.6 ^b	10.2 ^b	1.5 ^b	0.1 ^{a,b}	<0.1 ^{a,b}	13.8 ^b	2.0 ^b
2-18	4.4	0.3	10.6	0.8	<0.1	<0.1	13.0	1.0
19-30	2.4 ^a	0.7 ^c	6.0 ^c	1.7 ^c	<0.1 ^{a,b}	<0.1 ^{b,c}	7.4 ^a	2.1 ^c
31-50	2.8 ^a	1.2 ^d	7.3 ^{a,c}	3.1 ^d	<0.1 ^a	<0.1 ^c	7.9 ^a	3.4 ^d

51-70	2.6 ^a	1.5 ^e	7.2 ^{a,b}	4.2 ^e	0.1 ^b	0.1 ^d	7.4 ^a	4.3 ^e
71+	2.7 ^{a,c}	1.8 ^f	7.6 ^{a,c}	5.1 ^e	0.1 ^{a,b}	0.1 ^d	7.2 ^a	4.8 ^e
19+	2.7	1.2	7.1	3.3	0.1	<0.1	7.6	3.5
Total	2.7	1.0	7.3	2.7	0.1	<0.1	7.8	2.9
Coffee								
2-3	-	-	-	-	-	-	-	-
4-8	-	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-	-
14-18	4.6 ^{a,b}	0.8 ^a	14.5 ^{a,c}	2.6 ^a	0.1 ^a	<0.1 ^a	12.7 ^{a,b,c,d}	2.3 ^a
2-18	4.7	0.3	14.8	0.8	0.1	<0.1	13.0	0.7
19-30	5.3 ^a	1.7 ^b	19.8 ^{a,b}	6.4 ^b	0.6 ^b	0.2 ^b	15.3 ^b	4.9 ^b
31-50	6.3 ^a	3.9 ^d	20.9 ^b	13.1 ^d	0.9 ^b	0.5 ^c	17.1 ^c	10.7 ^e
51-70	4.9 ^{b,c}	3.2 ^{c,d}	17.1 ^c	11.3 ^{c,d}	0.5 ^b	0.3 ^c	13.5 ^d	8.9 ^d
71+	4.6 ^c	2.9 ^c	14.9 ^c	9.3 ^c	0.8 ^b	0.5 ^c	11.1 ^e	7.0 ^c
19+	5.5	3.1	18.9	10.6	0.7	0.4	15.0	8.4
Total	5.5	2.5	18.8	8.4	0.7	0.3	15.0	6.7
Fruit Juice								
2-3	7.0 ^{a,b,c}	2.9 ^c	3.2 ^a	1.4 ^{c,d}	54.5 ^a	22.9 ^{c,d}	25.5 ^a	10.7 ^a
4-8	6.8 ^{b,c}	2.9 ^c	3.9 ^{a,b}	1.7 ^d	54.8 ^{a,b}	23.4 ^d	24.0 ^a	10.2 ^a
9-13	6.3 ^{a,b,c}	2.6 ^c	4.5 ^{b,c}	1.8 ^d	61.5 ^{b,c}	25.1 ^d	24.0 ^a	9.8 ^a
14-18	6.7 ^{b,c}	2.2 ^b	5.3 ^{c,d}	1.7 ^{b,c}	68.2 ^d	21.8 ^{b,c}	28.2 ^b	9.0 ^b
2-18	6.6	2.6	4.3	1.7	60.1	23.4	25.2	9.8
19-30	7.7 ^c	2.2 ^b	5.7 ^d	1.6 ^b	64.1 ^{c,d}	18.3 ^b	27.9 ^c	7.9 ^b
31-50	7.0 ^{a,b}	1.5 ^a	5.3 ^{b,c}	1.1 ^a	58.6 ^{a,b}	12.2 ^a	26.8 ^a	5.6 ^c
51-70	6.0 ^a	1.2 ^a	5.2 ^d	1.0 ^a	57.6 ^{a,b}	11.2 ^a	25.8 ^a	5.0 ^c
71+	6.2 ^{a,b,c}	1.4 ^a	4.9 ^{b,d}	1.1 ^a	56.0 ^{a,b}	12.4 ^a	22.4 ^a	4.9 ^c
19+	6.9	1.5	5.4	1.2	59.8	13.4	26.4	5.9
Total	6.8	1.8	5.0	1.3	59.9	15.6	26.0	6.8
Cordial								
2-3	7.7	0.8 ^{b,d}	2.0 ^a	0.2 ^{b,d}	11.8 ^{a,b}	1.3 ^{a,b,d}	23.0 ^a	2.5 ^{b,c,d}
4-8	7.3	0.9 ^d	1.6 ^a	0.2 ^d	16.3 ^{a,b}	2.0 ^e	24.3 ^a	2.9 ^d
9-13	7.6	0.8 ^{c,d}	1.9 ^{a,b}	0.2 ^{c,d}	13.3 ^{a,b}	1.5 ^{c,d,e}	26.4 ^a	3.0 ^{c,d}

14-18	6.6	0.5 ^{b,c}	1.6 ^{a,b}	0.1 ^{b,c}	13.2 ^{a,b}	1.1 ^{b,d}	24.3 ^a	2.0 ^{b,c}
2-18	7.3	0.8	1.7	0.2	14.1	1.5	24.9	2.6
19-30	7.5	0.5 ^b	1.8 ^{a,b}	0.1 ^b	16.7 ^{a,b}	1.2 ^{b,d}	26.3 ^a	1.8 ^b
31-50	9.1	0.6 ^b	2.5 ^b	0.2 ^b	15.1 ^a	1.0 ^{b,c,d}	31.0 ^a	2.0 ^b
51-70	7.3	0.4 ^{a,b}	2.0 ^{a,b}	0.1 ^{a,b}	10.2 ^b	0.5 ^{a,b}	25.8 ^a	1.4 ^{a,b}
71+	7.5	0.2 ^a	1.5 ^{a,b}	0.1 ^a	8.0 ^{a,b}	0.3 ^a	24.6 ^a	0.8 ^a
19+	8.1	0.5	2.1	0.1	14.0	0.8	28.1	1.7
Total	7.8 ²	0.5	2.0	0.1	14.0	1.0	27.0 ³	1.9
Soft drinks								
2-3	4.2 ^{a,b,c}	0.2 ^a	0.7 ^{a,b}	<0.1 ^a	0.9	0.1	14.9 ^{a,b,c}	0.8 ^a
4-8	5.2 ^{a,c,d}	1.2 ^c	0.8 ^a	0.2 ^{b,c}	<0.1	<0.1	21.0 ^{b,c}	4.8 ^c
9-13	6.8 ^{b,d}	2.3 ^d	1.2 ^{b,c}	0.4 ^d	0.6	0.2	26.7 ^{a,b}	8.9 ^d
14-18	8.0 ^b	3.7 ^e	1.5 ^{c,d}	0.7 ^e	<0.1	<0.1	33.2 ^a	15.4 ^e
2-18	6.9	2.1	1.2	0.4	0.2	0.1	28.0	8.7
19-30	7.3 ^{b,d}	3.1 ^d	1.5 ^{d,e}	0.6 ^e	<0.1	<0.1	29.9 ^a	12.9 ^d
31-50	6.0 ^c	1.9 ^c	1.5 ^{c,e}	0.5 ^d	0.1	<0.1	27.3 ^{b,d}	8.6 ^c
51-70	5.1 ^a	1.2 ^b	1.6 ^d	0.4 ^c	<0.1	<0.1	21.9 ^c	5.0 ^b
71+	5.4 ^{a,c}	0.7 ^{a,b}	1.4 ^{c,d}	0.2 ^{a,b}	0.3	<0.1	20.3 ^{c,d}	2.6 ^{a,b}
19+	6.2	1.9	1.5	0.5	<0.1	<0.1	26.8	8.0
Total	6.4	1.9	1.4	0.4	0.1 [†]	<0.1 [†]	27.1	8.2
Energy drinks								
2-3	-	-	-	-	-	-	-	-
4-8	-	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-	-
14-18	7.0 ^a	0.5 ^c	6.3 ^{a,b}	0.4 ^c	<0.1 ^a	<0.1	27.8	1.9 ^c
2-18	6.8	0.2	6.9	0.2	<0.1	<0.1	27.2	0.7
19-30	8.5 ^b	0.6 ^c	8.0 ^a	0.5 ^c	<0.1 ^a	<0.1	37.1	2.5 ^c
31-50	8.2 ^{a,b}	0.2 ^b	6.4 ^b	0.2 ^b	<0.1 ^a	<0.1	31.3	0.8 ^b
51-70	6.7 ^{a,b}	<0.1 ^a	5.9 ^{a,b}	<0.1 ^a	0.6 ^b	<0.1	32.8	0.2 ^a
71+	-	-	-	-	-	-	-	-
19+	8.2	0.2	7.3	0.2	<0.1	<0.1	34.6	1.0
Total	7.9	0.2	7.2	0.2	<0.1	<0.1 [†]	33.0 [†]	0.9

Oth beverages								
2-3	6.2 ^a	0.4 ^{b,c}	12.0 ^a	0.8 ^{b,c}	4.9	0.3 ^{a,b}	15.6 ^{a,b}	1.0 ^{b,c}
4-8	7.0 ^a	0.4 ^b	23.4 ^{a,b}	1.4 ^b	4.3	0.2 ^b	12.3 ^{a,b}	0.7 ^b
9-13	6.1 ^a	0.5 ^c	18.3 ^{a,b}	1.6 ^c	5.8	0.5 ^b	13.0 ^a	1.1 ^c
14-18	12.4 ^b	0.7 ^{b,c}	39.4 ^c	2.3 ^{b,c}	5.7	0.3 ^{a,b}	24.4 ^b	1.4 ^{b,c}
2-18	7.9	0.5	23.9	1.6	5.3	0.4	15.9	1.1
19-30	7.1 ^a	0.4 ^b	20.6 ^{a,b}	1.3 ^b	5.5	0.3 ^b	16.6 ^{a,b}	1.0 ^b
31-50	8.2 ^{a,b}	0.1 ^a	25.1 ^{b,c}	0.5 ^a	3.3	0.1 ^a	18.1 ^{a,b}	0.3 ^a
51-70	8.6 ^{a,b}	0.1 ^a	23.5 ^{a,b,c}	0.4 ^a	10.9	0.2 ^{a,b}	18.5 ^{a,b}	0.3 ^a
71+	7.1 ^{a,b}	0.1 ^a	19.7 ^{a,b}	0.4 ^a	10.7	0.2 ^{a,b}	18.9 ^{a,b}	0.4 ^a
19+	7.6	0.2	22.1	0.6	6.2	0.2	17.4	0.5
Total	7.7	0.3	22.8	0.9	5.9 [‡]	0.2	16.8	0.6
Plain milk								
2-3	16.3 ^d	8.9 ^d	43.2 ^d	23.6 ^d	1.1 ^a	0.6 ^{a,b,c}	24.1 ^e	13.2 ^e
4-8	9.8 ^c	3.1 ^c	31.9 ^{a,c}	10.0 ^c	0.5 ^a	0.2 ^{a,b}	16.1 ^{a,b,c}	5.0 ^d
9-13	9.9 ^c	2.7 ^c	35.2 ^{b,c}	9.6 ^c	0.8 ^{a,b}	0.2 ^b	16.5 ^{b,d}	4.5 ^d
14-18	11.3 ^{c,d}	1.3 ^{a,b}	41.6 ^{c,d}	4.7 ^{a,b}	0.3 ^a	<0.1 ^a	18.7 ^{c,d,e}	2.1 ^{a,c}
2-18	11.5	3.1	36.7	9.9	0.7	0.2	18.4	5.0
19-30	11.1 ^c	1.4 ^b	37.4 ^{b,c,d}	4.8 ^b	1.9 ^{a,b}	0.3 ^{a,b}	22.0 ^e	2.8 ^{b,c}
31-50	7.2 ^{a,b}	0.6 ^a	28.2 ^a	2.2 ^a	0.6 ^{a,b}	0.1 ^a	14.4 ^{a,b}	1.2 ^a
51-70	6.5 ^a	0.5 ^a	26.3 ^a	2.1 ^a	0.7 ^c	0.1 ^c	14.0 ^a	1.1 ^a
71+	8.9 ^{b,c}	0.8 ^{a,b}	29.8 ^{a,b}	2.8 ^{a,b}	0.8 ^{b,c}	0.1 ^{a,b,c}	14.6 ^{a,b,c}	1.4 ^{a,b}
19+	8.5	0.8	31.0	2.9	1.1	0.1	16.9	1.6
Total	9.9	1.3	33.6	4.4	0.9	0.1	17.6	2.3
Flavoured milk								
2-3	17.5 ^b	2.4 ^{b,c}	46.3 ^b	6.3 ^{b,c,d}	13.9 ^a	1.9 ^{b,c}	28.2 ^{a,b,c}	3.8 ^{b,c,d}
4-8	12.9 ^{a,b}	2.6 ^{c,d}	38.2 ^{a,b}	7.7 ^{d,e}	8.1 ^{a,b}	1.6 ^c	23.0 ^b	4.6 ^{d,e}
9-13	13.8 ^b	3.0 ^d	38.5 ^{a,b}	8.4 ^e	10.7 ^{a,b}	2.3 ^c	29.1 ^c	6.4 ^e
14-18	16.2 ^b	2.8 ^{c,d}	41.0 ^b	7.0 ^{d,e}	15.5 ^{a,b}	2.6 ^c	30.0 ^c	5.1 ^{d,e}
2-18	14.5	2.8	39.7	7.6	11.4	2.2	27.4	5.2
19-30	15.3 ^b	1.9 ^b	42.0 ^b	5.2 ^c	13.7 ^{a,b}	1.7 ^b	32.0 ^c	4.0 ^c
31-50	14.9 ^b	1.5 ^b	39.9 ^b	3.9 ^{b,c}	9.8 ^b	1.0 ^b	30.6 ^c	3.0 ^{b,c}

51-70	13.6 ^{a,b}	0.8 ^a	38.0 ^{a,b}	2.1 ^a	9.1 ^{a,b}	0.5 ^a	29.7 ^a	1.7 ^a
71+	12.1 ^a	1.0 ^{a,b}	33.0 ^a	2.9 ^{a,b}	6.7 ^b	0.6 ^{a,b}	22.9 ^{a,b}	2.0 ^{a,b}
19+	14.5	1.3	39.6	3.6	10.7	1.0	30.2	2.8
Total	14.5	1.6	39.6	4.5	10.9	1.2	29.1	3.3
Milk alts								
2-3	-	-	-	-	-	-	-	-
4-8	-	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-	-
14-18	-	-	-	-	-	-	-	-
2-18	11.0	0.1	31.6	0.3	8.4	0.1	16.4	0.1
19-30	-	-	-	-	-	-	-	-
31-50	6.9 ^a	0.1	22.0 ^a	0.2	1.4 ^a	<0.1	11.5 ^a	0.1
51-70	8.1 ^a	0.1	25.6 ^a	0.2	4.0 ^a	<0.1	12.8 ^a	0.1
71+	-	-	-	-	-	-	-	-
19+	7.8	0.1	24.9	0.3	1.8	<0.1	11.5	0.1
Total	8.4	0.1	26.1	0.3	3.0	<0.1	12.4	0.1
Alcohol								
2-3	-	-	-	-	-	-	-	-
4-8	-	-	-	-	-	-	-	-
9-13	-	-	-	-	-	-	-	-
14-18	17.6 ^{a,b}	0.9 ^a	3.9 ^{a,b,c}	0.2 ^a	12.8 ^{a,b}	0.7 ^a	29.0 ^c	1.6 ^a
2-18	16.0	0.3	3.5	0.1	11.4	0.2	25.8	0.4
19-30	18.0 ^{a,b}	4.4 ^b	6.1 ^{b,c}	1.5 ^b	22.8 ^b	5.5 ^b	11.7 ^b	2.8 ^b
31-50	17.4 ^b	5.9 ^c	6.0 ^c	2.0 ^c	18.6 ^b	6.3 ^c	7.4 ^a	2.5 ^c
51-70	17.3 ^b	6.7 ^d	6.5 ^a	2.5 ^d	18.7 ^b	7.2 ^d	4.6 ^{a,b}	1.8 ^d
71+	14.0 ^a	4.5 ^b	4.1 ^b	1.3 ^c	11.4 ^a	3.7 ^{b,c}	3.6 ^a	1.2 ^{b,d}
19+	17.1	5.6	6.0	2.0	18.7	6.1	6.9	2.3
Total	17.1	4.4	6.0	1.5	18.6	4.8	7.2	1.9
Water								
2-3	<0.1	<0.1	2.0	1.8	<0.1	<0.1	<0.1	<0.1
4-8	<0.1	<0.1	2.6	2.4	<0.1	<0.1	<0.1	<0.1
9-13	<0.1	<0.1	3.0	2.8	0.1	0.1	<0.1	<0.1

14-18	<0.1	<0.1	3.8	3.2	0.1	0.1	<0.1	<0.1
2-18	<0.1	<0.1	3.0	2.7	<0.1	<0.1	<0.1	<0.1
19-30	0.1	0.1	4.4	3.9	0.1	0.1	0.2	0.1
31-50	0.1	0.1	3.9	3.4	0.2	0.1	0.1	0.1
51-70	<0.1	<0.1	3.7	3.0	<0.1	<0.1	<0.1	<0.1
71+	<0.1	<0.1	3.0	2.4	0.1	0.1	0.1	0.1
19+	0.1	0.1	3.9	3.3	0.1	0.1	0.1	0.1
Total	0.1	<0.1	3.7	3.2	0.1	0.1	0.1	0.1

¹All percentages are population weighted, estimates with the same superscripts are not statistically significantly different. ²no evidence for statistical difference between age categories

³hypothesis that age category estimates are from the same distribution is rejected ($p<0.05$) but no statistically significant difference for pairwise comparisons