Supplementary Materials: Development and Characterization of Monoclonal Antibodies for the Mycotoxin Citreoviridin

Chris M. Maragos , Yosuke Uchiyama, Naoki Kobayashi, Fumichika Kominato and Yoshiko Sugita-Konishi




Figure S1. Effect of iso-CTV on the calibration curve in diluted rice matrix using mAb 2-4. Data are averages from 3 plates \pm 1 standard deviation. IC50's were 27.0 \pm 3.4 ng/mL and 23.6 \pm 1.0 ng/mL for the low iso-CTV (i.e. 7%) and high iso-CTV preparation (i.e. 36%) respectively. The similar responses from the two preparations, despite their very different proportions of iso-CTV, suggested that mAb 2-4 cross-reacted with iso-CTV.




Figure S2. Effect of iso-CTV on the calibration curve in diluted rice matrix using mAb 2-2. Data are averages from 3 plates \pm 1 standard deviation. IC₅₀'s were 16.5 \pm 0.3 ng/mL and 15.7 \pm 0.4 ng/mL for the low iso-CTV

(i.e. 7%) and high iso-CTV preparation (i.e. 36%) respectively. The similar responses from the two preparations, despite their very different proportions of iso-CTV, suggested that mAb 2-2 cross-reacted with iso-CTV.