Oscillatoxin I, a New Aplysiatoxin Derivative, from a Marine Cyanobacterium

Hiroshi Nagai, Shingo Sato, Kaori Iida, Kazutaka Hayashi, Mioko Kawaguchi, Hajime Uchida and Masayuki Satake

Figure S1. ¹H NMR spectrum of oscillatoxin I in acetone- d₆.

Figure S2. ESI-HRMS spectrum of oscillatoxin I in positive ion mode.

Figure S3. ¹H–¹³C HSQC spectrum of oscillatoxin I in acetone- *d*₆.

Figure S4. ¹H–¹³C HMBC spectrum of oscillatoxin I in acetone- *d*₆.

Figure S5. ¹H–¹H COSY NMR spectrum of oscillatoxin I in acetone- d6.

Figure S6. ¹³C NMR spectrum of oscillatoxin I in acetone- *d*6.

Toxins 2019, 11, 366





Figure S1. ¹H NMR spectrum of oscillatoxin I (1) in acetone-*d*₆.



 $\textbf{Figure S2.} \ \textbf{ESI-HRMS} \ spectrum \ of \ oscillatox in \ I \ \textbf{(1)} \ in \ positive \ ion \ mode.$

Toxins 2019, 11, 366 3 of 4




Figure S3. $^{1}\text{H}-^{13}\text{C}$ HSQC spectrum of oscillatoxin I (1) in acetone- da.




Figure S4. ¹H-¹³C HMBC spectrum of oscillatoxin I (1) in acetone- d6.

Toxins 2019, 11, 366 4 of 4




Figure S5. $^{1}\text{H}-^{1}\text{H}$ COSY NMR spectrum of oscillatoxin I (1) in acetone- da




Figure S6. 13 C NMR spectrum of oscillatoxin I (1) in acetone- d_6 .