



Figure S5. Longitudinal profiles of plasma proteins which increased significantly ($p < 0.05$ and $q < 0.01$; TP3 vs TP2) in patients 24 hours post-CRYO ($n=24$ patients as 1 TP3 sample failed analytical QC). Results for each protein are expressed as a % of the reference baseline (TP2; 100%).


Uniprot ID: P10145, analyte: IL8




Uniprot ID: P80098, analyte: MCP-3




Uniprot ID: P49763, analyte: PGF




Uniprot ID: P05231, analyte: IL6





Uniprot ID: Q16790, analyte: CAIX








Uniprot ID: P40933, analyte: IL15









Uniprot ID: P26842, analyte: CD27






Uniprot ID: P14210, analyte: HGF




Uniprot ID: P09601, analyte: HO-1




Uniprot ID: P22301, analyte: IL10




Uniprot ID: P55773, analyte: CCL23




Uniprot ID: P06127, analyte: CD5







Uniprot ID: P21246, analyte: PTN




Uniprot ID: P15692, analyte: VEGFA






Uniprot ID: P09603, analyte: CSF-1







Uniprot ID: P18827, analyte: SYND1






Uniprot ID: P48307, analyte: TFPI-2




Uniprot ID: P01135, analyte: TGF- α




Uniprot ID: P29317, analyte: EPHA2




Uniprot ID: Q14512, analyte: FGF-BP1







Uniprot ID: P15514, analyte: AREG



Uniprot ID: Q9NQ30, analyte: ESM-1



Uniprot ID: Q14508, analyte: WFDC2



Uniprot ID: Q9BXY4, analyte: RSPO3

