

## **Supporting Information**

# **Selective Oxidation of Benzyl Alcohol by Ag/Pd/m-BiVO<sub>4</sub> Microspheres under Visible Light Irradiation**

**Xiujuan Yu<sup>1,2</sup>, Haiying Li<sup>1</sup>, XueliHao<sup>1</sup>, Zhiying Zhang<sup>1</sup>, Yan Wang<sup>1</sup>, Jingyi Li<sup>\*1</sup>  
and Kai Wang<sup>2</sup>**

<sup>1</sup> College of Chemistry and Chemical Engineering, Inner Mongolia University  
(Hohhot), Hohhot 010021, China;

yuxiujuan810@163.com (X.Y.); lihaiying0528gsj@163.com (H.L.);  
hxli18747721020@163.com (X.H.); zhangzhiying2019@163.com (Z.Z);  
wynmgnhy@163.com (Y.W.);

<sup>2</sup> Hebei Key Laboratory of Neuropharmacology, Hebei North University  
(Zhangjiakou), Zhangjiakou 075000, China; bfxywangkai0313@163.com (K.W.)

\*Correspondence: lijingyicn@163.com (J.L.); Tel.: +86-13848129221 (J.L.).


---

\*Corresponding author Tel.: +86-13848129221; E-mail address:[lijingyicn@163.com](mailto:lijingyicn@163.com).

## 1. GC determination conditions

Column type: sh-rtx-5 capillary column; carrier gas: high purity nitrogen; carrier gas flow rate: 30 mL/min; inlet temperature: 130 °C; detector temperature: 260 °C; oven temperature: 90 °C; injection volume: 0.8 µL.

## 2. XPS Analysis of Pd/m-BiVO<sub>4</sub>



**Figure S1.** XPS spectra: (a) full spectrum of Pd/m-BiVO<sub>4</sub> (2 wt%), (b) Bi 4f, (c) V 2p, (d) O 1s, (e) Pd 3d.

### **3. Composition of Ag-Pd of the catalysts**

#### *3.1 Test of the composition of Ag-Pd of the catalysts*

The compositions of Ag-Pd were tested by Inductively coupled plasma optic emission spectrometer (ICP-OES, iCAP 6000, Thermo Scientific, USA ).

#### *3.2 Results of the composition of Ag-Pd of the catalysts*

**Table S1.** The composition of Ag-Pd of the catalysts

No.	Catalysts	Ag content (wt%)	Pd content (wt%)
1	Ag/m-BiVO <sub>4</sub> (1 wt%)	1.25	--
2	Pd/m-BiVO <sub>4</sub> (1 wt%)	--	1.53
3	Ag/m-BiVO <sub>4</sub> (2 wt%)	2.69	--
4	Pd/m-BiVO <sub>4</sub> (2 wt%)	--	2.76
5	Ag/Pd/m-BiVO <sub>4</sub> (1 wt%, 2:1)	0.91	0.54
6	Ag/Pd/m-BiVO <sub>4</sub> (2 wt%, 2:1)	1.69	0.80
7	Ag/Pd/m-BiVO <sub>4</sub> (3 wt%, 2:1)	2.37	1.24
8	Ag/Pd/m-BiVO <sub>4</sub> (4 wt%, 2:1)	2.44	1.32
9	Ag/Pd/m-BiVO <sub>4</sub> (5 wt%, 2:1)	3.19	1.51