

Article

Development of 3D Printed Biodegradable Mesh with Antimicrobial Properties for Pelvic Organ Prolapse

Jiongyu Ren ^{1,2}, Rebecca Murray ^{3,4,5}, Cynthia S. Wong ⁶, Jilong Qin ⁷, Michael Chen ^{1,2,3}, Makrina Totsika ⁷, Andrew D. Riddell ^{5,8}, Andrea Warwick ⁵, Nicholas Rukin ^{3,5} and Maria A. Woodruff ^{1,2,*}

¹ Centre for Biomedical Technologies, Queensland University of Technology (QUT), Brisbane, QLD 4000, Australia; edward.ren@qut.edu.au (J.R.); m66.chen@hdr.qut.edu.au (M.C.)

² School of Mechanical, Medical and Process Engineering, Queensland University of Technology (QUT), Brisbane, QLD 4000, Australia

³ Herston Biofabrication Institute, Metro North Health, Brisbane, QLD 4029, Australia; becca.murray@health.qld.gov.au (R.M.); nicholas.rukin@health.qld.gov.au (N.R.)

⁴ Australian Institute for Bioengineering and Nanotechnology, The University of Queensland, Brisbane, QLD 4072, Australia

⁵ Redcliffe Hospital, Metro North Health, Redcliffe, QLD 4020, Australia; adriddell@hotmail.com (A.D.R.); mda99amw@yahoo.com (A.W.)

⁶ Aikenhead Centre for Medical Discovery (ACMD), St Vincent's Hospital, Melbourne, VIC 3065, Australia; c_wong32@hotmail.com

⁷ Centre for Immunology and Infection Control, School of Biomedical Sciences, Queensland University of Technology, Brisbane, QLD 4000, Australia; jilong.qin@qut.edu.au (J.Q.); makrina.totsika@qut.edu.au (M.T.)

⁸ Northside Clinical Unit, School of Clinical Medicine, The University of Queensland, Brisbane, QLD 4072, Australia

* Correspondence: mia.woodruff@qut.edu.au

Citation: Ren, J.; Murray, R.; Wong, C.S.; Qin, J.; Chen, M.; Totsika, M.; Riddell, A.D.; Warwick, A.; Rukin, N.; Woodruff, M.A. Development of 3D Printed Biodegradable Mesh with Antimicrobial Properties for Pelvic Organ Prolapse. *Polymers* **2022**, *14*, 763. <https://doi.org/10.3390/polym14040763>

Academic Editor: Matthew Blacklock

Received: 28 December 2021

Accepted: 3 February 2022

Published: 16 February 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure S1. Cross sectional SEM image of a representative sample from the 75:25 degraded group (after 28 days immersion in PBS), showing the formation of a hollow structure after the PEG content was dissolved in PBS solution, indicating the PEG component of the composite might have been more central when manufactured via MEW.