

Figure S1: Inhibitory curves for MF, DCA, SOD and DON at 24h, 48h, 72h. Calculated IC₅₀s for each cell line and time-point are included. Abbreviations: NR (IC₅₀ not reached, or unable to extrapolate from data using the logarithmic variable slope equation).




Figure S2: Western Blot time-course analysis of phospho-Ser293 PDH-E1 in GBM38. Protein was collected as follows: 30 min after addition of fresh culture media (C30'); 30 min, 60 min, 2 h and 6 h after addition of DCA 72h-IC50 treatment, and 6h after addition of fresh culture media (C6h).




Figure S3: Inhibitory curves for bleomycin at 72h. Calculated IC₅₀s for each cell line using the logarithmic variable slope equation are included. A minimum of 2 biological replicates were carried out for each cell line.

Supplementary material: Kinetics Graphs

Group Legend:

■ Control ■ Experimental




Figure S4: Seahorse XF real-time kinetic graphs. As MF significantly reduced basal OXPHOS in GBM18, glycolysis levels (PER) did not increase after injection of oligomycin; however, PER levels were maintained in treated cells. In GBM27, GBM38 and U87MG, there was a significant reduction of OCR and PER, and, similarly, levels did not change after injection of inhibitors. In terms of OCR changes, DCA treated and non- treated cells responded equally. GBM18, GBM38 and U87MG were not able to compensate total respiration inhibition (rotenone/antimycin A), but, interestingly, GBM27 was able to rescue inhibition by glycolysis, raising to equal levels as control cells, even though basal PER levels were initially lower. DON reduced OCR in GBM18 and U87MG, and, in these cell lines, PER was low and did not change after any injection of mitochondrial inhibitors. In GBM27 and GBM38, OCR fluctuations after inhibitors were similar in control and treated cells; surprisingly, DON did not reduce OCR in GBM27 at all (inhibition of glutaminolysis had no effect on mitochondrial ATP production rates). However, PER increased in GBM27 in both control and treated cells after rotenone/antimycin A, whereas, in GBM38, PER was globally decreased and remained unaltered even after injection of inhibitors. Kinetic profiles of OCR and ECAR also allow for the identification of resistance to ETC inhibition and residual non-mitochondrial OCR (i.e., after injection of rotenone/antimycin A, OCR does not reach zero). In our study, cells in basal conditions often maintained residual OCR, whereas MF treated cells demonstrated nearly completely abolished OCR. Abbreviations: Proton Efflux Rate (PER), Oxygen Consumption Rate (OCR).

File S1: Comprehensive analysis of Chou-Talalay combinatory experiments, as exported from CompuSyn software. Fraction of affected cells from each drug individually and in combination, with median-effect dose (D_m), sigmoidicity/shape (m) and linear correlation coefficient of the median-effect plot (r). Additionally, we provide complete descriptions of Dose-Effect Curve, Median-Effect Plot, Combination Index Plot, Logarithmic Combination Index Plot, DRI Plot, Log(DRI) Plot, Isobogram and Polygonogram at $F_a = 0.9$. Reports are provided in PDF format.

...Data for Drug: MF [uM]

Dose Effect

| | |
|---------|---------|
| 7870.0 | 0.53624 |
| 7870.0 | 0.57607 |
| 7870.0 | 0.41415 |
| 15750.0 | 0.58159 |
| 15750.0 | 0.71024 |
| 15750.0 | 0.56295 |
| 39390.0 | 0.62561 |
| 39390.0 | 0.81219 |
| 39390.0 | 0.66741 |
| 78780.0 | 0.87241 |
| 78780.0 | 0.92948 |
| 78780.0 | 0.79514 |
| 157520. | 0.98401 |
| 157520. | 0.99 |
| 157520. | 0.98892 |
| 10660.0 | 0.52521 |
| 10660.0 | 0.45177 |

17 data points entered.

X-int: 4.04414

Y-int: -5.3314 +/- 0.74215

m: 1.31830 +/- 0.16423

Dm: 11069.8

r: 0.90065

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 60.5 | 0.5028 |
| 10.0 | 0.17796 |
| 10.0 | 0.11899 |
| 20.0 | 0.29743 |
| 20.0 | 0.23117 |
| 50.0 | 0.50862 |
| 50.0 | 0.45673 |
| 100.0 | 0.67143 |
| 100.0 | 0.60417 |
| 60.5 | 0.55855 |

10 data points entered.

X-int: 1.74071

Y-int: -1.7832 +/- 0.11170

m: 1.02439 +/- 0.06994

Dm: 55.0440

r: 0.98186

Data for Drug Combo: MF-BL (MF+BL [176.198:1])

Dose A Effect

1332.50+ 0.18353

5330.00+ 0.50214

10660.0+ 0.67842

10660.0+ 0.69075

5330.00+ 0.52958

1332.50+ 0.18896

6 data points entered.

X-int: 3.71365


Y-int: -4.0325 +/- 0.08700

m: 1.08586 +/- 0.02385


Dm: 5171.86

r: 0.99904

Dose-Effect Curve



Median-Effect Plot



CI Data for Drug Combo: MF-BL (MF+BL [176.198:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 0.91195 | 0.91477 +/- 0.07991 |
| 0.1 | 0.92386 | 0.92581 +/- 0.06149 |
| 0.15 | 0.93412 | 0.93560 +/- 0.05104 |
| 0.2 | 0.94339 | 0.94455 +/- 0.04371 |
| 0.25 | 0.95210 | 0.95301 +/- 0.03809 |
| 0.3 | 0.96052 | 0.96123 +/- 0.03361 |
| 0.35 | 0.96884 | 0.96938 +/- 0.03003 |
| 0.4 | 0.97723 | 0.97762 +/- 0.02726 |
| 0.45 | 0.98583 | 0.98609 +/- 0.02532 |
| 0.5 | 0.99482 | 0.99495 +/- 0.02428 |
| 0.55 | 1.00436 | 1.00438 +/- 0.02424 |
| 0.6 | 1.01468 | 1.01460 +/- 0.02527 |
| 0.65 | 1.02611 | 1.02592 +/- 0.02743 |
| 0.7 | 1.03908 | 1.03880 +/- 0.03078 |
| 0.75 | 1.05431 | 1.05393 +/- 0.03545 |
| 0.8 | 1.07300 | 1.07253 +/- 0.04181 |
| 0.85 | 1.09749 | 1.09695 +/- 0.05065 |
| 0.9 | 1.13336 | 1.13277 +/- 0.06405 |
| 0.95 | 1.19999 | 1.19946 +/- 0.08955 |
| 0.97 | 1.25451 | 1.25415 +/- 0.11081 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 1340.06 | 0.18353 | 0.96333 |
| 5360.25 | 0.50214 | 1.02336 |
| 10720.5 | 0.67842 | 1.07696 |
| 10720.5 | 0.69075 | 1.02503 |

Total Dose Fa CI Value


5360.25 0.52958 0.92968

1340.06 0.18896 0.93302

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: MF-BL (MF+BL [176.198:1])


| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|------|---------|---------|---------|---------|
| 0.05 | 1186.15 | 3.10740 | 3.47214 | 1.60271 |
| 0.1 | 2090.73 | 6.44441 | 3.07540 | 1.67028 |
| 0.15 | 2969.63 | 10.1231 | 2.85284 | 1.71353 |
| 0.2 | 3867.64 | 14.2227 | 2.69596 | 1.74683 |

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.25 | 4810.82 | 18.8342 | 2.57292 | 1.77482 |
| 0.3 | 5821.17 | 24.0709 | 2.47004 | 1.79964 |
| 0.35 | 6921.60 | 30.0791 | 2.38016 | 1.82249 |
| 0.4 | 8138.89 | 37.0519 | 2.29903 | 1.84413 |
| 0.45 | 9506.74 | 45.2516 | 2.22383 | 1.86512 |
| 0.5 | 11069.8 | 55.0440 | 2.15254 | 1.88591 |
| 0.55 | 12889.8 | 66.9553 | 2.08352 | 1.90694 |
| 0.6 | 15056.1 | 81.7728 | 2.01538 | 1.92865 |
| 0.65 | 17704.0 | 100.729 | 1.94668 | 1.95155 |
| 0.7 | 21050.8 | 125.871 | 1.87585 | 1.97632 |
| 0.75 | 25471.8 | 160.869 | 1.80084 | 2.00396 |
| 0.8 | 31683.4 | 213.028 | 1.71865 | 2.03607 |
| 0.85 | 41264.5 | 299.298 | 1.62414 | 2.07564 |
| 0.9 | 58611.1 | 470.149 | 1.50660 | 2.12939 |
| 0.95 | 103309. | 975.039 | 1.33445 | 2.21916 |
| 0.97 | 154627. | 1638.41 | 1.22408 | 2.28532 |


DRI values calculated at experimental points

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.18353 | 3567.97 | 12.8206 | 2.67766 | 1.69528 |
| 0.50214 | 11141.9 | 55.5059 | 2.09041 | 1.83490 |
| 0.67842 | 19501.5 | 114.078 | 1.82941 | 1.88558 |
| 0.69075 | 20364.9 | 120.618 | 1.91040 | 1.99369 |
| 0.52958 | 12110.4 | 61.7906 | 2.27211 | 2.04266 |
| 0.18896 | 3666.35 | 13.2773 | 2.75149 | 1.75567 |


DRI Plot for Combo: MF-BL (MF+BL [176.198:1])




Log(DRI) Plot for Combo: MF-BL (MF+BL [176.198:1])



Isobologram for Combo: MF-BL (MF+BL [176.198:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: MF [uM]

Dose Effect

| | |
|---------|---------|
| 7870.0 | 0.23281 |
| 7870.0 | 0.14046 |
| 7870.0 | 0.10309 |
| 15750.0 | 0.25291 |
| 15750.0 | 0.17587 |
| 15750.0 | 0.30018 |
| 39390.0 | 0.39243 |
| 39390.0 | 0.35269 |
| 39390.0 | 0.48068 |
| 78780.0 | 0.16058 |
| 78780.0 | 0.07686 |
| 78780.0 | 0.51773 |
| 157520. | 0.90852 |
| 157520. | 0.91911 |
| 157520. | 0.95778 |
| 77411.0 | 0.43052 |
| 77411.0 | 0.39409 |

17 data points entered.

X-int: 4.76061

Y-int: -4.9332 +/- 1.30053

m: 1.03625 +/- 0.28164

Dm: 57624.7

r: 0.68875

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 50.0 | 0.47634 |
| 50.0 | 0.54304 |
| 100.0 | 0.60608 |
| 100.0 | 0.64751 |
| 200.0 | 0.66695 |
| 200.0 | 0.70512 |
| 55.09 | 0.61750 |
| 55.09 | 0.60433 |

8 data points entered.

X-int: 1.47042

Y-int: -0.6157 +/- 0.23160

m: 0.41874 +/- 0.11876

Dm: 29.5408

r: 0.82127

Data for Drug Combo: MF-BL (MF+BL [1404.97:1])

Dose A Effect

Dose A Effect

77411.0+ 0.73208
38705.5+ 0.69087
9676.37+ 0.24292
77411.0+ 0.79116
38705.5+ 0.63240
9676.37+ 0.22696

6 data points entered.


X-int: 4.40525

Y-int: -5.1086 +/- 0.47342


m: 1.15966 +/- 0.10512

Dm: 25424.3

r: 0.98396

Dose-Effect Curve

Median-Effect Plot



CI Data for Drug Combo: MF-BL (MF+BL [1404.97:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 55.2970 | 72.4175 +/- 199.367 |
| 0.1 | 18.0448 | 20.9963 +/- 36.4717 |
| 0.15 | 9.16239 | 10.1143 +/- 12.4923 |
| 0.2 | 5.58389 | 5.97620 +/- 5.48397 |
| 0.25 | 3.76582 | 3.94837 +/- 2.73350 |
| 0.3 | 2.71103 | 2.80136 +/- 1.46224 |
| 0.35 | 2.04403 | 2.08976 +/- 0.81237 |
| 0.4 | 1.59604 | 1.61894 +/- 0.45859 |
| 0.45 | 1.28150 | 1.29237 +/- 0.25991 |
| 0.5 | 1.05303 | 1.05755 +/- 0.15023 |
| 0.55 | 0.88259 | 0.88386 +/- 0.09773 |
| 0.6 | 0.75265 | 0.75242 +/- 0.08254 |
| 0.65 | 0.65177 | 0.65102 +/- 0.08448 |
| 0.7 | 0.57218 | 0.57147 +/- 0.09066 |
| 0.75 | 0.50836 | 0.50802 +/- 0.09716 |
| 0.8 | 0.45621 | 0.45642 +/- 0.10361 |
| 0.85 | 0.41234 | 0.41325 +/- 0.11059 |
| 0.9 | 0.37325 | 0.37508 +/- 0.11905 |
| 0.95 | 0.33269 | 0.33600 +/- 0.13097 |
| 0.97 | 0.31157 | 0.31599 +/- 0.13813 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 77466.1 | 0.73208 | 0.67833 |
| 38733.0 | 0.69087 | 0.44577 |
| 9683.26 | 0.24292 | 4.02328 |
| 77466.1 | 0.79116 | 0.44900 |

Total Dose Fa CI Value


38733.0 0.63240 0.65317

9683.26 0.22696 4.90037

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: MF-BL (MF+BL [1404.97:1])


| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|------|---------|---------|---------|---------|
| 0.05 | 3361.91 | 0.02610 | 1.67626 | 0.01828 |
| 0.1 | 6914.26 | 0.15544 | 1.80996 | 0.05717 |
| 0.15 | 10805.2 | 0.46922 | 1.89803 | 0.11580 |
| 0.2 | 15122.0 | 1.07801 | 1.96715 | 0.19702 |

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.25 | 19960.8 | 2.14286 | 2.02613 | 0.30560 |
| 0.3 | 25439.2 | 3.90521 | 2.07911 | 0.44842 |
| 0.35 | 31707.9 | 6.73572 | 2.12842 | 0.63525 |
| 0.4 | 38965.2 | 11.2174 | 2.17562 | 0.87997 |
| 0.45 | 47479.6 | 18.2935 | 2.22187 | 1.20275 |
| 0.5 | 57624.7 | 29.5408 | 2.26813 | 1.63361 |
| 0.55 | 69937.5 | 47.7034 | 2.31536 | 2.21883 |
| 0.6 | 85219.8 | 77.7951 | 2.36457 | 3.03272 |
| 0.65 | 104725. | 129.557 | 2.41701 | 4.20104 |
| 0.7 | 130531. | 223.461 | 2.47434 | 5.95132 |
| 0.75 | 166357. | 407.242 | 2.53903 | 8.73268 |
| 0.8 | 219588. | 809.512 | 2.61517 | 13.5451 |
| 0.85 | 307316. | 1859.82 | 2.71040 | 23.0456 |
| 0.9 | 480255. | 5614.13 | 2.84229 | 46.6816 |
| 0.95 | 987714. | 33439.4 | 3.06899 | 145.979 |
| 0.97 | 1649876 | 119034. | 3.24121 | 328.545 |


DRI values calculated at experimental points

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.73208 | 152017. | 325.816 | 1.96376 | 5.91339 |
| 0.69087 | 125212. | 201.600 | 3.23500 | 7.31789 |
| 0.24292 | 19239.9 | 1.95641 | 1.98834 | 0.28406 |
| 0.79116 | 208369. | 710.984 | 2.69172 | 12.9040 |
| 0.63240 | 97271.8 | 107.923 | 2.51313 | 3.91752 |
| 0.22696 | 17659.1 | 1.58240 | 1.82497 | 0.22976 |


DRI Plot for Combo: MF-BL (MF+BL [1404.97:1])




Log(DRI) Plot for Combo: MF-BL (MF+BL [1404.97:1])



Isobologram for Combo: MF-BL (MF+BL [1404.97:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: MF [uM]

| Dose | Effect |
|-------------|---------------|
| 7870.0 | 0.42573 |
| 7870.0 | 0.52827 |
| 7870.0 | 0.38937 |
| 15750.0 | 0.29622 |
| 15750.0 | 0.49188 |
| 15750.0 | 0.35812 |
| 39390.0 | 0.49697 |
| 39390.0 | 0.57784 |
| 39390.0 | 0.46921 |
| 78780.0 | 0.70248 |
| 78780.0 | 0.87161 |
| 78780.0 | 0.72910 |
| 157520. | 0.999 |
| 157520. | 0.99754 |
| 157520. | 0.98194 |
| 21330.0 | 0.44783 |
| 21330.0 | 0.63190 |

17 data points entered.

X-int: 4.24993

Y-int: -7.3975 +/- 1.55867

m: 1.74061 +/- 0.34245

Dm: 17779.8

r: 0.79541

Data for Drug: BL [uM]

| Dose | Effect |
|-------------|---------------|
| 50.0 | 0.68241 |
| 50.0 | 0.29706 |
| 100.0 | 0.85466 |
| 100.0 | 0.59909 |
| 200.0 | 0.94684 |
| 200.0 | 0.79812 |
| 11.8 | 0.69459 |
| 11.8 | 0.76364 |

8 data points entered.

X-int: 0.52962

Y-int: -0.1933 +/- 0.66703

m: 0.36498 +/- 0.36539

Dm: 3.38545

r: 0.37760

Data for Drug Combo: MF-BL (MF+BL [1807.62:1])

| Dose A | Effect |
|---------------|---------------|
|---------------|---------------|

Dose A Effect

| | |
|----------|---------|
| 21330.0+ | 0.61629 |
| 10665.0+ | 0.55014 |
| 2666.25+ | 0.48829 |
| 21330.0+ | 0.81932 |
| 10665.0+ | 0.68451 |
| 2666.25+ | 0.55647 |

6 data points entered.

X-int: 3.37748


Y-int: -1.3953 +/- 0.83013

m: 0.41313 +/- 0.21039


Dm: 2384.95

r: 0.70060

Dose-Effect Curve



Median-Effect Plot



CI Data for Drug Combo: MF-BL (MF+BL [1807.62:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 0.99797 | 1.35E12 +/- 1.54E13 |
| 0.1 | 0.78798 | 1.726E9 +/- 1.97E10 |
| 0.15 | 0.68322 | 2.789E7 +/- 3.187E8 |
| 0.2 | 0.61679 | 1248703 +/- 1.427E7 |
| 0.25 | 0.57083 | 96011.3 +/- 1097274 |
| 0.3 | 0.53859 | 10210.6 +/- 116687. |
| 0.35 | 0.51740 | 1334.12 +/- 15241 |
| 0.4 | 0.50677 | 199.068 +/- 2269.11 |
| 0.45 | 0.50785 | 32.4770 +/- 365.246 |
| 0.5 | 0.52357 | 5.86109 +/- 60.9043 |
| 0.55 | 0.55951 | 1.45038 +/- 10.0737 |
| 0.6 | 0.62559 | 0.77514 +/- 1.54372 |
| 0.65 | 0.73999 | 0.78587 +/- 0.44716 |
| 0.7 | 0.93781 | 1.01305 +/- 1.00953 |
| 0.75 | 1.29307 | 1.50231 +/- 2.66111 |
| 0.8 | 1.98294 | 2.65178 +/- 8.11193 |
| 0.85 | 3.51983 | 6.21459 +/- 31.7206 |
| 0.9 | 7.93559 | 25.0526 +/- 197.844 |
| 0.95 | 30.9088 | 370.205 +/- 3885.51 |
| 0.97 | 82.1983 | 2923.55 +/- 32488.4 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 21341.8 | 0.61629 | 1.86538 |
| 10670.9 | 0.55014 | 1.53851 |
| 2667.73 | 0.48829 | 0.64941 |
| 21341.8 | 0.81932 | 0.55875 |

Total Dose Fa CI Value


10670.9 0.68451 0.59312

2667.73 0.55647 0.36566

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: MF-BL (MF+BL [1807.62:1])


| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.05 | 3275.42 | 0.00106 | 1711.25 | 1.00262 |
| 0.1 | 5031.56 | 0.00822 | 430.778 | 1.27281 |
| 0.15 | 6563.43 | 0.02921 | 183.382 | 1.47544 |
| 0.2 | 8017.44 | 0.07587 | 96.4077 | 1.64903 |

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.25 | 9458.33 | 0.16686 | 56.6853 | 1.80769 |
| 0.3 | 10927.5 | 0.33220 | 35.6439 | 1.95874 |
| 0.35 | 12458.7 | 0.62089 | 23.3876 | 2.10685 |
| 0.4 | 14085.1 | 1.11467 | 15.7673 | 2.25555 |
| 0.45 | 15843.7 | 1.95360 | 10.8036 | 2.40799 |
| 0.5 | 17779.8 | 3.38545 | 7.45910 | 2.56735 |
| 0.55 | 19952.4 | 5.86675 | 5.14996 | 2.73725 |
| 0.6 | 22443.6 | 10.2822 | 3.52871 | 2.92224 |
| 0.65 | 25373.5 | 18.4595 | 2.37897 | 3.12849 |
| 0.7 | 28929.0 | 34.5008 | 1.56095 | 3.36505 |
| 0.75 | 33422.4 | 68.6866 | 0.98153 | 3.64623 |
| 0.8 | 39429.1 | 151.074 | 0.57711 | 3.99706 |
| 0.85 | 48163.9 | 392.324 | 0.30340 | 4.46731 |
| 0.9 | 62827.5 | 1393.56 | 0.12916 | 5.17850 |
| 0.95 | 96512.8 | 10795.6 | 0.03251 | 6.57402 |
| 0.97 | 130990. | 46331.7 | 0.01218 | 7.79047 |


DRI values calculated at experimental points

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.61629 | 23342.6 | 12.4002 | 1.09436 | 1.05086 |
| 0.55014 | 19958.7 | 5.87559 | 1.87142 | 0.99586 |
| 0.48829 | 17307.7 | 2.97766 | 6.49137 | 2.01874 |
| 0.81932 | 42375.5 | 213.035 | 1.98666 | 18.0538 |
| 0.68451 | 27745.0 | 28.2670 | 2.60150 | 4.79100 |
| 0.55647 | 20254.6 | 6.30281 | 7.59665 | 4.27306 |


DRI Plot for Combo: MF-BL (MF+BL [1807.62:1])




Log(DRI) Plot for Combo: MF-BL (MF+BL [1807.62:1])



Isobologram for Combo: MF-BL (MF+BL [1807.62:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: MF [uM]

Dose Effect

| | |
|---------|---------|
| 7870.0 | 0.11052 |
| 7870.0 | 0.17368 |
| 7870.0 | 0.11707 |
| 15750.0 | 0.12162 |
| 15750.0 | 0.16401 |
| 15750.0 | 0.08268 |
| 39390.0 | 0.37882 |
| 39390.0 | 0.33214 |
| 39390.0 | 0.66741 |
| 78780.0 | 0.99824 |
| 78780.0 | 0.94378 |
| 78780.0 | 0.95238 |
| 157520. | 0.99816 |
| 157520. | 0.99783 |
| 157520. | 0.98453 |
| 42510.0 | 0.48319 |
| 42510.0 | 0.49056 |

17 data points entered.

X-int: 4.40963

Y-int: -11.934 +/- 1.61396

m: 2.70630 +/- 0.35193

Dm: 25682.3

r: 0.89312

Data for Drug: BL [uM]

Dose Effect

| | |
|--------|---------|
| 10.0 | 0.63176 |
| 10.0 | 0.41297 |
| 20.0 | 0.81331 |
| 20.0 | 0.56917 |
| 50.0 | 0.86886 |
| 50.0 | 0.88044 |
| 100.0 | 0.91241 |
| 100.0 | 0.95258 |
| 10.241 | 0.60008 |
| 10.241 | 0.71813 |

10 data points entered.

X-int: 0.86194

Y-int: -0.8670 +/- 0.24348

m: 1.00590 +/- 0.16722

Dm: 7.27686

r: 0.90495

Data for Drug Combo: MF-BL (MF+BL [4150.96:1])

Dose A Effect

42510.0+ 0.86516

21255.0+ 0.64859

5313.75+ 0.33117

42499.8+ 0.80689

21255.0+ 0.63267

5313.75+ 0.31822

6 data points entered.

X-int: 4.03369


Y-int: -4.4970 +/- 0.43966

m: 1.11485 +/- 0.10360


Dm: 10806.7

r: 0.98316

Dose-Effect Curve



Median-Effect Plot



CI Data for Drug Combo: MF-BL (MF+BL [4150.96:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 0.56515 | 0.57267 +/- 0.15731 |
| 0.1 | 0.57481 | 0.57998 +/- 0.12021 |
| 0.15 | 0.59183 | 0.59585 +/- 0.10018 |
| 0.2 | 0.61173 | 0.61502 +/- 0.08647 |
| 0.25 | 0.63363 | 0.63641 +/- 0.07605 |
| 0.3 | 0.65743 | 0.65983 +/- 0.06770 |
| 0.35 | 0.68334 | 0.68543 +/- 0.06084 |
| 0.4 | 0.71173 | 0.71358 +/- 0.05525 |
| 0.45 | 0.74315 | 0.74480 +/- 0.05090 |
| 0.5 | 0.77836 | 0.77986 +/- 0.04797 |
| 0.55 | 0.81843 | 0.81981 +/- 0.04679 |
| 0.6 | 0.86486 | 0.86617 +/- 0.04786 |
| 0.65 | 0.91993 | 0.92119 +/- 0.05176 |
| 0.7 | 0.98715 | 0.98844 +/- 0.05920 |
| 0.75 | 1.07244 | 1.07382 +/- 0.07123 |
| 0.8 | 1.18663 | 1.18825 +/- 0.08994 |
| 0.85 | 1.35251 | 1.35460 +/- 0.12015 |
| 0.9 | 1.62950 | 1.63266 +/- 0.17568 |
| 0.95 | 2.25690 | 2.26338 +/- 0.31811 |
| 0.97 | 2.88696 | 2.89771 +/- 0.47942 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 42520.2 | 0.86516 | 1.05456 |
| 21260.1 | 0.64859 | 1.04253 |
| 5315.03 | 0.33117 | 0.62209 |
| 42510.0 | 0.80689 | 1.31518 |

Total Dose Fa CI Value


21260.1 0.63267 1.08683

5315.03 0.31822 0.64939

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: MF-BL (MF+BL [4150.96:1])


| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|------|---------|---------|---------|---------|
| 0.05 | 8652.15 | 0.38966 | 11.2345 | 2.10024 |
| 0.1 | 11403.4 | 0.81903 | 7.57500 | 2.25838 |
| 0.15 | 13529.2 | 1.29728 | 5.93479 | 2.36219 |
| 0.2 | 15387.5 | 1.83407 | 4.93874 | 2.44350 |

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.25 | 17113.3 | 2.44130 | 4.24340 | 2.51276 |
| 0.3 | 18778.6 | 3.13419 | 3.71658 | 2.57486 |
| 0.35 | 20431.2 | 3.93256 | 3.29499 | 2.63260 |
| 0.4 | 22108.9 | 4.86279 | 2.94394 | 2.68780 |
| 0.45 | 23846.9 | 5.96081 | 2.64250 | 2.74181 |
| 0.5 | 25682.3 | 7.27686 | 2.37709 | 2.79579 |
| 0.55 | 27659.1 | 8.88348 | 2.13834 | 2.85083 |
| 0.6 | 29833.3 | 10.8894 | 1.91939 | 2.90812 |
| 0.65 | 32283.1 | 13.4652 | 1.71490 | 2.96909 |
| 0.7 | 35124.1 | 16.8952 | 1.52037 | 3.03567 |
| 0.75 | 38542.1 | 21.6903 | 1.33161 | 3.11070 |
| 0.8 | 42864.8 | 28.8717 | 1.14413 | 3.19887 |
| 0.85 | 48752.4 | 40.8181 | 0.95211 | 3.30897 |
| 0.9 | 57841.0 | 64.6531 | 0.74595 | 3.46109 |
| 0.95 | 76233.4 | 135.893 | 0.50297 | 3.72169 |
| 0.97 | 92782.0 | 230.536 | 0.37997 | 3.91897 |


DRI values calculated at experimental points

| Fa | Dose MF | Dose BL | DRI MF | DRI BL |
|-----------|----------------|----------------|---------------|---------------|
| 0.86516 | 51043.1 | 46.1851 | 1.20073 | 4.50983 |
| 0.64859 | 32209.3 | 13.3826 | 1.51538 | 2.61353 |
| 0.33117 | 19807.8 | 3.61801 | 3.72765 | 2.82629 |
| 0.80689 | 43561.9 | 30.1523 | 1.02499 | 2.94498 |
| 0.63267 | 31396.8 | 12.4935 | 1.47715 | 2.43990 |
| 0.31822 | 19380.3 | 3.41175 | 3.64721 | 2.66517 |


DRI Plot for Combo: MF-BL (MF+BL [4150.96:1])




Log(DRI) Plot for Combo: MF-BL (MF+BL [4150.96:1])



Isobologram for Combo: MF-BL (MF+BL [4150.96:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: DCA [uM]

Dose Effect

| | |
|---------|---------|
| 10000.0 | 0.04902 |
| 10000.0 | 0.16305 |
| 10000.0 | 0.05046 |
| 20000.0 | 0.30530 |
| 20000.0 | 0.44119 |
| 20000.0 | 0.21838 |
| 50000.0 | 0.62232 |
| 50000.0 | 0.77349 |
| 50000.0 | 0.83703 |
| 100000. | 0.93638 |
| 100000. | 0.98682 |
| 100000. | 0.94815 |
| 29200.0 | 0.53133 |
| 29200.0 | 0.50894 |

14 data points entered.

X-int: 4.45014

Y-int: -10.965 +/- 0.88837

m: 2.46385 +/- 0.19703

Dm: 28193.2

r: 0.96371

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 60.5 | 0.52692 |
| 10.0 | 0.17796 |
| 10.0 | 0.11899 |
| 20.0 | 0.29743 |
| 20.0 | 0.23117 |
| 50.0 | 0.50862 |
| 50.0 | 0.45673 |
| 100.0 | 0.67143 |
| 100.0 | 0.60417 |
| 60.5 | 0.57056 |

10 data points entered.

X-int: 1.73264

Y-int: -1.7941 +/- 0.11290

m: 1.03546 +/- 0.07069

Dm: 54.0306

r: 0.98186

Data for Drug Combo: DCA-BL (DCA+BL [482.645:1])

Dose A Effect

| | |
|----------|---------|
| 29200.0+ | 0.73375 |
|----------|---------|

Dose A Effect

14600.0+ 0.38864

3650.00+ 0.15152

29200.0+ 0.72727


14600.0+ 0.35907

3650.00+ 0.06238


6 data points entered.

X-int: 4.23240**Y-int:** -6.3481 +/- 0.83332**m:** 1.49988 +/- 0.20413**Dm:** 17076.5**r:** 0.96489

Dose-Effect Curve



Median-Effect Plot



CI Data for Drug Combo: DCA-BL (DCA+BL [482.645:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 1.85665 | 1.86309 +/- 0.37057 |
| 0.1 | 1.60137 | 1.60444 +/- 0.23903 |
| 0.15 | 1.48221 | 1.48409 +/- 0.17809 |
| 0.2 | 1.41019 | 1.41151 +/- 0.14033 |
| 0.25 | 1.36147 | 1.36249 +/- 0.11373 |
| 0.3 | 1.32650 | 1.32738 +/- 0.09366 |
| 0.35 | 1.30068 | 1.30151 +/- 0.07808 |
| 0.4 | 1.28150 | 1.28234 +/- 0.06607 |
| 0.45 | 1.26751 | 1.26843 +/- 0.05739 |
| 0.5 | 1.25793 | 1.25896 +/- 0.05224 |
| 0.55 | 1.25235 | 1.25355 +/- 0.05097 |
| 0.6 | 1.25074 | 1.25216 +/- 0.05368 |
| 0.65 | 1.25342 | 1.25512 +/- 0.06013 |
| 0.7 | 1.26117 | 1.26324 +/- 0.07005 |
| 0.75 | 1.27553 | 1.27808 +/- 0.08359 |
| 0.8 | 1.29949 | 1.30269 +/- 0.10166 |
| 0.85 | 1.33932 | 1.34350 +/- 0.12681 |
| 0.9 | 1.41095 | 1.41677 +/- 0.16602 |
| 0.95 | 1.57385 | 1.58343 +/- 0.24648 |
| 0.97 | 1.72786 | 1.74120 +/- 0.32040 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 29260.5 | 0.73375 | 1.10702 |
| 14630.3 | 0.38864 | 1.48955 |
| 3657.56 | 0.15152 | 0.99938 |
| 29260.5 | 0.72727 | 1.12983 |

Total Dose Fa CI Value


14630.3 0.35907 1.63486

3657.56 0.06238 2.30621

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DCA-BL (DCA+BL [482.645:1])


| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 8533.72 | 3.14541 | 3.56623 | 0.63442 |
| 0.1 | 11557.1 | 6.47256 | 2.93467 | 0.79326 |
| 0.15 | 13944.2 | 10.1184 | 2.60106 | 0.91095 |
| 0.2 | 16061.5 | 14.1644 | 2.37515 | 1.01095 |

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.25 | 18050.8 | 18.7007 | 2.20344 | 1.10177 |
| 0.3 | 19989.1 | 23.8377 | 2.06363 | 1.18776 |
| 0.35 | 21929.5 | 29.7167 | 1.94434 | 1.27167 |
| 0.4 | 23915.2 | 36.5240 | 1.83898 | 1.35553 |
| 0.45 | 25988.0 | 44.5117 | 1.74332 | 1.44114 |
| 0.5 | 28193.2 | 54.0306 | 1.65441 | 1.53027 |
| 0.55 | 30585.5 | 65.5851 | 1.57004 | 1.62490 |
| 0.6 | 33236.4 | 79.9283 | 1.48837 | 1.72752 |
| 0.65 | 36246.0 | 98.2377 | 1.40771 | 1.84145 |
| 0.7 | 39764.4 | 122.466 | 1.32634 | 1.97153 |
| 0.75 | 44034.4 | 156.107 | 1.24218 | 2.12541 |
| 0.8 | 49488.1 | 206.102 | 1.15238 | 2.31634 |
| 0.85 | 57002.7 | 288.515 | 1.05229 | 2.57062 |
| 0.9 | 68776.6 | 451.028 | 0.93267 | 2.95201 |
| 0.95 | 93142.8 | 928.114 | 0.76750 | 3.69112 |
| 0.97 | 115575. | 1550.93 | 0.66811 | 4.32717 |


DRI values calculated at experimental points

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.73375 | 42543.3 | 143.821 | 1.45696 | 2.37720 |
| 0.38864 | 23457.9 | 34.8841 | 1.60670 | 1.15319 |
| 0.15152 | 14011.5 | 10.2350 | 3.83877 | 1.35340 |
| 0.72727 | 41978.9 | 139.322 | 1.43763 | 2.30285 |
| 0.35907 | 22285.2 | 30.8766 | 1.52638 | 1.02071 |
| 0.06238 | 9385.30 | 3.94433 | 2.57132 | 0.52156 |


DRI Plot for Combo: DCA-BL (DCA+BL [482.645:1])




Log(DRI) Plot for Combo: DCA-BL (DCA+BL [482.645:1])



Isobologram for Combo: DCA-BL (DCA+BL [482.645:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: DCA [uM]

Dose Effect

| | |
|---------|---------|
| 10000.0 | 0.01216 |
| 10000.0 | 0.08649 |
| 10000.0 | 0.01 |
| 20000.0 | 0.17153 |
| 20000.0 | 0.08551 |
| 20000.0 | 0.03562 |
| 50000.0 | 0.71466 |
| 50000.0 | 0.69233 |
| 50000.0 | 0.45257 |
| 100000. | 0.96291 |
| 100000. | 0.93367 |
| 100000. | 0.88499 |
| 40613.0 | 0.39533 |
| 40613.0 | 0.54637 |

14 data points entered.

X-int: 4.61751

Y-int: -13.134 +/- 1.12148

m: 2.84432 +/- 0.24760

Dm: 41448.5

r: 0.95742

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 50.0 | 0.47634 |
| 50.0 | 0.54304 |
| 100.0 | 0.60608 |
| 100.0 | 0.64751 |
| 200.0 | 0.66695 |
| 200.0 | 0.70512 |
| 55.09 | 0.60225 |
| 55.09 | 0.64755 |

8 data points entered.

X-int: 1.42816

Y-int: -0.5666 +/- 0.26652

m: 0.39676 +/- 0.13666

Dm: 26.8018

r: 0.76430

Data for Drug Combo: DCA-BL (DCA+BL [737.21:1])

Dose A Effect

| | |
|----------|---------|
| 40612.9+ | 0.74799 |
| 20306.5+ | 0.33011 |
| 5076.61+ | 0.11433 |

Dose A Effect

40612.9+ 0.86172


20306.5+ 0.63912

5076.61+ 0.19056


6 data points entered.

X-int: 4.24238**Y-int:** -6.3396 +/- 1.23943**m:** 1.49434 +/- 0.29338**Dm:** 17473.4**r:** 0.93081

Dose-Effect Curve



Median-Effect Plot




CI Data for Drug Combo: DCA-BL (DCA+BL [737.21:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 205.886 | 351.369 +/- 1550.60 |
| 0.1 | 51.7963 | 69.8908 +/- 198.035 |
| 0.15 | 22.1507 | 26.9666 +/- 54.5052 |
| 0.2 | 11.7678 | 13.4981 +/- 20.3489 |
| 0.25 | 7.04671 | 7.77134 +/- 8.89349 |
| 0.3 | 4.56040 | 4.89081 +/- 4.25063 |
| 0.35 | 3.12379 | 3.28150 +/- 2.13598 |
| 0.4 | 2.24087 | 2.31760 +/- 1.09824 |
| 0.45 | 1.67546 | 1.71273 +/- 0.56550 |
| 0.5 | 1.30414 | 1.32195 +/- 0.28737 |
| 0.55 | 1.05782 | 1.06617 +/- 0.14679 |
| 0.6 | 0.89578 | 0.89980 +/- 0.08738 |
| 0.65 | 0.79323 | 0.79555 +/- 0.07355 |
| 0.7 | 0.73501 | 0.73695 +/- 0.07541 |
| 0.75 | 0.71234 | 0.71456 +/- 0.08116 |
| 0.8 | 0.72173 | 0.72457 +/- 0.09084 |
| 0.85 | 0.76598 | 0.76971 +/- 0.10827 |
| 0.9 | 0.86110 | 0.86624 +/- 0.14163 |
| 0.95 | 1.07636 | 1.08482 +/- 0.22136 |
| 0.97 | 1.27130 | 1.28333 +/- 0.30106 |


CI values for actual experimental points:

| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 40668.0 | 0.74799 | 0.80087 |
| 20334.0 | 0.33011 | 6.74493 |
| 5083.5 | 0.11433 | 44.9958 |
| 40668.0 | 0.86172 | 0.53540 |
| 20334.0 | 0.63912 | 0.64409 |
| 5083.5 | 0.19056 | 10.0447 |

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DCA-BL (DCA+BL [737.21:1])


| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 14720.6 | 0.01604 | 6.05155 | 0.00486 |
| 0.1 | 19143.3 | 0.10546 | 4.77308 | 0.01938 |
| 0.15 | 22524.5 | 0.33844 | 4.12084 | 0.04565 |
| 0.2 | 25458.8 | 0.81420 | 3.68928 | 0.08698 |
| 0.25 | 28168.5 | 1.68123 | 3.36713 | 0.14815 |
| 0.3 | 30770.6 | 3.16749 | 3.10881 | 0.23592 |
| 0.35 | 33341.8 | 5.63075 | 2.89140 | 0.35998 |
| 0.4 | 35941.7 | 9.64592 | 2.70177 | 0.53455 |
| 0.45 | 38625.0 | 16.1626 | 2.53163 | 0.78097 |

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.5 | 41448.5 | 26.8018 | 2.37531 | 1.13232 |
| 0.55 | 44478.3 | 44.4445 | 2.22864 | 1.64173 |
| 0.6 | 47798.9 | 74.4707 | 2.08829 | 2.39855 |
| 0.65 | 51526.3 | 127.574 | 1.95133 | 3.56170 |
| 0.7 | 55831.7 | 226.785 | 1.81487 | 5.43464 |
| 0.75 | 60989.3 | 427.270 | 1.67564 | 8.65406 |
| 0.8 | 67480.7 | 882.263 | 1.52932 | 14.7404 |
| 0.85 | 76271.4 | 2122.53 | 1.36916 | 28.0890 |
| 0.9 | 89742.7 | 6811.45 | 1.18207 | 66.1413 |
| 0.95 | 116705. | 44785.5 | 0.93234 | 263.762 |
| 0.97 | 140692. | 171037. | 0.78748 | 705.751 |


DRI values calculated at experimental points

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.74799 | 60760.5 | 415.910 | 1.49609 | 7.54964 |
| 0.33011 | 32318.6 | 4.50331 | 1.59154 | 0.16349 |
| 0.11433 | 20179.8 | 0.15390 | 3.97505 | 0.02235 |
| 0.86172 | 78863.3 | 2697.08 | 1.94183 | 48.9577 |
| 0.63912 | 50673.3 | 113.186 | 2.49543 | 4.10913 |
| 0.19056 | 24926.4 | 0.69975 | 4.91005 | 0.10162 |


DRI Plot for Combo: DCA-BL (DCA+BL [737.21:1])




Log(DRI) Plot for Combo: DCA-BL (DCA+BL [737.21:1])



Isobologram for Combo: DCA-BL (DCA+BL [737.21:1])



Polygonogram at Fa = 0.9



...Data for Drug: DCA [uM]

Dose Effect

| | |
|---------|---------|
| 10000.0 | 0.29654 |
| 10000.0 | 0.38091 |
| 10000.0 | 0.64051 |
| 20000.0 | 0.51670 |
| 20000.0 | 0.54896 |
| 20000.0 | 0.74960 |
| 50000.0 | 0.87964 |
| 50000.0 | 0.88269 |
| 50000.0 | 0.93805 |
| 100000. | 0.99 |
| 100000. | 0.98576 |
| 100000. | 0.98371 |
| 13516.5 | 0.32942 |
| 13516.5 | 0.2739 |

14 data points entered.

X-int: 4.17281

Y-int: -8.7537 +/- 0.86611

m: 2.09779 +/- 0.19406

Dm: 14887.0

r: 0.95230

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 50.0 | 0.68241 |
| 50.0 | 0.29706 |
| 100.0 | 0.85466 |
| 100.0 | 0.59909 |
| 200.0 | 0.94684 |
| 200.0 | 0.79812 |
| 11.8 | 0.50912 |
| 11.8 | 0.26492 |

8 data points entered.

X-int: 1.44869

Y-int: -1.3171 +/- 0.56419

m: 0.90918 +/- 0.30906

Dm: 28.0991

r: 0.76848

Data for Drug Combo: DCA-BL (DCA+BL [1145.46:1])

Dose A Effect

| | |
|----------|---------|
| 13516.5+ | 0.44489 |
| 6758.25+ | 0.28218 |
| 1689.58+ | 0.05124 |

Dose A Effect

13516.5+ 0.35268


6758.25+ 0.20802

1689.58+ 0.02304


6 data points entered.

X-int: 4.22430**Y-int:** -6.0390 +/- 0.67453**m:** 1.42959 +/- 0.17994**Dm:** 16761.2**r:** 0.96975

Dose-Effect Curve



Median-Effect Plot




CI Data for Drug Combo: DCA-BL (DCA+BL [1145.46:1])

| Fa | CI Value | S.D.A. Analysis |
|-----------|-----------------|------------------------|
| 0.05 | 2.27514 | 2.36359 +/- 1.16726 |
| 0.1 | 1.94352 | 1.98382 +/- 0.61072 |
| 0.15 | 1.80634 | 1.82998 +/- 0.40343 |
| 0.2 | 1.73237 | 1.74777 +/- 0.29405 |
| 0.25 | 1.68844 | 1.69909 +/- 0.22767 |
| 0.3 | 1.66183 | 1.66952 +/- 0.18531 |
| 0.35 | 1.64663 | 1.65242 +/- 0.15889 |
| 0.4 | 1.63975 | 1.64432 +/- 0.14436 |
| 0.45 | 1.63955 | 1.64339 +/- 0.13925 |
| 0.5 | 1.64521 | 1.64868 +/- 0.14165 |
| 0.55 | 1.65648 | 1.65989 +/- 0.15004 |
| 0.6 | 1.67361 | 1.67723 +/- 0.16339 |
| 0.65 | 1.69736 | 1.70148 +/- 0.18134 |
| 0.7 | 1.72927 | 1.73418 +/- 0.20425 |
| 0.75 | 1.77204 | 1.77814 +/- 0.23342 |
| 0.8 | 1.83069 | 1.83853 +/- 0.27180 |
| 0.85 | 1.91545 | 1.92591 +/- 0.32578 |
| 0.9 | 2.05129 | 2.06619 +/- 0.41192 |
| 0.95 | 2.32795 | 2.35271 +/- 0.59380 |
| 0.97 | 2.56990 | 2.60422 +/- 0.76372 |


CI values for actual experimental points:

| Total Dose | Fa | CI Value |
|-------------------|-----------|-----------------|
| 13528.3 | 0.44489 | 1.54467 |
| 6764.15 | 0.28218 | 1.29482 |
| 1691.06 | 0.05124 | 1.75734 |
| 13528.3 | 0.35268 | 2.03173 |
| 6764.15 | 0.20802 | 1.77228 |
| 1691.06 | 0.02304 | 3.91434 |

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DCA-BL (DCA+BL [1145.46:1])


| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 3657.92 | 1.10205 | 1.71317 | 0.59122 |
| 0.1 | 5223.08 | 2.50684 | 1.45043 | 0.79740 |
| 0.15 | 6511.80 | 4.16977 | 1.30837 | 0.95967 |
| 0.2 | 7687.93 | 6.11633 | 1.21067 | 1.10329 |
| 0.25 | 8817.93 | 8.39286 | 1.13550 | 1.23798 |
| 0.3 | 9940.20 | 11.0651 | 1.07367 | 1.36903 |
| 0.35 | 11082.8 | 14.2230 | 1.02043 | 1.50004 |
| 0.4 | 12270.6 | 17.9892 | 0.97301 | 1.63396 |
| 0.45 | 13528.9 | 22.5339 | 0.92961 | 1.77359 |

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.5 | 14887.0 | 28.0991 | 0.88896 | 1.92197 |
| 0.55 | 16381.4 | 35.0388 | 0.85009 | 2.08277 |
| 0.6 | 18061.3 | 43.8909 | 0.81217 | 2.26075 |
| 0.65 | 19996.9 | 55.5129 | 0.77442 | 2.46258 |
| 0.7 | 22295.6 | 71.3556 | 0.73602 | 2.69824 |
| 0.75 | 25133.1 | 94.0753 | 0.69594 | 2.98388 |
| 0.8 | 28827.3 | 129.091 | 0.65273 | 3.34816 |
| 0.85 | 34033.9 | 189.353 | 0.60399 | 3.84921 |
| 0.9 | 42431.3 | 314.962 | 0.54483 | 4.63251 |
| 0.95 | 60586.9 | 716.450 | 0.46127 | 6.24809 |
| 0.97 | 78063.0 | 1285.72 | 0.40974 | 7.73029 |


DRI values calculated at experimental points

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.44489 | 13396.3 | 22.0274 | 0.99110 | 1.86672 |
| 0.28218 | 9539.22 | 10.0623 | 1.41149 | 1.70547 |
| 0.05124 | 3703.09 | 1.13370 | 2.19172 | 0.76860 |
| 0.35268 | 11145.2 | 14.4084 | 0.82456 | 1.22105 |
| 0.20802 | 7871.01 | 6.45765 | 1.16465 | 1.09451 |
| 0.02304 | 2494.62 | 0.45567 | 1.47647 | 0.30892 |


DRI Plot for Combo: DCA-BL (DCA+BL [1145.46:1])




Log(DRI) Plot for Combo: DCA-BL (DCA+BL [1145.46:1])



Isobologram for Combo: DCA-BL (DCA+BL [1145.46:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: DCA [uM]

Dose Effect

| | |
|---------|---------|
| 10000.0 | 0.22502 |
| 10000.0 | 0.01 |
| 10000.0 | 0.01 |
| 20000.0 | 0.23092 |
| 20000.0 | 0.21073 |
| 20000.0 | 0.25615 |
| 50000.0 | 0.87071 |
| 50000.0 | 0.86300 |
| 50000.0 | 0.89430 |
| 100000. | 0.98360 |
| 100000. | 0.98621 |
| 100000. | 0.97747 |
| 27096.5 | 0.53809 |
| 27096.5 | 0.55887 |

14 data points entered.

X-int: 4.44890

Y-int: -14.593 +/- 1.21120

m: 3.28009 +/- 0.26890

Dm: 28112.5

r: 0.96196

Data for Drug: BL [uM]

Dose Effect

| | |
|--------|---------|
| 10.0 | 0.63176 |
| 10.0 | 0.41297 |
| 20.0 | 0.81331 |
| 20.0 | 0.56917 |
| 50.0 | 0.86886 |
| 50.0 | 0.88044 |
| 100.0 | 0.91241 |
| 100.0 | 0.95258 |
| 10.241 | 0.61994 |
| 10.241 | 0.65059 |

10 data points entered.

X-int: 0.88493

Y-int: -0.9126 +/- 0.22509

m: 1.03128 +/- 0.15459

Dm: 7.67233

r: 0.92066

Data for Drug Combo: DCA-BL (DCA+BL [2645.88:1])

Dose A Effect

| | |
|----------|---------|
| 27096.5+ | 0.66694 |
|----------|---------|

Dose A Effect

13548.3+ 0.50932

3387.06+ 0.27877


27096.5+ 0.69409

13548.3+ 0.41939


3387.06+ 0.27234

6 data points entered.

X-int: 4.09612**Y-int:** -3.2573 +/- 0.43915**m:** 0.79521 +/- 0.10846**Dm:** 12477.3**r:** 0.96475

Dose-Effect Curve

Median-Effect Plot



CI Data for Drug Combo: DCA-BL (DCA+BL [2645.88:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 0.29008 | 0.29393 +/- 0.08218 |
| 0.1 | 0.38111 | 0.38465 +/- 0.08268 |
| 0.15 | 0.45790 | 0.46125 +/- 0.08144 |
| 0.2 | 0.53067 | 0.53389 +/- 0.07964 |
| 0.25 | 0.60361 | 0.60674 +/- 0.07770 |
| 0.3 | 0.67935 | 0.68244 +/- 0.07594 |
| 0.35 | 0.76012 | 0.76321 +/- 0.07471 |
| 0.4 | 0.84823 | 0.85137 +/- 0.07451 |
| 0.45 | 0.94639 | 0.94963 +/- 0.07606 |
| 0.5 | 1.05807 | 1.06148 +/- 0.08039 |
| 0.55 | 1.18808 | 1.19175 +/- 0.08882 |
| 0.6 | 1.34332 | 1.34738 +/- 0.10308 |
| 0.65 | 1.53442 | 1.53906 +/- 0.12549 |
| 0.7 | 1.77865 | 1.78416 +/- 0.15966 |
| 0.75 | 2.10650 | 2.11340 +/- 0.21215 |
| 0.8 | 2.57768 | 2.58689 +/- 0.29654 |
| 0.85 | 3.32824 | 3.34180 +/- 0.44595 |
| 0.9 | 4.75507 | 4.77859 +/- 0.76501 |
| 0.95 | 8.76699 | 8.82660 +/- 1.81792 |
| 0.97 | 13.8399 | 13.9565 +/- 3.35713 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 27106.7 | 0.66694 | 1.46073 |
| 13553.4 | 0.50932 | 1.12019 |
| 3388.34 | 0.27877 | 0.58039 |
| 27106.7 | 0.69409 | 1.35391 |

Total Dose Fa CI Value


13553.4 0.41939 1.44708

3388.34 0.27234 0.59528

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DCA-BL (DCA+BL [2645.88:1])


| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 11456.3 | 0.44153 | 37.2534 | 3.79887 |
| 0.1 | 14387.3 | 0.91124 | 18.2817 | 3.06365 |
| 0.15 | 16566.6 | 1.42709 | 11.7655 | 2.68165 |
| 0.2 | 18422.5 | 2.00046 | 8.44316 | 2.42581 |

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.25 | 20111.3 | 2.64411 | 6.41919 | 2.23301 |
| 0.3 | 21712.7 | 3.37375 | 5.05245 | 2.07717 |
| 0.35 | 23277.5 | 4.20957 | 4.06503 | 1.94507 |
| 0.4 | 24843.6 | 5.17819 | 3.31665 | 1.82908 |
| 0.45 | 26444.2 | 6.31569 | 2.72878 | 1.72437 |
| 0.5 | 28112.5 | 7.67233 | 2.25395 | 1.62758 |
| 0.55 | 29886.1 | 9.32038 | 1.86174 | 1.53622 |
| 0.6 | 31811.5 | 11.3678 | 1.53175 | 1.44828 |
| 0.65 | 33951.8 | 13.9835 | 1.24976 | 1.36192 |
| 0.7 | 36398.6 | 17.4478 | 1.00551 | 1.27530 |
| 0.75 | 39297.0 | 22.2626 | 0.79142 | 1.18630 |
| 0.8 | 42899.2 | 29.4255 | 0.60171 | 1.09201 |
| 0.85 | 47705.2 | 41.2480 | 0.43179 | 0.98783 |
| 0.9 | 54931.2 | 64.5985 | 0.27789 | 0.86466 |
| 0.95 | 68984.7 | 133.318 | 0.13637 | 0.69732 |
| 0.97 | 81123.4 | 223.245 | 0.08218 | 0.59836 |


DRI values calculated at experimental points

| Fa | Dose DCA | Dose BL | DRI DCA | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.66694 | 34740.6 | 15.0433 | 1.28211 | 1.46893 |
| 0.50932 | 28433.9 | 7.95478 | 2.09871 | 1.55351 |
| 0.27877 | 21039.8 | 3.05227 | 6.21180 | 2.38435 |
| 0.69409 | 36089.3 | 16.9807 | 1.33188 | 1.65811 |
| 0.41939 | 25458.3 | 5.59678 | 1.87908 | 1.09301 |
| 0.27234 | 20834.2 | 2.95841 | 6.15111 | 2.31103 |


DRI Plot for Combo: DCA-BL (DCA+BL [2645.88:1])




Log(DRI) Plot for Combo: DCA-BL (DCA+BL [2645.88:1])



Isobologram for Combo: DCA-BL (DCA+BL [2645.88:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: DON [uM]

Dose Effect

| | |
|---------|---------|
| 100.0 | 0.38166 |
| 100.0 | 0.48012 |
| 100.0 | 0.48384 |
| 200.0 | 0.33739 |
| 200.0 | 0.36386 |
| 200.0 | 0.39423 |
| 500.0 | 0.40269 |
| 500.0 | 0.37869 |
| 500.0 | 0.36816 |
| 1000.0 | 0.46954 |
| 1000.0 | 0.44890 |
| 1000.0 | 0.35436 |
| 1505.33 | 0.43321 |
| 1505.33 | 0.46825 |

14 data points entered.

X-int: 10.4241

Y-int: -0.2083 +/- 0.15697

m: 0.01998 +/- 0.05965

Dm: 2.66E10

r: 0.09625

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 60.5 | 0.50542 |
| 10.0 | 0.17796 |
| 10.0 | 0.11899 |
| 20.0 | 0.29743 |
| 20.0 | 0.23117 |
| 50.0 | 0.50862 |
| 50.0 | 0.45673 |
| 100.0 | 0.67143 |
| 100.0 | 0.60417 |
| 60.5 | 0.60304 |

10 data points entered.

X-int: 1.73002

Y-int: -1.7977 +/- 0.12684

m: 1.03911 +/- 0.07942

Dm: 53.7054

r: 0.97742

Data for Drug Combo: DON-BL (DON+BL [24.8815:1])

Dose A Effect

| | |
|----------|---------|
| 1505.33+ | 0.60379 |
|----------|---------|

Dose A Effect

752.665+ 0.5
188.166+ 0.40584
1505.33+ 0.63869
752.665+ 0.53658
188.166+ 0.39807

6 data points entered.


X-int: 2.73379

Y-int: -1.1387 +/- 0.13677


m: 0.41653 +/- 0.04852

Dm: 541.745

r: 0.97391

Dose-Effect Curve

Median-Effect Plot



CI Data for Drug Combo: DON-BL (DON+BL [24.8815:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 1.63E53 | Infinit +/- NaN |
| 0.1 | 5.66E37 | Infinit +/- NaN |
| 0.15 | 1.52E28 | 4.0E246 +/- Infinit |
| 0.2 | 9.43E20 | 6.4E182 +/- Infinit |
| 0.25 | 1.05E15 | 1.3E130 +/- 1.5E131 |
| 0.3 | 6.652E9 | 1.25E84 +/- 1.40E85 |
| 0.35 | 125991. | 2.11E42 +/- 2.21E43 |
| 0.4 | 5.02079 | 5.930E8 +/- 6.677E9 |
| 0.45 | 0.29231 | 2.54E11 +/- 2.86E12 |
| 0.5 | 0.38975 | 1.91E26 +/- 2.15E27 |
| 0.55 | 0.52017 | 1.44E41 +/- 1.62E42 |
| 0.6 | 0.69837 | 2.19E56 +/- 2.46E57 |
| 0.65 | 0.94952 | 1.49E72 +/- 1.68E73 |
| 0.7 | 1.31856 | 1.24E89 +/- 1.40E90 |
| 0.75 | 1.89277 | 5.3E107 +/- 6.0E108 |
| 0.8 | 2.86295 | 1.1E129 +/- 1.3E130 |
| 0.85 | 4.72501 | 7.5E154 +/- Infinit |
| 0.9 | 9.19192 | 1.5E189 +/- Infinit |
| 0.95 | 26.9275 | 3.7E244 +/- Infinit |
| 0.97 | 57.8531 | 9.5E283 +/- Infinit |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 1565.83 | 0.60379 | 0.75104 |
| 782.915 | 0.5 | 0.56326 |
| 195.729 | 0.40584 | 1.56652 |
| 1565.83 | 0.63869 | 0.65108 |

Total Dose Fa CI Value


782.915 0.53658 0.48916

195.729 0.39807 7.08268

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DON-BL (DON+BL [24.8815:1])


| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 2.7E-54 | 3.15786 | 6.1E-54 | 177.264 |
| 0.1 | 4.7E-38 | 6.48172 | 1.8E-38 | 60.5107 |
| 0.15 | 5.3E-28 | 10.1168 | 6.6E-29 | 31.1049 |
| 0.2 | 2.0E-20 | 14.1455 | 1.1E-21 | 18.8469 |

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.25 | 3.5E-14 | 18.6575 | 9.5E-16 | 12.4601 |
| 0.3 | 1.02E-8 | 23.7624 | 1.5E-10 | 8.68010 |
| 0.35 | 9.35E-4 | 29.6000 | 7.94E-6 | 6.25073 |
| 0.4 | 40.9623 | 36.3542 | 0.20819 | 4.59737 |
| 0.45 | 1156294 | 44.2739 | 3594.32 | 3.42431 |
| 0.5 | 2.66E10 | 53.7054 | 5.099E7 | 2.56574 |
| 0.55 | 6.10E14 | 65.1461 | 7.23E11 | 1.92244 |
| 0.6 | 1.72E19 | 79.3381 | 1.25E16 | 1.43191 |
| 0.65 | 7.54E23 | 97.4417 | 3.28E20 | 1.05316 |
| 0.7 | 6.89E28 | 121.379 | 1.73E25 | 0.75840 |
| 0.75 | 1.99E34 | 154.590 | 2.74E30 | 0.52833 |
| 0.8 | 3.56E40 | 203.900 | 2.45E36 | 0.34929 |
| 0.85 | 1.32E48 | 285.097 | 3.94E43 | 0.21164 |
| 0.9 | 1.50E58 | 444.985 | 1.47E53 | 0.10879 |
| 0.95 | 2.59E74 | 913.362 | 4.24E68 | 0.03714 |
| 0.97 | 9.30E85 | 1523.53 | 4.24E79 | 0.01729 |


DRI values calculated at experimental points

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.60379 | 3.80E19 | 80.5550 | 2.52E16 | 1.33149 |
| 0.5 | 2.66E10 | 53.7054 | 3.528E7 | 1.77539 |
| 0.40584 | 138.022 | 37.2135 | 0.73351 | 4.92079 |
| 0.63869 | 6.38E22 | 92.9227 | 4.24E19 | 1.53591 |
| 0.53658 | 4.07E13 | 61.8409 | 5.40E10 | 2.04433 |
| 0.39807 | 27.3775 | 36.0736 | 0.14550 | 4.77005 |


DRI Plot for Combo: DON-BL (DON+BL [24.8815:1])




Log(DRI) Plot for Combo: DON-BL (DON+BL [24.8815:1])



Isobologram for Combo: DON-BL (DON+BL [24.8815:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: DON [uM]

Dose Effect

| | |
|--------|---------|
| 100.0 | 0.47294 |
| 100.0 | 0.39925 |
| 100.0 | 0.47132 |
| 200.0 | 0.57530 |
| 200.0 | 0.52211 |
| 500.0 | 0.60422 |
| 500.0 | 0.63465 |
| 500.0 | 0.58732 |
| 200.0 | 0.53749 |
| 1000.0 | 0.68330 |
| 1000.0 | 0.62196 |
| 1000.0 | 0.59860 |
| 198.43 | 0.39312 |
| 198.43 | 0.27206 |

14 data points entered.

X-int: 2.35372

Y-int: -0.9248 +/- 0.27953

m: 0.39292 +/- 0.11194

Dm: 225.796

r: 0.71175

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 50.0 | 0.47634 |
| 50.0 | 0.54304 |
| 100.0 | 0.60608 |
| 100.0 | 0.64751 |
| 200.0 | 0.66695 |
| 200.0 | 0.70512 |
| 55.09 | 0.59058 |
| 55.09 | 0.57190 |

8 data points entered.

X-int: 1.54431

Y-int: -0.7160 +/- 0.18542

m: 0.46364 +/- 0.09508

Dm: 35.0196

r: 0.89360

Data for Drug Combo: DON-BL (DON+BL [3.6019:1])

Dose A Effect

| | |
|----------|---------|
| 198.430+ | 0.56209 |
| 99.2149+ | 0.49428 |
| 24.8037+ | 0.33170 |

Dose A Effect

198.430+ 0.64855


99.2149+ 0.53804

24.8037+ 0.25181


6 data points entered.

X-int: 2.09208**Y-int:** -1.3503 +/- 0.19487**m:** 0.64542 +/- 0.09564**Dm:** 123.619**r:** 0.95878

Dose-Effect Curve



Median-Effect Plot




CI Data for Drug Combo: DON-BL (DON+BL [3.6019:1])

| Fa | CI Value | S.D.A. Analysis |
|-----------|-----------------|------------------------|
| 0.05 | 12.6254 | 13.8071 +/- 10.6875 |
| 0.1 | 6.73367 | 7.10759 +/- 4.09758 |
| 0.15 | 4.60996 | 4.78300 +/- 2.22014 |
| 0.2 | 3.48422 | 3.57694 +/- 1.37324 |
| 0.25 | 2.77443 | 2.82773 +/- 0.90551 |
| 0.3 | 2.27955 | 2.31125 +/- 0.61605 |
| 0.35 | 1.91089 | 1.92999 +/- 0.42385 |
| 0.4 | 1.62293 | 1.63447 +/- 0.29065 |
| 0.45 | 1.38979 | 1.39678 +/- 0.19673 |
| 0.5 | 1.19558 | 1.19992 +/- 0.13206 |
| 0.55 | 1.02995 | 1.03288 +/- 0.09302 |
| 0.6 | 0.88579 | 0.88817 +/- 0.07866 |
| 0.65 | 0.75802 | 0.76044 +/- 0.08222 |
| 0.7 | 0.64280 | 0.64568 +/- 0.09254 |
| 0.75 | 0.53709 | 0.54074 +/- 0.10279 |
| 0.8 | 0.43824 | 0.44289 +/- 0.11018 |
| 0.85 | 0.34364 | 0.34944 +/- 0.11337 |
| 0.9 | 0.25000 | 0.25701 +/- 0.11081 |
| 0.95 | 0.15110 | 0.15912 +/- 0.09848 |
| 0.97 | 0.10631 | 0.11445 +/- 0.08758 |


CI values for actual experimental points:

| Total Dose | Fa | CI Value |
|-------------------|-----------|-----------------|
| 253.52 | 0.56209 | 1.38368 |
| 126.76 | 0.49428 | 1.29209 |
| 31.69 | 0.33170 | 1.54415 |
| 253.52 | 0.64855 | 0.60444 |
| 126.76 | 0.53804 | 0.86422 |
| 31.69 | 0.25181 | 3.81488 |

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DON-BL (DON+BL [3.6019:1])


| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 0.12568 | 0.06113 | 0.12441 | 0.21797 |
| 0.1 | 0.84169 | 0.30632 | 0.26180 | 0.34318 |
| 0.15 | 2.73202 | 0.83084 | 0.41496 | 0.45453 |
| 0.2 | 6.62923 | 1.76106 | 0.58696 | 0.56163 |
| 0.25 | 13.7859 | 3.27525 | 0.78163 | 0.66887 |
| 0.3 | 26.1342 | 5.63184 | 1.00385 | 0.77919 |
| 0.35 | 46.7197 | 9.21424 | 1.25999 | 0.89507 |
| 0.4 | 80.4564 | 14.6054 | 1.55853 | 1.01906 |
| 0.45 | 135.493 | 22.7166 | 1.91103 | 1.15405 |

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.5 | 225.796 | 35.0196 | 2.33366 | 1.30366 |
| 0.55 | 376.283 | 53.9857 | 2.84975 | 1.47266 |
| 0.6 | 633.681 | 83.9671 | 3.49429 | 1.66774 |
| 0.65 | 1091.27 | 133.096 | 4.32223 | 1.89876 |
| 0.7 | 1950.85 | 217.757 | 5.42508 | 2.18116 |
| 0.75 | 3698.26 | 374.436 | 6.96744 | 2.54089 |
| 0.8 | 7690.75 | 696.384 | 9.27825 | 3.02606 |
| 0.85 | 18661.5 | 1476.07 | 13.1242 | 3.73907 |
| 0.9 | 60573.0 | 4003.54 | 20.8022 | 4.95230 |
| 0.95 | 405663. | 20061.2 | 43.7726 | 7.79698 |
| 0.97 | 1569646 | 63148.2 | 74.3174 | 10.7692 |


DRI values calculated at experimental points

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.56209 | 426.241 | 60.0015 | 2.14807 | 1.08915 |
| 0.49428 | 213.025 | 33.3336 | 2.14711 | 1.21015 |
| 0.33170 | 37.9710 | 7.72942 | 1.53086 | 1.12244 |
| 0.64855 | 1073.73 | 131.281 | 5.41116 | 2.38302 |
| 0.53804 | 332.841 | 48.6551 | 3.35475 | 1.76638 |
| 0.25181 | 14.1282 | 3.34406 | 0.56960 | 0.48561 |


DRI Plot for Combo: DON-BL (DON+BL [3.6019:1])




Log(DRI) Plot for Combo: DON-BL (DON+BL [3.6019:1])



Isobologram for Combo: DON-BL (DON+BL [3.6019:1])

Polygonogram at $F_a = 0.9$



...Data for Drug: DON [uM]

Dose Effect

| | |
|--------|---------|
| 100.0 | 0.23204 |
| 100.0 | 0.54701 |
| 100.0 | 0.56789 |
| 200.0 | 0.18821 |
| 200.0 | 0.50348 |
| 200.0 | 0.49454 |
| 500.0 | 0.26568 |
| 500.0 | 0.47313 |
| 500.0 | 0.51114 |
| 1000.0 | 0.42401 |
| 1000.0 | 0.46522 |
| 1000.0 | 0.55585 |
| 286.9 | 0.47474 |

13 data points entered.

X-int: 3.97260

Y-int: -0.3243 +/- 0.49090

m: 0.08164 +/- 0.19454

Dm: 9388.60

r: 0.12553

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 50.0 | 0.68241 |
| 50.0 | 0.29706 |
| 100.0 | 0.85466 |
| 100.0 | 0.59909 |
| 200.0 | 0.94684 |
| 200.0 | 0.79812 |
| 11.8 | 0.52598 |

7 data points entered.

X-int: 1.37768

Y-int: -1.1232 +/- 0.79223

m: 0.81526 +/- 0.41498

Dm: 23.8606

r: 0.66002



Data for Drug Combo: DON-BL (DON+BL [24.3135:1])

Dose A Effect

| | |
|----------|---------|
| 286.900+ | 0.43644 |
| 143.450+ | 0.40651 |
| 24.8000+ | 0.45655 |

3 data points entered.

X-int: -0.3459

Y-int: -0.0171 +/- 0.13392**m:** -0.0494 +/- 0.06471**Dm:** 0.45091**r:** -0.6072**Dose-Effect Curve****Median-Effect Plot****CI Data for Drug Combo: DON-BL (DON+BL [24.3135:1])**


| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 1.54E37 | 4.56E93 +/- 4.55E94 |
| 0.1 | 4.47E26 | 3.92E66 +/- 3.92E67 |
| 0.15 | 1.34E20 | 6.86E49 +/- 6.86E50 |

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.2 | 1.64E15 | 1.67E37 +/- 1.66E38 |
| 0.25 | 1.44E11 | 7.19E26 +/- 6.33E27 |
| 0.3 | 4.107E7 | 1.80E18 +/- 1.37E19 |
| 0.35 | 25207.1 | 1.03E11 +/- 9.99E11 |
| 0.4 | 28.5697 | 22169.6 +/- 220652. |
| 0.45 | 0.08645 | 0.15026 +/- 0.48830 |
| 0.5 | 7.93E-4 | 0.08943 +/- 0.85358 |
| 0.55 | 1.02E-5 | 0.19966 +/- 1.96620 |
| 0.6 | 1.25E-7 | 0.48640 +/- 4.83248 |
| 0.65 | 1.28E-9 | 1.24479 +/- 12.4122 |
| 0.7 | 9.5E-12 | 3.40836 +/- 34.0352 |
| 0.75 | 4.4E-14 | 10.3429 +/- 103.340 |
| 0.8 | 9.1E-17 | 36.8717 +/- 368.471 |
| 0.85 | 5.2E-20 | 171.851 +/- 1717.47 |
| 0.9 | 2.5E-24 | 1327.50 +/- 13267.1 |
| 0.95 | 2.8E-31 | 36067.7 +/- 360463. |
| 0.97 | 3.1E-36 | 378009. +/- 3777852 |


CI values for actual experimental points:

| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 298.7 | 0.43644 | 1.37645 |
| 149.35 | 0.40651 | 1.96734 |
| 25.82 | 0.45655 | 0.07526 |

Combination Index Plot



Logarithmic Combination Index Plot




DRI Data for Drug Combo: DON-BL (DON+BL [24.3135:1])

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 2.0E-12 | 0.64440 | 6.5E-38 | 5.0E-25 |
| 0.1 | 1.93E-8 | 1.61139 | 2.2E-27 | 4.6E-18 |
| 0.15 | 5.56E-6 | 2.84214 | 7.5E-21 | 9.3E-14 |
| 0.2 | 3.97E-4 | 4.35703 | 6.1E-16 | 1.6E-10 |
| 0.25 | 0.01345 | 6.20071 | 7.0E-12 | 7.81E-8 |
| 0.3 | 0.29203 | 8.43954 | 2.44E-8 | 1.71E-5 |
| 0.35 | 4.78232 | 11.1664 | 4.04E-5 | 0.00229 |
| 0.4 | 65.4245 | 14.5106 | 0.04149 | 0.22375 |
| 0.45 | 803.783 | 18.6544 | 32.0681 | 18.0953 |
| 0.5 | 9388.60 | 23.8606 | 21677.9 | 1339.51 |
| 0.55 | 109664. | 30.5197 | 1.465E7 | 99157.8 |
| 0.6 | 1347291 | 39.2352 | 1.13E10 | 8019048 |
| 0.65 | 1.843E7 | 50.9857 | 1.16E13 | 7.829E8 |
| 0.7 | 3.018E8 | 67.4596 | 1.93E16 | 1.05E11 |
| 0.75 | 6.556E9 | 91.8165 | 6.75E19 | 2.30E13 |
| 0.8 | 2.22E11 | 130.669 | 7.69E23 | 1.10E16 |
| 0.85 | 1.58E13 | 200.317 | 6.28E28 | 1.93E19 |
| 0.9 | 4.58E15 | 353.314 | 2.10E35 | 3.94E23 |
| 0.95 | 4.32E19 | 883.502 | 7.24E45 | 3.60E30 |
| 0.97 | 2.91E22 | 1696.01 | 2.28E53 | 3.23E35 |


DRI values calculated at experimental points

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|---------|----------|---------|---------|---------|
| 0.43644 | 409.988 | 17.4383 | 1.42903 | 1.47782 |
| 0.40651 | 91.1361 | 15.0004 | 0.63532 | 2.54243 |
| 0.45655 | 1110.94 | 19.2689 | 44.7960 | 18.8909 |



DRI Plot for Combo: DON-BL (DON+BL [24.3135:1])



Log(DRI) Plot for Combo: DON-BL (DON+BL [24.3135:1])



Isobologram for Combo: DON-BL (DON+BL [24.3135:1])

Polygonogram at $F_a = 0.9$ 

...Data for Drug: DON [uM]

Dose Effect

| | |
|--------|---------|
| 100.0 | 0.59454 |
| 100.0 | 0.58923 |
| 100.0 | 0.63559 |
| 200.0 | 0.60940 |
| 200.0 | 0.61601 |
| 200.0 | 0.62264 |
| 500.0 | 0.60916 |
| 500.0 | 0.66858 |
| 500.0 | 0.64914 |
| 1000.0 | 0.62546 |
| 1000.0 | 0.68916 |
| 1000.0 | 0.67231 |
| 99.7 | 0.57481 |
| 99.7 | 0.60437 |

14 data points entered.

X-int: 0.51841

Y-int: -0.0609 +/- 0.07125

m: 0.11745 +/- 0.02896

Dm: 3.29925

r: 0.76034

Data for Drug: BL [uM]

Dose Effect

| | |
|-------|---------|
| 10.0 | 0.63176 |
| 10.0 | 0.41297 |
| 20.0 | 0.81331 |
| 20.0 | 0.56917 |
| 50.0 | 0.86886 |
| 50.0 | 0.88044 |
| 100.0 | 0.91241 |
| 100.0 | 0.95258 |
| 10.24 | 0.68528 |
| 10.24 | 0.63144 |

10 data points entered.

X-int: 0.86442

Y-int: -0.8718 +/- 0.23487

m: 1.00857 +/- 0.16131

Dm: 7.31840

r: 0.91111

Data for Drug Combo: DON-BL (DON+BL [9.7363:1])

Dose A Effect

| | |
|----------|---------|
| 99.7000+ | 0.83571 |
|----------|---------|

Dose A Effect

49.8500+ 0.7925
12.4625+ 0.45699
99.7000+ 0.83863
49.8500+ 0.75690
12.4625+ 0.50078

6 data points entered.


X-int: 1.16233

Y-int: -0.9834 +/- 0.10928


m: 0.84610 +/- 0.06496

Dm: 14.5320

r: 0.98841

Dose-Effect Curve

Median-Effect Plot



CI Data for Drug Combo: DON-BL (DON+BL [9.7363:1])

| Fa | CI Value | S.D.A. Analysis |
|------|----------|---------------------|
| 0.05 | 9.493E9 | 7.79E10 +/- 6.85E11 |
| 0.1 | 3.963E7 | 1.332E8 +/- 8.722E8 |
| 0.15 | 1333321 | 2912305 +/- 1.401E7 |
| 0.2 | 103711. | 175919. +/- 621719. |
| 0.25 | 12582.4 | 18123.3 +/- 47210.6 |
| 0.3 | 1993.12 | 2565.61 +/- 4931.21 |
| 0.35 | 373.978 | 444.183 +/- 627.182 |
| 0.4 | 78.2570 | 87.6137 +/- 89.5961 |
| 0.45 | 17.5739 | 18.8281 +/- 13.4676 |
| 0.5 | 4.17934 | 4.33352 +/- 1.98537 |
| 0.55 | 1.10934 | 1.12417 +/- 0.25730 |
| 0.6 | 0.40412 | 0.40488 +/- 0.03133 |
| 0.65 | 0.25077 | 0.25087 +/- 0.01965 |
| 0.7 | 0.22533 | 0.22548 +/- 0.01684 |
| 0.75 | 0.22925 | 0.22932 +/- 0.01539 |
| 0.8 | 0.24097 | 0.24097 +/- 0.01513 |
| 0.85 | 0.25733 | 0.25729 +/- 0.01702 |
| 0.9 | 0.28101 | 0.28098 +/- 0.02326 |
| 0.95 | 0.32397 | 0.32415 +/- 0.04014 |
| 0.97 | 0.35848 | 0.35900 +/- 0.05642 |

CI values for actual experimental points:


| Total Dose | Fa | CI Value |
|------------|---------|----------|
| 109.94 | 0.83571 | 0.27892 |
| 54.97 | 0.7925 | 0.18544 |
| 13.7425 | 0.45699 | 16.6096 |
| 109.94 | 0.83863 | 0.27307 |

Total Dose Fa CI Value


54.97 0.75690 0.22784

13.7425 0.50078 3.85261

Combination Index Plot



Logarithmic Combination Index Plot



DRI Data for Drug Combo: DON-BL (DON+BL [9.7363:1])


| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|------|----------|---------|---------|---------|
| 0.05 | 4.3E-11 | 0.39493 | 1.1E-10 | 9.47106 |
| 0.1 | 2.48E-8 | 0.82847 | 2.52E-8 | 8.21517 |
| 0.15 | 1.27E-6 | 1.31065 | 7.50E-7 | 7.52256 |
| 0.2 | 2.47E-5 | 1.85127 | 9.64E-6 | 7.03991 |

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.25 | 2.86E-4 | 2.46234 | 7.95E-5 | 6.66470 |
| 0.3 | 0.00243 | 3.15911 | 5.02E-4 | 6.35333 |
| 0.35 | 0.01696 | 3.96145 | 0.00268 | 6.08315 |
| 0.4 | 0.10451 | 4.89576 | 0.01281 | 5.84076 |
| 0.45 | 0.59761 | 5.99799 | 0.05748 | 5.61741 |
| 0.5 | 3.29925 | 7.31840 | 0.25035 | 5.40685 |
| 0.55 | 18.2143 | 8.92947 | 1.09030 | 5.20418 |
| 0.6 | 104.149 | 10.9399 | 4.89407 | 5.00518 |
| 0.65 | 641.748 | 13.5200 | 23.4290 | 4.80574 |
| 0.7 | 4480.95 | 16.9538 | 124.910 | 4.60137 |
| 0.75 | 38073.8 | 21.7513 | 788.600 | 4.38640 |
| 0.8 | 440916. | 28.9309 | 6500.12 | 4.15262 |
| 0.85 | 8555568 | 40.8643 | 83566.7 | 3.88618 |
| 0.9 | 4.394E8 | 64.6476 | 2484070 | 3.55854 |
| 0.95 | 2.55E11 | 135.615 | 5.950E8 | 3.08667 |
| 0.97 | 2.35E13 | 229.743 | 2.93E10 | 2.78953 |


DRI values calculated at experimental points

| Fa | Dose DON | Dose BL | DRI DON | DRI BL |
|-----------|-----------------|----------------|----------------|---------------|
| 0.83571 | 3412598 | 36.7164 | 34228.7 | 3.58557 |
| 0.7925 | 297443. | 27.6346 | 5966.77 | 5.39737 |
| 0.45699 | 0.75981 | 6.16809 | 0.06097 | 4.81881 |
| 0.83863 | 4094255 | 37.5033 | 41065.8 | 3.66243 |
| 0.75690 | 52230.7 | 22.5670 | 1047.76 | 4.40760 |
| 0.50078 | 3.38816 | 7.34110 | 0.27187 | 5.73522 |


DRI Plot for Combo: DON-BL (DON+BL [9.7363:1])



Log(DRI) Plot for Combo: DON-BL (DON+BL [9.7363:1])



Isobologram for Combo: DON-BL (DON+BL [9.7363:1])

Polygonogram at $F_a = 0.9$

