

Table S3: Difference in percentage [%] of immature (CD83-CD1a+ HLA-DR+/low) dendritic cells after stimulation with bacterial lysates between individual patients.

Difference in percentage [%] of partially immature dendritic cells in lysate-stimulated cultures.															
	χ^2 ANOVA = 16.23 p<0.29919														
	Pa 1	Pa 2	Pa 3	Pa 4	Pa 5	Pa 6	Pa 7	Pa 8	Pa 9	Pa 10	Pa 11	Pa 12	Pa 13	Pa 14	Pa 15
Pa 1	-	NS	NS	NS	NS	NS	NS								
Pa 2	NS	-	NS	NS	NS	NS	NS	NS							
Pa 3	NS	NS	-	NS	NS	NS	NS	NS	NS						
Pa 4	NS	NS	NS	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Pa 5	NS	NS	NS	NS	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Pa 6	NS	NS	NS	NS	NS	-	NS	NS	NS	NS	NS	NS	NS	NS	NS
Pa 7	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS	NS	NS	NS	NS
Pa 8	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS	NS	NS	NS
Pa 9	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS	NS	NS
Pa 10	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS	NS
Pa 11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS
Pa 12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS
Pa 13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS
Pa 14	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS
Pa 15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-
No.	Pa 1	Pa 2	Pa 3	Pa 4	Pa 5	Pa 6	Pa 7	Pa 8	Pa 9	Pa 10	Pa 11	Pa 12	Pa 13	Pa 14	Pa 15
median	0.15	0.00	0.05	0.00	0.00	0.15	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00
IQR	0.23	0.27	0.23	0.14	0.39	0.32	0.29	0.14	0.43	0.11	0.00	0.32	0.24	0.41	0.16