

# Potential of *Acidithiobacillus ferrooxidans* to Grow on and Bioleach Metals from Mars and Lunar Regolith Simulants under Simulated Microgravity Conditions

Anna H Kaksonen <sup>1,2</sup>, Xiao Deng <sup>1,3</sup>, Christina Morris <sup>1</sup>, Himel Nahreen Khaleque <sup>1</sup>, Luis Zea <sup>4</sup> and Yosephine Gumulya <sup>1,5</sup>

<sup>1</sup> Commonwealth Scientific and Industrial Research Organisation (CSIRO), Land and Water, Floreat, WA, Australia; anna.kaksonen@csiro.au; christina.morris@csiro.au; himel.khaleque@csiro.au; yosephine.gumulya@csiro.au;

<sup>2</sup> School of Biomedical Sciences, University of Western Australia, Crawley, WA, Australia


<sup>3</sup> International Center for Materials Nanoarchitectonics, National Institute for Materials Science, Tsukuba, Ibaraki, Japan; deng.xiao@nims.go.jp

<sup>4</sup> BioServe Space Technologies, Department of Aerospace Engineering Sciences, University of Colorado Boulder, Boulder, Colorado, United States; Luis.Zea@colorado.edu

<sup>5</sup> Centre for Microbiome Research, School of Biomedical Sciences, Queensland University of Technology, Translational Research Institute, Woolloongabba, QLD, Australia; gumulya@qut.edu.au

\* Correspondence: gumulya@qut.edu.au

## Supplementary material



**Figure S1.** Cell size of *A. ferrooxidans* cultures grown under Earth gravity (control) and in simulated microgravity conditions (clinostat). Sample size ( $n_{\text{anaerobic control}} = 9$  cells,  $n_{\text{anaerobic clinostat}} = 6$  cells).