

A sensitive FRET biosensor based on carbon dots modified nanoporous membrane for 8-hydroxy-2'-deoxyguanosine (8-OHdG) detection with Au@ZIF-8 nanoparticles as signal quenchers

Weiwei Ye ^{1,2,*}, Yu Zhang ³, Wei Hu ³, Liwen Wang ³, Yu Zhang ⁴, Kejing Ying ⁵ and Ping Wang ⁶

¹ Key Laboratory of E&M, MOE, Zhejiang University of Technology, Hangzhou 310023, China;

² College of Mechanical Engineering, Zhejiang University of Technology, Hangzhou 310023, China;

³ Department of Food Science and Technology, Zhejiang University of Technology, Hangzhou 310014, China; zhangyuzjut@163.com (Y.Z.); weihu1995@163.com (W.H.); Wlw4712@163.com (L.W.);

⁴ Mechanical and Automotive Engineering, School of Engineering, RMIT University, Melbourne, Victoria 3004, Australia; fiona.zhang@rmit.edu.au

⁵ Department of Respiratory Medicine, Sir Run Run Shaw Hospital, Zhejiang University, Hangzhou 310016, China; warsky.com@126.com

⁶ Biosensor National Special Laboratory, Key Laboratory for Biomedical Engineering of Education Ministry, Department of Biomedical Engineering, Zhejiang University, Hangzhou, 310027, China; cnpwang@zju.edu.cn

* Correspondence: yeweimei@zjut.edu.com.




Figure S1. XRD pattern of Au@ZIF-8 nanoparticles.




Figure S2. FTIR spectrum of Au@ZIF-8 nanoparticles.




Figure S3. Energy dispersive X-ray spectroscopy (EDX) result for the CDs modified nanoporous alumina membranes with 8-OHdG capture and Au@ZIF-8 nanoparticles attachment.




Figure S4. The excitation spectrum and emission spectrum of CDs. Inset: photoluminescence of CDs in solution.




Figure S5. Photoluminescence spectra of CDs with pH 2 increased to pH 10. Inset: photoluminescence of CDs with pH 7 (right) and pH 8 (left).




Figure S6. The variations of NaCl, KCl, CaCl₂, MgCl₂, thymine, cytosine, guanine, and adenine interference.