



Supplementary data

Biphenyl-Bridged Organosilica as a Precursor for Mesoporous Silicon Oxycarbide and its Application in Lithium and Sodium Ion Batteries

Manuel Weinberger ^{1,*}, Po-Hua Su ¹, Herwig Peterlik ², Mika Lindén ³, and Margret Wohlfahrt-Mehrens ^{1,4}

¹ Helmholtz Institute Ulm (HIU), Karlsruher Institute of Technology, Helmholtzstraße 11, D-89081 Ulm, Germany; surobert82803@gmail.com (P.-H.S.); Margret.Wohlfahrt-Mehrens@zsw-bw.de (M.W.M.)

² Faculty of Physics, University of Vienna, Boltzmanngasse 5, A-1090 Vienne, Austria; herwig.peterlik@univie.ac.at

³ Institute for Inorganic Chemistry II, Ulm University, Albert-Einstein-Allee 11, D-89081 Ulm, Germany; mika.linden@uni-ulm.de

⁴ Zentrum für Sonnenenergie- und Wasserstoffforschung (ZSW), Helmholtzstraße 8, D-89081 Ulm, Germany

* Correspondence: manuel.weinberger@kit.edu; Tel.: +49-731-50-34211




Figure S1. TEM image of sample BPO.




Figure S2. Large TEM image of sample BPO-C.