

Submitted to Pharmaceutics

Article type: regular article

SUPPLEMENTARY INFORMATION

Structural design of carboxilane metallodendrimers to modulate the antibacterial effect against *Staphylococcus aureus* biofilms

Celia Llamazares¹, Natalia Sanz del Olmo², Juan Soliveri¹, F. Javier de la Mata^{2,3,4}, José Luis Copa-Patiño¹, and Sandra García-Gallego^{2,3,4*}

¹ University of Alcalá, Department of Biomedicine and Biotechnology, Madrid, Spain; celia.llamazares@hotmail.es (C.L.); juan.soliveri@uah.es (J.S.); josel.copa@uah.es (J.L.C.-P.)

² University of Alcalá, Research Institute in Chemistry “Andrés M. del Río” (IQAR) and Faculty of Science, Department of Organic and Inorganic Chemistry, Madrid, Spain; n.sanzdelolmo@gmail.com (N.S.O.); javier.delamata@uah.es (J.d.M.); sandra.garciagallego@uah.es (S.G.G.)

³ Networking Research Center on Bioengineering, Biomaterials and Nanomedicine (CIBER-BBN), Spain.

⁴ Institute Ramón y Cajal for Health Research (IRYCIS), Spain.

* Correspondence: sandra.garciagallego@uah.es (S.G.G.).

Table of Contents

Figure S1. $^1\text{H-NMR}$ and $^{13}\text{C-NMR}$ of metallodendrimer **1-Me**.....2

Figure S2. $^1\text{H-NMR}$ and $^{13}\text{C-NMR}$ of metallodendrimer **1-OMe**.....3




Figure S1. $^1\text{H-NMR}$ and $^{13}\text{C-NMR}$ (500MHz, CD_3OD) of metallodendrimer **1-Me**.




Figure S2. ¹H-NMR and ¹³C-NMR (500MHz, CD₃OD) of metallodendrimer 1-OMe.