

File S1. Evidence search report in electronic databases

Electronic search report No. 1	
Electronic database	MEDLINE(R) ALL 1946 to 27 April, 2022
Platform	OVID
Date of search	27-04-2022
Restriction of language	None
Other limits	None
Search strategy (results)	<p>1 (superbug* or superinfection*).ti,ab. 6574</p> <p>2 *Superinfection/ 1202</p> <p>3 (multiresistan* or multi-resistan* or MDR or MDRO or AMR).ti,ab. 38866</p> <p>4 ((drug* or multidrug or multi-drug or antimicrobial* or anti-microbial* or antiinfection* or anti-infection* or antibacterial* or anti-bacterial* or antibiotic* or anti-biotic*) adj4 (resistan* or toleran*)).ti,ab. 245122</p> <p>5 *Drug Resistance/ 11448</p> <p>6 *Drug Resistance, Microbial/ 15381</p> <p>7 *Drug Resistance, Multiple/ 7520</p> <p>8 *Drug Tolerance/ 4156</p> <p>9 (r factor* or resistant factor*).ti,ab. 4007</p> <p>10 *R Factors/ 2780</p> <p>11 ((antimicrobial or anti-microbial or antiinfection or anti-infection or antibacterial or anti-bacterial or antibiotic or anti-biotic) adj4 stewardship).ti,ab. 6902</p> <p>12 *Anti-Infective Agents/ 42767</p> <p>13 *Anti-Bacterial Agents/ 230652</p> <p>14 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 507496</p> <p>15 (public or population or community or citizen* or household* or resident* or consumer* or carer* or caregiver* or people or adult* or men or women or mother* or father* or parent* or student* or pupil* or children or adolescent* or teenager*).ti,ab. 6313316</p> <p>16 *Caregivers/ 30081</p> <p>17 *Men/ 2310</p> <p>18 *Women/ 11642</p> <p>19 *Parents/ 38773</p> <p>20 *Fathers/ 5573</p> <p>21 *Mothers/ 30706</p> <p>22 *Students/ 38353</p> <p>23 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 6328222</p> <p>24 *Program Evaluation/ 11469</p> <p>25 ((behavio#r adj3 (change* or changing or alter* or modification* or modify or modifying or modifies or modified)) or intention*).ti,ab. 114721</p> <p>26 *Motivation/ 31549</p> <p>27 *Intention/ 6774</p> <p>28 (attitude* or belief* or view* or opinion* or expectation* or anticipat* regret or knowledge or awareness or health literacy or risk perception* or perceived risk* or perceived susceptibility or illness perception* or treatment perception*).ti,ab. 1752751</p> <p>29 *Attitude to Health/ 43877</p> <p>30 *Health Knowledge, Attitudes, Practice/ 67995</p> <p>31 *Health Literacy/ 6108</p>

	<p>32 (perceived behavior#ral control or autonomy or capacity or self-efficacy or competen* or confidence or ability or skill*).ti,ab. 2359205</p> <p>33 *Self Efficacy/ 9486</p> <p>34 (perceived norm* or injunctive norm* or subjective norm* or descriptive norm* or moral norm* or self-identity).ti,ab. 5189</p> <p>35 *Social Norms/ 1043</p> <p>36 ((medication* or drug* or antimicrobial* or anti-microbial* or antiinfection* or anti-infection* or antibacterial* or anti-bacterial* or antibiotic* or anti-biotic*) adj4 (use* or consumption or purchas* or dispos* or storage or storing or sharing or shared or expect* or request*).ti,ab. 355693</p> <p>37 ((inappropriat* or irrational or imprudent or unnecessar* or irresponsibl* or misuse* or improper* or mistake* or indiscriminat* or suboptimum* or bad or overuse* or excessiv* or vary or varied or variation or poor or unsafe*) adj4 (use* or utili?e or treatment or consumption or purchas* or dispos* or storage or sharing or shared or expectation* or request*).ti,ab. 98333</p> <p>38 ((appropriat* or rational or prudent or judicious* or optimal* or correct or proper* or responsibl* or safe* or good or decreas* or limit* or curb* or minimi?e* or minimal* or lessen* or curtail* or abate* or restrict* or lower* or discontinue* or delay*) adj4 (use* or utili?e or treatment or consumption or purchas* or dispos or storage or sharing or shared or expectation* or request*).ti,ab. 721908</p> <p>39 *Drug-Seeking Behavior/ 1094</p> <p>40 (compliance or concordance or adherence).ti,ab. 306305</p> <p>41 *Medication Adherence/ 13883</p> <p>42 (self-car* or self-manag* or self-monitor* or self-medicat*).ti,ab. 54554</p> <p>43 *Self Care/ 19294</p> <p>44 *Self Medication/2335</p> <p>45 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 5109261</p> <p>46 Telegram.ti,ab. 130</p> <p>47 reddit.ti,ab. 321</p> <p>48 46 or 47 451</p> <p>49 14 and 23 and 45 and 48 0</p>
Number of references found	0
Electronic search report No. 2	
Electronic database	Embase
Platform	Elsevier
Date of search	27-04-2022
Restriction of language	None
Other limits	None
Search strategy (results)	<p>1 superbug*:ti,ab OR superinfection*:ti,ab (8714)</p> <p>2 'superinfection'/mj (1970)</p> <p>3 multiresistan*:ti,ab OR 'multi resistan*':ti,ab OR mdr:ti,ab OR mdro:ti,ab OR amr:ti,ab (54977)</p> <p>4 ((drug* OR multidrug OR 'multi-drug' OR antimicrobial* OR 'anti-microbial*' OR antiinfection* OR 'anti-infection*' OR antibacterial* OR 'anti-bacterial*' OR antibiotic* OR 'anti-biotic*') NEXT/4 (resistan* OR toleran*)):ti,ab (284232)</p> <p>5 'drug resistance'/mj (32388)</p>

	<p>6 'antibiotic resistance'/mj (67487)</p> <p>7 'multidrug resistance'/mj (17941)</p> <p>8 'drug tolerance'/mj (11084)</p> <p>9 'r factor':ti,ab OR 'resistant factor':ti,ab (4007)</p> <p>10 'r factor'/mj (2891)</p> <p>11 ((antimicrobial OR 'anti-microbial' OR antiinfection OR 'anti-infection' OR antibacterial OR 'anti-bacterial' OR antibiotic OR 'antibiotic') NEXT/4 stewardship):ti,ab (11054)</p> <p>12 'antiinfective agent'/mj (106,926)</p> <p>13 'antibiotic therapy'/mj (19,049)</p> <p>14 #1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 (487,646)</p> <p>15 public:ti,ab OR population:ti,ab OR community:ti,ab OR citizen*:ti,ab OR household*:ti,ab OR resident*:ti,ab OR consumer*:ti,ab OR carer*:ti,ab OR caregiver*:ti,ab OR people:ti,ab OR adult*:ti,ab OR men:ti,ab OR women:ti,ab OR mother*:ti,ab OR father*:ti,ab OR parent*:ti,ab OR student*:ti,ab OR pupil*:ti,ab OR children:ti,ab OR adolescent*:ti,ab OR teenager*:ti,ab (8,603,296)</p> <p>16 'caregiver'/mj (26,400)</p> <p>17 'male'/mj (49,402)</p> <p>18 'female'/mj (96,829)</p> <p>19 'parent'/mj (22,082)</p> <p>20 'father'/mj (4213)</p> <p>21 'mother'/mj (22,419)</p> <p>22 'student'/mj (29,442)</p> <p>23 #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 (8,651,809)</p> <p>24 telegram:ti,ab OR reddit:ti,ab (645)</p> <p>25 'program evaluation'/mj (2572)</p> <p>26 ((behavio\$r NEXT/3 (change* OR changing OR alter* OR modification* OR modify OR modifying OR modifies OR modified)):ti,ab) OR intention*:ti,ab (168,030)</p> <p>27 'motivation'/mj (33,095)</p> <p>28 'behavior'/mj (70,764)</p> <p>29 attitude*:ti,ab OR belief*:ti,ab OR view*:ti,ab OR opinion*:ti,ab OR expectation*:ti,ab OR 'anticipat* regret':ti,ab OR knowledge:ti,ab OR awareness:ti,ab OR 'health literacy':ti,ab OR 'risk perception*':ti,ab OR 'perceived risk*':ti,ab OR 'perceived susceptibility':ti,ab OR 'illness perception*':ti,ab OR 'treatment perception*':ti,ab (2,275,676)</p> <p>30 'attitude to health'/mj (62,595)</p> <p>31 'health literacy'/mj (6801)</p> <p>32 'perceived behavio\$ral control':ti,ab OR autonomy:ti,ab OR capacity:ti,ab OR 'self-efficacy':ti,ab OR competen*:ti,ab OR confidence:ti,ab OR ability:ti,ab OR skill*:ti,ab (2,980,962)</p> <p>33 'self concept'/mj (32,649)</p> <p>34 'perceived norm*':ti,ab OR 'injunctive norm*':ti,ab OR 'subjective norm*':ti,ab OR 'descriptive norm*':ti,ab OR 'moral norm*':ti,ab OR 'self-identity':ti,ab (6131)</p> <p>35 'social norm'/mj (1179)</p> <p>36 ((medication* OR drug* OR antimicrobial* OR 'anti-microbial*' OR antiinfection* OR 'anti-infection*' OR antibacterial* OR 'anti-bacterial*' OR antibiotic* OR 'anti-biotic*') NEXT/4 (use* OR</p>
--	--

	<p>consumption OR purchas* OR dispos* OR storage OR storing OR sharing OR shared OR expect* OR request*)):ti,ab (313,796)</p> <p>37 ((inappropriat* OR irrational OR imprudent OR unnecessar* OR irresponsibl* OR misuse* OR improper* OR mistake* OR indiscriminat* OR suboptimum* OR bad OR overuse* OR excessiv* OR vary OR varied OR variation OR poor OR unsafe*) NEXT/4 (use* OR utili?e OR treatment OR consumption OR purchas* OR dispos* OR storage OR sharing OR shared OR expectation* OR request*)):ti,ab (91,427)</p> <p>38 ((appropriat* OR rational OR prudent OR judicious* OR optimal* OR correct OR proper* OR responsibl* OR safe* OR good OR decreas* OR limit* OR curb* OR minimi?e* OR minimal* OR lessen* OR curtail* OR abate* OR restrict* OR lower* OR discontinue* OR delay*) NEXT/4 (use* OR utili?e OR treatment OR consumption OR purchas* OR dispos OR storage OR sharing OR shared OR expectation* OR request*)):ti,ab (662,806)</p> <p>39 'drug seeking behavior'/mj (962)</p> <p>40 compliance:ti,ab OR concordance:ti,ab OR adherence:ti,ab (482,897)</p> <p>41 'medication compliance'/mj (11,595)</p> <p>42 'self-car*':ti,ab OR 'self-manag*':ti,ab OR 'self-monitor*':ti,ab OR 'self-medicat*':ti,ab (80,425)</p> <p>43 'self care'/mj (21.124)</p> <p>44 'self medication'/mj (4142)</p> <p>45 #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33 OR #34 OR #35 OR #36 OR #37 OR #38 OR #39 OR #40 OR #41 OR #42 OR #43 OR #44 (6,315,153)</p> <p>46 #14 AND #23 AND #24 AND #45 (0)</p>
Number of references found	0
Electronic search report No. 3	
Electronic database	Cochrane Central Register of Controlled Trials September 2021
Platform	OVID
Date of search	27-04-2022
Restriction of language	None
Other limits	None
Search strategy (results)	<p>1 (superbug* or superinfection*).ti,ab. 438</p> <p>2 (multiresistan* or multi-resistan* or MDR or MDRO or AMR).ti,ab. 1404</p> <p>3 ((drug* or multidrug or multi-drug or antimicrobial* or anti-microbial* or antiinfection* or anti-infection* or antibacterial* or anti-bacterial* or antibiotic* or anti-biotic*) adj4 (resistan* or toleran*)):ti,ab. 10033</p> <p>4 Drug Resistance/ 1655</p> <p>5 Drug Resistance, Microbial/ 776</p> <p>6 Drug Resistance, Multiple/ 151</p> <p>7 Drug Tolerance/ 1976</p> <p>8 (r factor* or resistant factor*).ti,ab. 8</p>

	<p>9 ((antimicrobial or anti-microbial or antiinfection or anti-infection or antibacterial or anti-bacterial or antibiotic or anti-biotic) adj4 stewardship).ti,ab. 443</p> <p>10 Anti-Infective Agents/ 2741</p> <p>11 Anti-Bacterial Agents/ 11411</p> <p>12 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 26330</p> <p>13 (public or population or community or citizen* or household* or resident* or consumer* or carer* or caregiver* or people or adult* or men or women or mother* or father* or parent* or student* or pupil* or children or adolescent* or teenager*).ti,ab. 676087</p> <p>14 Caregivers/ 2530</p> <p>15 Men/ 65</p> <p>16 women/ 251</p> <p>17 Parents/ 3642</p> <p>18 Fathers/ 219</p> <p>19 Mothers/ 2150</p> <p>20 Students/ 3293</p> <p>21 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 676626</p> <p>22 (telegram or reddit).ti,ab. 104</p> <p>23 12 and 21 and 22 0</p>
Number of references found	0
Electronic search report No. 4	
Electronic database	CINAHL Complete
Platform	EBSCOhost
Date of search	27-04-2022
Restriction of language	None
Other limits	None
Search strategy (results)	<p>S1 TX superbug* OR TX superinfection (3548)</p> <p>S2 MH Superinfection (229)</p> <p>S3 TX multiresistan* OR TX "multi-resistan*" OR AB MDR OR AB MDRO OR AB AMR (6226)</p> <p>S4 TX ((drug* OR multidrug OR "multi-drug" OR antimicrobial* OR "anti-microbial*" OR antiinfection* OR "anti-infection*" OR antibacterial* OR "anti-bacterial*" OR antibiotic* OR "anti-biotic*") N4 (resistant OR resistance OR tolerant OR tolerance)) (88,334)</p> <p>S5 MH "Drug Resistance" OR MH "Drug Resistance, Microbial" OR MH "Drug Resistance, Multiple" OR MH "Drug Tolerance" OR MH "antibiotic resistance" OR MH "multidrug resistance" (35,063)</p> <p>S6 TX "r factor*" OR TX "resistant factor*" (1251)</p> <p>S7 TX ((antimicrobial OR "anti-microbial" OR antiinfection OR "anti-infection" OR antibacterial OR "anti-bacterial" OR antibiotic OR "anti-biotic") N4 (stewardship)) (5958)</p> <p>S8 TX "Anti-Infective Agents" (441)</p> <p>S9 TX "Anti-Bacterial Agents" (160)</p> <p>S10 (S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9) (96,099)</p> <p>S11 AB (public OR population OR community OR citizen* OR household* OR resident* OR consumer* OR carer* OR caregiver* OR</p>

	<p>people OR adult* OR men OR women OR mother* OR father* OR parent* OR student* OR pupil* OR children OR adolescent* OR teenager*) (1,947,026)</p> <p>S12 MH Caregivers (40,170)</p> <p>S13 MH Men (6053)</p> <p>S14 MH Women (22,467)</p> <p>S15 MH Parents (48,949)</p> <p>S16 MH Fathers (7286)</p> <p>S17 MH Mothers (34,635)</p> <p>S18 MH Students (18,893)</p> <p>S19 (S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18) (2,003,527)</p> <p>S20 AB (telegram OR reddit) (234)</p> <p>S21 MH "Program Evaluation" (45,978)</p> <p>S22 TX ((behavior#r N3 (change* OR changing OR alter* OR modification* OR modify OR modifying OR modifies OR modified)) OR intention*) (215,472)</p> <p>S23 MH "Motivation" (44,027)</p> <p>S24 MH "Intention" (9259)</p> <p>S25 AB (attitude* OR belief* OR view* OR opinion* OR expectation* OR "anticipat* regret" OR knowledge OR awareness OR "health literacy" OR "risk perception*" OR "perceived risk*" OR "perceived susceptibility" OR "illness perception*" OR "treatment perception*") (529,234)</p> <p>S26 MH "Attitude to Health" (47,870)</p> <p>S27 TX "Health Knowledge, Attitudes, Practice" (243)</p> <p>S28 MH "Health Literacy" (5475)</p> <p>S30 AB ("perceived behavior#ral control" OR autonomy OR capacity OR "self-efficacy" OR competen* OR confidence OR ability OR skill*) (586,649)</p> <p>S31 TX "Self Efficacy" (62,806)</p> <p>S32 TX ("perceived norm*" OR "injunctive norm*" OR "subjective norm*" OR "descriptive norm*" OR "moral norm*" OR "self-identity") (10,673)</p> <p>S33 MH "Social Norms" (2318)</p> <p>S34 AB ((medication* OR drug* OR antimicrobial* OR "anti-microbial*" OR antiinfection* OR "anti-infection*" OR antibacterial* OR "anti-bacterial*" OR antibiotic* OR "anti-biotic*") N4 (use OR used OR usage OR consumption OR purchas* OR dispos* OR storage OR storing OR sharing OR shared OR expect* OR request*)) (92,257)</p> <p>S35 AB ((inappropriat* OR irrational OR imprudent OR unnecessar* OR irresponsibl* OR misuse* OR improper* OR mistake* OR indiscriminat* OR suboptimum* OR bad OR overuse* OR excessiv* OR vary OR varied OR variation OR poor OR unsafe*) N4 (use OR usage OR utili?e OR treatment OR consumption OR purchas* OR dispos* OR storage OR sharing OR shared OR expectation* OR request*)) (31,910)</p> <p>S36 AB ((appropriat* OR rational OR prudent OR judicious* OR optimal* OR correct OR proper* OR responsibl* OR safe* OR good OR decreas* OR limit* OR curb* OR minimi?e* OR minimal* OR lessen* OR curtail* OR abate* OR restrict* OR lower* OR discontinue* OR delay*) N4 (use OR usage OR utili?e OR treatment OR consumption OR purchas* OR dispos OR storage OR sharing OR shared OR expectation* OR request*)) (168,794)</p>
--	---

	S37 MH "Drug-Seeking Behavior" (64) S38 TX (compliance OR concordance OR adherence) (367,950) S39 TX "Medication Adherence" (16,587) S40 TX ("self-car*" OR "self-manag*" OR "self-monitor*" OR "self-medical*") (142,003) S41 MH "Self Care" (43,627) S42 MH "Self Medication" (2111) S43 (S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41) (1,735,029) S44 S10 AND S19 AND S20 AND S42 (0)
Number of references found	0
Electronic search report No. 5	
Electronic database	APA PsycInfo <1806 to October Week 3 2021>
Platform	OVID
Date of search	27-04-2022
Restriction of language	None
Other limits	None
Search strategy (results)	1 (superbug* or superinfection*).ti,ab. 42 2 (multiresistant or multiresistance or "multi-resistant" or "multi-resistance" or MDR or MDRO or AMR).ti,ab. 405 3 ((drug* or multidrug or "multi-drug" or antimicrobial* or "anti-microbial*" or antiinfection* or "anti-infection*" or antibacterial* or "anti-bacterial*" or antibiotic* or "anti-biotic*") adj4 (resistant or resistance or tolerant or tolerance)).ti,ab. 4217 4 Drug Resistance.mh. 1990 5 Superinfection.mh. 9 6 "Drug Resistance, Multiple+".mh. 53 7 "Drug Resistance, Microbial+".mh. 61 8 Drug Tolerance.mh. 3554 9 ("r factor*" or "resistant factor*").ti,ab. 384 10 R Factors.mh. 2 11 ((antimicrobial or "anti-microbial" or antiinfection or "anti-infection" or antibacterial or "anti-bacterial" or antibiotic or "anti-biotic") adj4 stewardship).ti,ab. 86 12 Anti-Infective Agents.mh. 274 13 Anti-Bacterial Agents.mh. 1177 14 1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 11308 15 (public or population or community or citizen* or household* or resident* or consumer* or carer* or caregiver* or people or adult* or men or women or mother* or father* or parent* or student* or pupil* or children or adolescent* or teenager*).ti,ab. 2531377 16 Caregivers.mh. 15137 17 Men.mh. 955 18 Women.mh. 3351 19 Parents.mh. 20783 20 Fathers.mh. 2733 21 Mothers.mh. 12531 22 Students.mh. 24851 23 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 2536114 24 intervention*.ti,ab. 432065

25	(training or teaching or education or program* or initiative* or workshop* or seminar* or module* or session* or curriculum).ti,ab. 1078481
26	Teaching.mh. 8653
27	Teaching Materials.mh. 663
28	Education.mh. 3859
29	Models, Educational.mh. 1756
30	Health Education.mh. 9356
31	Education, Nonprofessional.mh. 286
32	Curriculum.mh. 9229
33	((written or printed or online or oral or disseminat* or provi*) adj2 (information or advice or resource* or material*)).ti,ab. 66515
34	(pamphlet* or handout* or poster* or leaflet* or newsletter* or brochure* or booklet* or TV or television or radio or marketing or adverti?ing or publicity or campaign* or "mass media" or "communication media" or outreach or computer* or Internet or online or website* or "social media" or "social network*" or Facebook or Twitter or tweet or blog* or SMS or "short messaging service*" or text* or email* or podcast* or smartphone* or ((mobile or cell or smart) adj1 (phone* or telephone* or app* or application*))).ti,ab. 482949
35	Consumer Health Information.mh. 901
36	Health Promotion.mh. 14597
37	Health Communication.mh. 794
38	Persuasive Communication.mh. 1524
39	Public Health.mh. 4897
40	Audio Visual Aids.mh. 0
41	Manuals as Topic.mh. 1129
42	Pamphlets.mh. 640
43	Advertising as Topic.mh. 1922
44	Marketing.mh. 937
45	Social Marketing.mh. 875
46	Mass Media.mh. 2388
47	Social Networking.mh. 1175
48	Social Media.mh. 1851
49	(digital marketing or LinkedIn or Instagram or Pinterest or TikTok).ti,ab. 1520
50	24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 1695593
51	Program Evaluation.mh. 13211
52	((behavio#r adj3 (change* or changing or alter* or modification* or modify or modifying or modifies or modified)) or intention*).ti,ab. 90690
53	Motivation.mh. 29614
54	Intention.mh. 5740
55	(attitude* or belief* or view* or opinion* or expectation* or "anticipat* regret" or knowledge or awareness or "health literacy" or "risk perception*" or "perceived risk*" or "perceived susceptibility" or "illness perception*" or "treatment perception*").ti,ab. 1045231
56	Attitude to Health.mh. 25349
57	Health Knowledge, Attitudes, Practice.mh. 27538
58	Health Literacy.mh. 1639
59	("perceived behavio#ral control" or autonomy or capacity or "self-efficacy" or competen* or confidence or ability or skill*).ti,ab. 732847
60	Self Efficacy.mh. 9898
61	("perceived norm*" or "injunctive norm*" or "subjective norm*" or "descriptive norm*" or "moral norm*" or "self-identity").ti,ab. 9151
62	Social Norms.mh. 517

	<p>63 ((medication* or drug* or antimicrobial* or "anti-microbial*" or antiinfection* or "anti-infection*" or antibacterial* or "anti-bacterial*" or antibiotic* or "anti-biotic*") adj4 ("use" or used or usage or consumption or purchas* or dispos* or storage or storing or sharing or shared or expect* or request*)).ti,ab. 71349</p> <p>64 ((inappropriat* or irrational or imprudent or unnecessar* or irresponsibl* or misuse* or improper* or mistake* or indiscriminat* or suboptimum* or bad or overuse* or excessiv* or vary or varied or variation or poor or unsafe*) adj4 ("use" or usage or utili?e or treatment or consumption or purchas* or dispos* or storage or sharing or shared or expectation* or request*)).ti,ab. 20962</p> <p>65 ((appropriat* or rational or prudent or judicious* or optimal* or correct or proper* or responsibl* or safe* or good or decreas* or limit* or curb* or minimi?e* or minimal* or lessen* or curtail* or abate* or restrict* or lower* or discontinue* or delay*) adj4 ("use" or usage or utili?e or treatment or consumption or purchas* or dispos or storage or sharing or shared or expectation* or request*)).ti,ab.86321</p> <p>66 Drug-Seeking Behavior.mh. 649</p> <p>67 (compliance or concordance or adherence).ti,ab. 62862</p> <p>68 Medication Adherence.mh. 3851</p> <p>69 ("self-car*" or "self-manag*" or "self-monitor*" or "self-medicat*").ti,ab. 29178</p> <p>70 Self Care.mh. 7562</p> <p>71 Self Medication.mh. 851</p> <p>72 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 1817670</p> <p>73 14 and 23 and 50 and 72 714</p> <p>74 (Reddit or Telegram).ti,ab. 279</p> <p>75 14 and 23 and 72 and 74 1</p>
Number of references found	1

This one paper found was a dissertation which did not meet our study eligibility criteria.