

Table S4. Gene-specific primer sequences used for Real-time qRT-PCR amplification.

Gene	Forward primer	Reverse primer
<i>CcGH3.1a</i>	TGATCCAATATGCTCCCTTGCT	GTACAATCCGGCATGCGTAG
<i>CcGH3.1b</i>	GAGTTGTCAGTTGGGGTCCT	GCCCCTCTAGAGACAGCAAA
<i>CcGH3.1c</i>	CCGGGGTGCTAAACCCTAAA	CCCTGCCGACGCTGTAATAA
<i>CcGH3.1d</i>	AACCTTTACGTGCCGGGATT	GCAAAGCATTGCGGTACATA
<i>CcGH3.3</i>	CTCGGACAAGACAGACGAGG	GTCCCGCTTTTTACCACACG
<i>CcGH3.5</i>	ATGCTGGGAACCTTGCCTCTT	TTCTTGCCCCAGCTTGACTT
<i>CcGH3.6a</i>	CTGGCAGAAGTTTTAGAGGCTG	TTCTGAGGTCACAGGCAGGA
<i>CcGH3.6b</i>	GCTAGTGGCTCGTCCTGTTT	GGGTCGGTAATTCGTGGGTT
<i>CcGH3.9</i>	GCCGTATTTGCATCTGCGTT	CCCGTGATCACAGCCTCAAT
<i>CcGH3.17a</i>	GTCTCCTTGCTACTCTTTGAACTAA	CCGAGGCGAAAAATGTACCA
<i>CcGH3.17b</i>	CCTTGAACCACTTGGGCTCT	GCACGTTGAATGTTCTGATGC
<i>CcGH3.17c</i>	GCCTCGGGTTTGCTAAGGATA	TGGTCCTTGGCCAGATCTTC
<i>CcGH3.17d</i>	GAGCTACTGATCAGCTCGGG	CAAAGAACAGCGCTTTCCCA
<i>CcGH3.17e</i>	TGGTTCTTCAGAGGCGTTGT	GCATCTTTCCTGTTGGTGCAG
<i>CcGH3.17f</i>	GGATGGAGAGCCATCTCGGA	GCTTTCCCATCGTTCAAGCC
<i>CcGH3.17g</i>	CCACACTCCTGGTGGCTTAG	GCAAACCCGAGGCGAATATG
<i>CcGH3.17h</i>	GGAGCTTCAACTCAGATCAAACG	GTCCATGAGCACGTTGAATGT
<i>CcGH3.17i</i>	CAAAGTTGTGCAACGGCGTA	CCTCTCAAGCACTGCAGCTA
<i>Cyclophilin</i>	GATGGCGTGCCTCTTGGTAG	AGCCAAATTGCTTCCAGCCT