

RAADS-14 Rus

ФИО:

Дата:

Пожалуйста, оцените, насколько верно каждое из утверждений наиболее точно описывает вас в настоящее время и в детстве (до 16 лет), и поставьте отметку в соответствующей графе. Пожалуйста, ограничьте свой выбор одним ответом для каждого пункта.

Переживания и индивидуальные особенности, которые могут вас характеризовать		Верно и сейчас, и в детстве	Верно только сейчас	Было верно только для возраста до 16 лет	Неверно и никогда не было верно
1.	Во время разговора с другими людьми мне сложно понять, что они чувствуют	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.	Мне очень неприятно ощущать прикосновение некоторых обычных материалов к своей коже, хотя других они, похоже, не раздражают	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.	Мне очень сложно действовать и работать в коллективах	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.	Мне сложно понять, что от меня ожидают другие люди	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.	Я часто не знаю, как вести себя при взаимодействии с другими людьми	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.	Я могу поболтать о пустяках с другими людьми	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.	Когда я чувствую, что перегружен ощущениями, мне нужно уединиться, чтобы приглушить их.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.	Как находить друзей и общаться – загадка для меня	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.	Когда я разговариваю с кем-то, мне трудно понять, когда моя очередь говорить или слушать	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.	Иногда мне приходится затыкать уши, чтобы приглушить нестерпимый шум (например, звук пылесоса или слишком громкий или многословный разговор)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.	Мне бывает очень сложно понять выражение лица, позу и значение жестов собеседника.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.	Я концентрируюсь на деталях, а не на общей идее	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13.	Я воспринимаю сказанное слишком буквально, поэтому часто упускаю, что пытается сказать собеседник	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14.	Меня очень расстраивает, когда мне приходится изменять привычный образ действий	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Подсчет баллов

Большинство вопросов имеют прямое кодирование.

Верно и сейчас, и в детстве = 3, Верно только сейчас = 2, Было верно только для возраста до 16 лет = 1, Неверно и никогда не было верно = 0

В вопросах, отмеченных буквой R, следует использовать обратное кодирование (Верно и сейчас, и в детстве = 0, Верно только сейчас = 1, Было верно только для возраста до 16 лет = 2, Неверно и никогда не было верно = 3).

Для оценки каждой из шкал сложите результаты соответствующих вопросов:
Социальная ментализация (СМ) (7 пунктов, минимальное значение 0, максимальное значение 21): 1, 4, 9, 11, 12, 13, 14

Сложности социального взаимодействия (ССВ) (4 пункта, минимальное значение 0, максимальное значение 12): 3, 5, 6R, 8

Сенсорное восприятие и когнитивный стиль (СВиКС) (3 пункта, минимальное значение 0, максимальное значение 9): 2, 7, 10,

Итоговая оценка получается сложением результатов по всем трём шкалам и может использоваться при скрининге расстройств аутистического спектра (минимально возможное значение 0 баллов, максимально возможное значение 42 балла).

Интерпретация результатов:

От 0 до 16 баллов — низкая выраженность аутистических характеристик и очень низкий риск наличия РАС;

От 17 до 21 балла — умеренная выраженность аутистических характеристик, низкий риск наличия РАС;

От 22 до 29 баллов — высокая выраженность аутистических характеристик, значительный риск наличия РАС;

От 30 до 42 баллов — очень высокая выраженность аутистических характеристик, высокий риск наличия РАС.

RAADS-14 Screen

Name:	Patient ID:
Date:	Clinician:

Please choose one of the following alternatives:

This is true or describes me now and when I was young.

This was true or describes me only now (refers to skills acquired).

This was true only when I was young (16 years or younger).

This was never true and never described me.

Please answer the questions according to what is true for *you*. Check only one column per statement!

Some life experiences and personality characteristics that may apply to you	True now and when I was young	True only now	True only when I was younger than 16	Never true
1. It is difficult for me to understand how other people are feeling when we are talking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Some ordinary textures that do not bother others feel very offensive when they touch my skin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. It is very difficult for me to work and function in groups	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. It is difficult to figure out what other people expect of me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. I often don't know how to act in social situations	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.* I can chat and make small talk with people	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. When I feel overwhelmed by my senses, I have to isolate myself to shut them down	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. How to make friends and socialize is a mystery to me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. When talking to someone, I have a hard time telling when it is my turn to talk or to listen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Sometimes I have to cover my ears to block out painful noises (like vacuum cleaners or people talking too much or too loudly)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. It can be very hard to read someone's face, hand, and body movements when we are talking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12. I focus on details rather than the overall idea	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13. I take things too literally, so I often miss what people are trying to say	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14. I get extremely upset when the way I like to do things is suddenly changed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

RAADS-14 Screen

Scoring:

- All items (except item 6 which is reversed and therefore marked with*) range from 3 to 0.
- The score ranges from a minimum of 0 to a maximum of 42.

RAADS-14 Screen contains three subdomains:

- Mentalizing deficits: items 1, 4, 9, 11, 12, 13, 14 (explaining 32.5% of the variance)
- Social anxiety: items 3,5,6,8 (explaining 8.5% of the variance)
- Sensory reactivity: items 2,7,10 (explaining 6.4% of the variance)

Median score for different populations:

- **32** in 135 adults with normal intelligence diagnosed with autism spectrum disorder (ASD).
- **15** in 344 adults with normal intelligence diagnosed with attention deficit hyperactivity disorder (ADHD).
- **11** in the collapsed group of 164 adults with other psychiatric disorders, specified as psychotic disorder (n=30), mood disorder (n=59), anxiety disorder or OCD (n=67) and borderline personality disorder (n=39). The sums of reported diagnoses exceed the number of patients in the group because of co-occurring diagnoses.
- **3** in 590 non-psychiatric controls

A cut-off score of 14 or above reached a sensitivity of 97% and a specificity of:

- 46% for the ADHD group.
- 64% for the other psychiatric disorders group (described above).
- 95% for the non-psychiatric controls.

The discriminatory power of the first five items in the RAADS-14 Screen:

- A cut-off point of 4 or greater from a maximum of 15 points yielded a sensitivity of 93% and a specificity of 45% in the ADHD sample, 49% in the other psychiatric disorders group, and 90% in the non-psychiatric sample.

RAADS-14-Screen is an abridged version of Ritvo Autism and Asperger Diagnostic Scale-Revised (RAADS-R). Cite: Eriksson JM, Andersen MJ, Bejerot S. RAADS-14 Screen: validity of a screening tool for Autism Spectrum Disorder in an adult psychiatric population. Molecular Autism 2013; 4:49.