

Supplementary Material

Table S1. Five-point scales used for primary and secondary endpoint assessments

Primary Endpoints					Secondary Endpoints		
Rating	Taste (palatability)	Swallowability	Mouthfeel (texture)	Smell	Bitterness	Aftertaste	Capsule manipulation (participant assessment)
1	Like extremely	Very easy	Like extremely	Like extremely	No bitterness	Like extremely	Very easy
2	Like moderately	Somewhat easy	Like moderately	Like moderately	Mild bitterness	Like moderately	Somewhat easy
3	Neither like nor dislike	Neither easy nor difficult	Neither like nor dislike	Neither like nor dislike	Moderate bitterness	Neither like nor dislike	Neither easy nor difficult
4	Dislike moderately	Somewhat difficult	Dislike moderately	Dislike moderately	Severe bitterness	Dislike moderately	Somewhat difficult
5	Dislike extremely	Very difficult	Dislike extremely	Dislike extremely	Extreme bitterness	Dislike extremely	Very difficult

Table S2. Palatability and swallowability assessments of pimavanserin/food vehicle mixtures from Part 1a (minimum food volume testing)


Assessment	Palatability				Swallowability			
	Applesauce	Chocolate Pudding	Yogurt	Vanilla Ensure®	Applesauce	Chocolate Pudding	Yogurt	Vanilla Ensure®
Participant 1	4 (dislike moderately)	1 (like extremely)	2 (like moderately)	4 (dislike moderately)	1 (very easy)	1 (very easy)	1 (very easy)	1 (very easy)
Participant 2	2 (like moderately)	2 (like moderately)	4 (dislike moderately)	2 (like moderately)	1 (very easy)	2 (somewhat easy)	2 (somewhat easy)	2 (somewhat easy)

For Part 1a assessments, pimavanserin was mixed with 15 mL (1 tablespoon) of food vehicle.

Palatability rating scores were 1 (like extremely), 2 (like moderately), 3 (neither like nor dislike), 4 (dislike moderately), 5 (dislike extremely).

Swallowability rating scores were 1 (very easy), 2 (somewhat easy), 3 (neither easy nor difficult), 4 (somewhat difficult), 5 (very difficult).

Figure S1. Percentage of participants with favorable response for aftertaste of pimavanserin/food vehicle mixtures over time



A favorable response for aftertaste was defined as a score of 1–3 (like extremely, like moderately, neither like nor dislike).