

S1: Supplementary list of various *Candida* and yeast species names.

This is not a full list showing all taxonomic revisions but is only intended as a help to list selected current and previous names of primarily the species included in this manuscript. Current name is stated in bold.

Current and obsolete names for *Candida* species

<i>C. bovina</i>	<i>Kazachstania bovina</i>
<i>C. catenulata</i>	<i>Diutina catenulata</i>
<i>C. ciferrii</i>	<i>Trichomonascus ciferrii</i>
<i>C. eremophila</i>	<i>Pichia kluyveri</i> (used)
<i>C. fabianii</i>	<i>Cyberlindnera fabianii</i> , <i>Pichia fabianii</i>
<i>C. famata</i>	<i>Debaryomyces hansenii</i>
<i>C. fermentati</i>	<i>Meyerozyma caribbica</i> , <i>Pichia caribbica</i>
<i>C. guilliermondii</i>	<i>Meyerozyma guilliermondii</i>
<i>C. inconspicua</i>	<i>Pichia cactophila</i> , <i>Torulopsis inconspicua</i>
<i>C. intermedia</i>	<i>Blastodendron intermedius</i> , <i>Cryptococcus intermedius</i>
<i>C. kefyr</i>	<i>Kluyveromyces marxianus</i>
<i>C. krusei</i>	<i>Pichia kudriavzevii</i> , <i>Isatchenkii orientalis</i>
<i>C. lambica</i>	<i>Pichia fermentans</i>
<i>C. lipolytica</i>	<i>Yarrowia lipolytica</i>
<i>C. lusitaniae</i>	<i>Clavispora lusitaniae</i>
<i>C. magnoliae</i>	<i>Torulopsis magnoliae</i> , <i>Starmerella magnoliae</i>
<i>C. norvegensis</i>	<i>Pichia norvegensis</i>
<i>C. palmioleophila</i>	-
<i>C. pararugosa</i>	<i>Wickerhamiella pararugosa</i>
<i>C. pelliculosa</i>	<i>Wickerhamomyces anomalus</i> , <i>Pichia anomala</i> , <i>Hansenula anomala</i>
<i>C. pulcherrima</i>	<i>Metschnikowia pulcherrima</i>
<i>C. rugosa</i>	<i>Diutina rugosa</i>
<i>C. thermophila</i>	<i>Ogataea polymorpha</i> , <i>Hansenula polymorpha</i>
<i>C. utilis</i>	<i>Cyberlindnera jadinii</i> , <i>Pichia jadinii</i>

Current and former Non-*Candida* yeast species:

<i>Lodderomyces elongisporus</i>	<i>Saccharomyces elongisporus</i>
<i>Magnusiomyces clavatus</i>	<i>Saprochaeta clavata</i> , <i>Geotrichum clavatum</i>
<i>Magnusiomyces capitatus</i>	<i>Geotrichum capitatum</i> , <i>Blastoschizomyces capitatus</i> , <i>Dipodascus capitatus</i> , <i>Saprochaeta capitata</i> , <i>Trichosporon capitatum</i>
<i>Geotrichum candidum</i>	<i>Galactomyces candidus</i> , <i>Endomyces/Dipodascus/Galactomyces geotrichum</i>
<i>Cryptococcus albidus</i>	<i>Naganishia albida</i>
(<i>Barnettozyma salicaria</i>)	<i>Pichia salicaria</i>)
<i>Trichosporon dermatis</i>	<i>Cutaneotrichosporon dermatis</i>
(<i>Williopsis saturnus</i>	<i>Cyberlindnera saturnus</i> , <i>Saccharomyces saturnus</i>)
<i>Saccharomyces telluris</i>	<i>Kazachstania telluris</i>
<i>Exophiala dermatitidis</i>	<i>Wangiella dermatitidis</i>

Based on: de Hoog GS, Guarro J, Gené J, Ahmed S, Al-Hatmi AMS, Figueras MJ & Vitale RG (2020) Atlas of Clinical Fungi, 4th edition. Hilversum except for species names in parentheses (not in the Atlas) found at: <https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi> (both accessed 25.11.2021).