

## Supplementary Materials

**Table S1.** Descriptive analysis of the sample: tobacco and age.

	Group		Estadístico	Error estándar
Number cigar- rets/day	control	Mean	1.42	0.763
		95% Confidence In- terval for the mean	Lower limit	-0.26
			Upper limit	3.10
		Mean cropped at 5%		1.19
		Median		0.00
		Variance		6.992
		Standard deviation		2.644
		Minimum		0
		Maximum		7
		Range		7
		Interquartile range		3
		Asymmetry		1.546
		Kurtosis		0.781
AGE	case	Mean	2.91	1.282
		95% confidence Inter- val for the mean	Lower limit	0.05
			Upper limit	5.77
		Mean cropped at 5%		2.68
		Median		0.00
		Variance		18.091
		Standard deviation		4.253
		Minimum		0
		Maximum		10
		Range		10
		Interquartile range		7
		Asymetry		0.982
		Kurtosis		-0.886
control	control	Mean	50.17	2.121
		95% Confidence In- terval for the mean	Lower limit	45.50
			Upper limit	54.83
		Mean cropped at 5%		50.46
		Median		50.50
		Variance		53.970
		Standard deviation		7.346
		Minimum		35
		Maximum		60

	Range	25	
	Interquartile range	10	
	Asymmetry	-0.651	0.637
	Kurtosis	0.212	1.232
case	Mean	46.36	2.980
	95% Confidence Interval for the mean	Lower limit	39.72
		Upper limit	53.00
	Mean cropped at 5%	46.07	
	Median	44.00	
	Variance	97.655	
	Standard deviation	9.882	
	Minimum	35	
	Maximum	63	
	Range	28	
	Interquartile Range	18	
	Asymmetry	0.354	0.661
	Kurtosis	-1.193	1.279

**Table S2.** Descriptive analysis of the sample: sex.

	Frequency	Percentage	Valid Percentage	Cumulative Percentage
Man	4	33.3	33.3	33.3
Women	8	66.7	66.7	100.0
Total	12	100.0	100.0	

a. Control

	Frequency	Percentage	Valid Percentage	Cumulative Percentage
Válido	man	3	27.3	27.3
	women	8	72.7	72.7
	Total	11	100.0	100.0

a. Case

**Table S3.** Descriptive analysis of the sample: cigarettes/day.

	Frequency	Percentage	Valid Percentage	Cumulative Percentage
0	7	63.6	63.6	63.6
5	1	9.1	9.1	72.7
7	1	9.1	9.1	81.8
10	2	18.2	18.2	100.0
Total	11	100.0	100.0	

a. Case

	Frequency	Percentage	Valid Percentage	Cumulative Percentage
0	9	75.0	75.0	75.0
4	1	8.3	8.3	83.3
6	1	8.3	8.3	91.7
7	1	8.3	8.3	100.0
Total	12	100,0	100.0	

a. control

**Table S4.** Descriptive analysis of the sample: Age.

AGE	Group	N	Mean	Standard deviation	Standard error mean
	control	12	50.17	7.346	2.121
	case	11	46.36	9.882	2.980

**Table S5.** Independent sample test: Age.

	Levene's test for equality of variances	T test for equality of means						95% confidence inter- val of the mean		
		F	Sig.	t	gl	Sig. (bi- lateral)	Mean dif- ference	Standard er- ror difference	Lower	upper
Age	Equal variances are assumed	2.343	0.141	1.054	21	0.304	3.803	3.609	-3.703	11.309
	Equal variances are not as- sumed			1.040	18.404	0.312	3.803	3.657	-3.868	11.474