

**Table S1.** Gene function and pathway for the SNP and PA loci of the snakeskin gourami (*Trichopodus pectoralis*); 70:30 (males:females).

Locus ID	Gene	Product	Function	Component
PA34229094	<i>CFAP92</i>	cilia and flagella associated protein 92 (putative)	unknown	unknown
PA34229328	<i>ZIC3</i>	Zic family member 3	DNA-binding transcription factor activity	nucleus
PA34229500	<i>XIRP2</i>	Xin actin binding repeat containing 2	actin filament binding	Z disc
PA34231211	<i>PATJ</i>	PATJ crumbs cell polarity complex component	protein binding	cell junction
SNP34230514	<i>NEB</i>	nebulin	actin filament binding	actin cytoskeleton
SNP34231029	<i>IFT88</i>	intraflagellar transport 88 homolog	kinesin binding	sperm flagellum
SNP34231506	<i>IL4</i>	interleukin 4	cytokine activity	extracellular space
	<i>IL13</i>	interleukin 13	cytokine activity	extracellular space
SNP34231653	<i>PLA2R1</i>	phospholipase A2 receptor 1	signaling receptor activity	signaling receptor activity
SNP34231739	<i>NEMF</i>	nuclear export mediator factor	signaling receptor activity	nucleus

**Table S2.** Homologies of the SNP and PA loci in the snakeskin gourami (*Trichopodus pectoralis*); 70:30 (males: females)

Locus ID	Gene	Product	Species	Region	Reference
PA34229094	<i>CFAP92</i>	cilia and flagella associated protein 92 (putative)	<i>Ornithorhynchus anatinus</i>	X1 chromosome, CDS	Shaffer et al. (2013)
PA34229328	<i>ZIC3</i>	Zic family member 3	<i>Podarcis muralis</i>	Z chromosome, CDS	Rovatsos et al. (2016)
			<i>Homo sapiens</i>	X chromosome, CDS	Paulussen et al. (2016)
			<i>Pan troglodytes</i>	X chromosome, CDS	Paulussen et al. (2016)
			<i>Equus caballus</i>	X chromosome, CDS	Paulussen et al. (2016)
			<i>Felis catus</i>	X chromosome, CDS	Paulussen et al. (2016)
			<i>Mus musculus</i> (Mammalian group)	X chromosome, CDS	Paulussen et al. (2016)
			<i>Piliocolobus tephrosceles</i>	X chromosome, CDS	Goldberg et al. (2009)
SNP34231029	<i>IFT88</i>	intraflagellar transport 88 homolog	<i>Ornithorhynchus anatinus</i>	X1chromosome, CDS	Herzberg et al. (2020)
SNP34231506	<i>IL13</i>	interleukin 13	<i>Ornithorhynchus anatinus</i>	X1chromosome, CDS	Herzberg et al. (2020)

CDS; coding sequence

Shaffer, J.R.; Feingold, E.; Wang, X.; Lee, M.; Tcuenco, K.; Weeks, D.E.; Weyant, R.J.; Crout, R.; McNeil, D.W.; Marazita, M.L. GWAS of dental caries patterns in the permanent dentition. *J. Dent. Res.* **2013**, *92*, 38–44. <https://doi.org/10.1177/0022034512463579>.

Rovatsos, M.; Vukić, J.; Altmanová, M.; Johnson Pokorná, M.; Moravec, J.; Kratochvíl, L. Conservation of sex chromosomes in lacertid lizards. *Mol. Ecol.* **2016**, *25*, 3120–3126. <https://doi.org/10.1111/mec.13635>.

Paulussen, A.D.; Steyls, A.; Vanoevelen, J.; Van Tienen, F.H.; Krapels, I.P.; Claes, G.R.; Chocron, S.; Velter, C.; Tan-Sindhunata, G.M.; Lundin, C.; et al. Rare novel variants in the *ZIC3* gene cause X-linked heterotaxy. *European Journal of Human Genetics* **2016**, *24*, 1783–1791.

Goldberg, T.L.; Sintasath, D.M.; Chapman, C.A.; Cameron, K.M.; Karesh, W.B.; Tang, S.; Wolfe, N.D.; Rwego I.B.; Ting, N.; Switzer, W. M. Coinfection of Ugandan red colobus (*Procolobus [Piliocolobus] rufomitratus tephrosceles*) with novel, divergent delta-, lenti-, and spumaretroviruses. *Journal of virology*, **2009**, *83*, 11318–11329. <https://doi.org/10.1128/JVI.02616-08>.

Herzberg, D.; Strobel, P.; Ramirez-Reveco, A.; Werner, M.; Bustamante, H. Chronic inflammatory lameness increases cytokine concentration in the spinal cord of dairy cows. *Front. vet. Sci.* **2020**, *7*, 125. <https://doi.org/10.3389/fvets.2020.00125>.

**Table S3.** Chromosomal locations of the SNP and PA loci in the snakeskin gourami (*Trichopodus pectoralis*), as determined by BLAST analysis with the Japanese rice fish (*Oryzias latipes*), zebrafish (*Danio rerio*), Japanese puffer fish (*Takifugu rubripes*), and chicken (*Gallus gallus*) genomes; 70:30 (male:female)

Locus ID	<i>Oryzias latipes</i>	<i>Danio rerio</i>	<i>Takifugu rubripes</i>	<i>Gallus gallus</i>
SNP34232220	7	19	1	-
SNP34231743	24	-	22	Z
SNP34230661	-	-	-	-
SNP34231029	17	7	-	-
SNP34230447	-	-	-	-
SNP34233059	6	21	8	Z
SNP34231653	3	-	22	Z
SNP34230251	3	10	-	-
SNP34232435	11	14	-	-
SNP34232453	8	-	-	-
SNP34231900	20	-	22	-
SNP34232172	-	5	-	-
SNP34231739	1	-	2	-
SNP34230514	21	3	1	-
SNP34231620	7	2	4	Z
SNP34231235	13	-	-	Z
SNP34230342	2	-	4	Z
SNP34231567	22	10	21	Z
SNP34232420	22	25	7	-
SNP34231506	13	-	-	Z
SNP34230800	-	5	22	Z
SNP34232595	-	-	-	-
PA34227683	4	10	19	W
PA34228377	8	5	7	-
PA34228952	7	-	22	Z
PA34232510	19	17	-	-
PA34232084	19	13	1	-
PA34231211	21	22	8	Z
PA34228386	4	-	8	-
PA34228547	17	-	11	-
PA34229216	-	5	17	-
PA34229328	-	7	1	-
PA34229492	1	5	15	-
PA34229645	5	21	14	Z
PA34231120	16	-	7	-
PA34229500	11	19	16	Z
PA34227667	11	1	20	Z
PA34229094	20	11	22	Z
PA34228769	4	-	3	W

**Table S4.** Chromosomal locations of the SNP and PA loci in the snakeskin gourami (*Trichopodus pectoralis*), as determined by BLAST analysis against the genomes of the Japanese rice fish (*Oryzias latipes*), zebrafish (*Danio rerio*), Japanese puffer fish (*Takifugu rubripes*), and chicken (*Gallus gallus*); 80:20 (male: female)

Locus ID	<i>Oryzias latipes</i>	<i>Danio rerio</i>	<i>Takifugu rubripes</i>	<i>Gallus gallus</i>
SNP34231029	17	7	-	-
SNP34230447	-	-	-	-
SNP34233059	6	21	8	Z
PA34227667	11	1	20	Z
PA34229094	20	11	22	Z
PA34228769	4	-	3	W