

## Article

# No-Till and Solid Digestate Amendment Selectively Affect the Potential Denitrification Activity in Two Mediterranean Orchard Soils

Michele Monti <sup>†</sup>, Giuseppe Badagliacca <sup>\*,†</sup>, Maurizio Romeo and Antonio Gelsomino

Agraria Department, Mediterranean University of Reggio Calabria, Feo di Vito, 89124 Reggio Calabria, Italy; montim@unirc.it (M.M.); maurizio.romeo@unirc.it (M.R.); agelsomino@unirc.it (A.G.)

\* Correspondence: giuseppe.badagliacca@unirc.it

<sup>†</sup> Co-first author, these authors contributed equally to this work.

**Citation:** Monti, M.; Badagliacca, G.; Romeo, M.; Gelsomino, A. No-Till and Solid Digestate Amendment Selectively Affect the Potential Denitrification Activity in Two Mediterranean Orchard Soils. *Soil Syst.* **2021**, *5*, 31. <https://doi.org/10.3390/soilsystems5020031>

Academic Editor: Heike Knicker

Received: 13 April 2021

Accepted: 19 May 2021

Published: 21 May 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

**Table S1.** Changes in soil water content (%) expressed on dry weight basis. (mean  $\pm$  SD, n = 4) in the field plots arranged in an olive and orange orchard under different treatments [no-tillage (NT), conventional tillage (TILL), solid anaerobic digestate amendment (DIG)] at four sampling times (from May to September) during the 2016 growing season.

		<b>Pre-Treat</b>	<b>T1</b>	<b>T2</b>	<b>T3</b>
Olive	NT	0.28	0.26	0.19	0.27
	TILL	0.28	0.19	0.13	0.20
	DIG	0.29	0.20	0.14	0.20
Orange	NT	0.17	0.18	0.10	0.21
	TILL	0.18	0.14	0.04	0.14
	DIG	0.18	0.15	0.05	0.14