

Table S2. Relative telomere length in uterine leiomyoma (UL) and paired myometrium (Myo) cultured samples from patients with normal (13, 14, 15, 16, 17) and abnormal (5, 6) tumour karyotype.

Tumour karyotype	Abnormal				Normal									
Case	5		6		13		14		15		16		17	
Sample	UL	Myo	UL	Myo	UL	Myo	UL	Myo	UL	Myo	UL	Myo	UL	Myo
Relative telomere length of both chromosomes 13 on metaphase plate	1.507	3.332	1.305	2.706	1.536	2.131	1.688	1.844	1.453	2.029	2.155	2.823	0.954	1.267
	1.307	1.848	0.968	2.254	2.177	1.673	2.207	2.741	1.521	1.165	0.979	2.317	0.729	1.278
	1.978	3.617	1.936	3.613	1.964	2.392	1.190	2.128	1.469	3.002	0.963	2.794	0.753	1.814
	1.840	2.717	1.000	2.547	2.569	2.263	2.007	2.627	1.268	2.801	0.865	2.056	0.675	1.760
	1.340	2.717	1.046	2.737	1.903	1.590	1.237	1.935	2.218	1.401	0.991	2.545	1.246	1.310
	1.461	3.057	1.139	1.791	1.695	2.399	1.342	1.843	1.384	1.916	0.680	2.946	0.566	1.863
	1.033	1.509	1.447	2.222	1.345	3.764	1.856	3.249	1.684	1.781	1.295	2.604	0.721	1.380
	0.813	2.162	1.026	3.670	2.024	3.082	1.796	1.202	0.850	1.950	0.945	1.844	1.137	1.386
	1.711	3.651	2.322	3.765	1.559	3.061	1.148	1.862	1.874	1.645	1.340	2.835	0.705	1.905
	1.156	3.289	1.504	2.018	1.883	2.811	1.609	2.833	1.352	1.901	2.181	2.314	0.944	1.634
						2.571	1.431				1.114			
						4.710	1.854							
Relative telomere length of the sample (mean value)	1.415	2.790	1.369	2.732	1.866	2.704	1.614	2.226	1.507	1.959	1.228	2.508	0.843	1.560