

SUPPLEMENTARY MATERIAL

Removal of chloroacetanilide herbicides from water using heterogeneous photocatalysis with TiO₂/UV-A

Nikola Roulová ¹, Kateřina Hrdá ², Michal Kašpar ³, Petra Peroutková ², Dominika Josefová ² and Jiří Palarčík ^{2*}

¹ University of Pardubice, Department of Biological and Biochemical Sciences, Studentská 573, 532 10 Pardubice, Czech Republic

² University of Pardubice, Institute of Environmental and Chemical Engineering, Studentská 573, 532 10 Pardubice, Czech Republic

³ University of Pardubice, Department of Analytical Chemistry, Studentská 573, 532 10 Pardubice, Czech Republic

CONTENTS

Figure S1. Estimation of dose-response curves describing the acute toxicity of metolachlor to *Chlorella kessleri* after 72h of exposure

Figure S2. Estimation of dose-response curves describing the acute toxicity of acetochlor to *Chlorella kessleri* after 72h of exposure

Figure S3. Estimation of dose-response curves describing the acute toxicity of alachlor to *Chlorella kessleri* after 72h of exposure

Figure S4. The dependence of the *Chlorella kessleri* growth inhibition (%) at different times of the metolachlor photocatalysis on the used catalyst and reactor vessel

Figure S5. The dependence of the *Chlorella kessleri* growth inhibition (%) at different times of the acetochlor photocatalysis on the used catalyst and reactor vessel

Figure S6. The dependence of the *Chlorella kessleri* growth inhibition (%) at different times of the alachlor photocatalysis on the used catalyst and reactor vessel




Figure S1. Estimation of dose-response curves describing the acute toxicity of metolachlor to *Chlorella kessleri* after 72h of exposure




Figure S2. Estimation of dose-response curves describing the acute toxicity of acetochlor to *Chlorella kessleri* after 72h of exposure




Figure S3. Estimation of dose-response curves describing the acute toxicity of alachlor to *Chlorella kessleri* after 72h of exposure




Figure S4. The dependence of the *Chlorella kessleri* growth inhibition (%) at different times of the metolachlor photocatalysis on the used catalyst and reactor vessel




Figure S5. The dependence of the *Chlorella kessleri* growth inhibition (%) at different times of the acetochlor photocatalysis on the used catalyst and reactor vessel




Figure S6. The dependence of the *Chlorella kessleri* growth inhibition (%) at different times of the alachlor photocatalysis on the used catalyst and reactor vessel