

**Table S2.** List of plant species found in the study sites (habitat types: A = forests; B = clearings; C = infiltration ditches; D = infiltration basins).

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Aceraceae	<i>Acer negundo</i>		+	+	+	5	6	M	K	N+P
Aceraceae	<i>Acer platanoides</i>		+		+	4	x	M	Sp	N+P
Aceraceae	<i>Acer pseudoplatanus</i>		+			4	6	M	Sp	N+P
Asteraceae	<i>Achillea millefolium</i>	+	+	+	+	8	4	H	Ap	N+P
Asteraceae	<i>Achillea pannonica</i>		+			7	3	H	Ap	N+P
Apiaceae	<i>Aegopodium podagraria</i>		+			5	6	GH	Ap	N+P
Rosaceae	<i>Agrimonia eupatoria</i>				+	7	4	H	Sp	N+P
Poaceae	<i>Agrostis capillaris</i>	+	+	+	+	7	x	H	Ap	-
Poaceae	<i>Agrostis gigantea</i>		+	+	+	7	6	H	Ap	-
Poaceae	<i>Agrostis stolonifera</i>				+	7	7	H	Ap	-
Lamiaceae	<i>Ajuga reptans</i>		+	+	+	6	6	H	Sp	N
Brassicaceae	<i>Alliaria petiolata</i>		+	+		5	5	H	Ap	N+P
Betulaceae	<i>Alnus glutinosa</i>		+			5	9	M	Sp	-
Poaceae	<i>Alopecurus aequalis</i>			+		9	9	HT	Sp	-
Rosaceae	<i>Amelanchier spicata</i>	+	+		+	7	3	N	K	-
Asteraceae	<i>Anthemis ruthenica</i>					9	3	T	K	-
Anthericaceae	<i>Anthericum ramosum</i>	+				7	3	G	Sp	P
Poaceae	<i>Anthoxanthum odoratum</i>	+	+	+	+	x	x	H	Ap	-
Apiaceae	<i>Anthriscus sylvestris</i>		+			7	5	H	Ap	N+P
Poaceae	<i>Apera spica-venti</i>		+		+	6	6	T	Ar	-
Caryophyllaceae	<i>Arenaria serpyllifolia</i>		+	+	+	8	4	T	Ap	N+P
Poaceae	<i>Arrhenatherum elatius</i>	+	+	+	+	8	x	H	Ap	-
Asteraceae	<i>Artemisia campestris</i>		+	+	+	9	2	Ch	Ap	P
Asteraceae	<i>Artemisia vulgaris</i>				+	7	6	C	Ap	P

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Fabaceae	<i>Astragalus arenarius</i>		+		+	7	2	H	Sp	-
Berberidaceae	<i>Berberis vulgaris</i>				+	7	4	N	Sp	N
Brassicaceae	<i>Berteroa incana</i>		+	+	+	9	3	TH	Ar	N+P
Betulaceae	<i>Betula pendula (b+c)</i>	+	+	+	+	7	x	M	Sp	-
Asteraceae	<i>Bidens frondosa</i>			+	+	7	8	T	K	P
Poaceae	<i>Bromus tectorum</i>		+	+	+	8	3	T	Ar	-
Poaceae	<i>Calamagrostis epigejos</i>		+	+	+	7	x	G	Ap	-
Ericaceae	<i>Calluna vulgaris</i>	+	+	+	+	8	x	Ch	Sp	N+P
Convolvulacea e	<i>Calystegia sepium</i>				+	8	6	H	Sp	N
Brassicaceae	<i>Capsella bursa-pastoris</i>		+	+	+	7	5	TH	Ar	N+P
Brassicaceae	<i>Cardaminopsis arenosa</i>		+	+	+	9	4	HT	Ap	N+P
Asteraceae	<i>Carduus crispus</i>			+	+	7	6	H	Sp	N+P
Cyperaceae	<i>Carex acutiformis</i>			+		7	9	GHy	Sp	-
Cyperaceae	<i>Carex hirta</i>	+	+	+	+	7	6	G	Ap	-
Cyperaceae	<i>Carex ovalis</i>		+	+	+	7	7	H	Sp	-
Cyperaceae	<i>Carex pilulifera</i>		+	+		5	5	H	Sp	-
Cyperaceae	<i>Carex pseudocyperus</i>				+	7	9	HyH	Sp	-
Cyperaceae	<i>Carex vulpina</i>				+	9	8	H(G)	Sp	-
Asteraceae	<i>Centaurea cyanus</i>		+			7	x	T	Ar	N+P
Asteraceae	<i>Centaurea stoebe</i>		+	+	+	9	3	H	Ap	N+P
Caryophyllacea e	<i>Cerastium holosteoides</i>			+	+	6	5	Ch(T)	Ap	N+P
Caryophyllacea e	<i>Cerastium semidecandrum</i>				+	8	3	T(H)	Ap	-
Onagraceae	<i>Chamaenerion angustifolium</i>		+	+	+	8	5	H	Ap	N+P
Asteraceae	<i>Chamomilla recutita</i>					7	5	T	Ar	N+P
Papaveraceae	<i>Chelidonium majus</i>					6	5	H	Ap	P

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Chenopodiaceae	<i>Chenopodium album</i>		+	+	+	x	7	T	Ap	P
Asteraceae	<i>Chondrilla juncea</i>		+	+		8	3	H	Ap	N+P
Asteraceae	<i>Cichorium intybus</i>		+			9	4	H	Ar	N+P
Asteraceae	<i>Cirsium arvense</i>		+	+	+	8	x	G	Ap	N+P
Asteraceae	<i>Cirsium vulgare</i>		+	+	+	8	5	H	Ap	N+P
Lamiaceae	<i>Clinopodium vulgare</i>	+				7	4	H	Sp	N
Ranunculaceae	<i>Consolida regalis</i>		+		+	6	4	T	Ar	N+P
Convallariaceae	<i>Convallaria majalis</i>	+			+	5	4	G	Sp	N+P
Convolvulaceae	<i>Convolvulus arvensis</i>		+	+	+	7	4	H(G)	Ap	N+P
Asteraceae	<i>Conyza canadensis</i>		+	+	+	8	4	TH	K	N+P
Chenopodiaceae	<i>Corispermum leptopterum</i>					8	3	T	K	-
Cornaceae	<i>Cornus sanguinea</i>		+			7	5	N	Sp	N
Fabaceae	<i>Coronilla varia</i>		+		+	7	4	H	Sp	N+P
Corylaceae	<i>Corylus avellana</i>	+				6	x	NM	Sp	P
Poaceae	<i>Corynephorus canescens</i>		+	+	+	8	2	H	Ap	-
Rosaceae	<i>Crataegus monogyna (b+c)</i>	+	+		+	7	4	N/M	Ap	N+P
Asteraceae	<i>Crepis capillaris</i>		+	+	+	7	5	HT	Ap	-
Asteraceae	<i>Crepis paludosa</i>		+			7	8	H	Sp	-
Poaceae	<i>Dactylis glomerata</i>		+			7	5	H	Ap	-
Poaceae	<i>Danthonia decumbens</i>		+			8	x	H	Ap	-
Apiaceae	<i>Daucus carota</i>		+			8	4	H	Ap	N+P
Poaceae	<i>Deschampsia caespitosa</i>				+	6	7	H	Ap	-
Poaceae	<i>Deschampsia flexuosa</i>	+	+	+	+	6	x	H	Sp	-
Brassicaceae	<i>Descurainia sophia</i>				+	8	4	T	Ar	-
Dryopteridaceae	<i>Dryopteris carthusiana</i>	+				5	x	H	Sp	-

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Dryopteridaceae	<i>Drypteris filix-mas</i>			+		3	5	H	Sp	-
Poaceae	<i>Echinochloa crus-galli</i>				+	6	5	T	Ar	-
Boraginaceae	<i>Echium vulgare</i>	+	+	+		9	4	H	Ar	N+P
Poaceae	<i>Elymus caninus</i>					6	6	H	Sp	-
Poaceae	<i>Elymus repens</i>	+	+	+		7	x	G	Ap	-
Onagraceae	<i>Epilobium parviflorum</i>				+	7	9	H	Sp	-
Equisetaceae	<i>Equisetum arvense</i>		+		+	6	x	G	Ap	-
Equisetaceae	<i>Equisetum palustre</i>				+	7	8	G	Ap	-
Asteraceae	<i>Erigeron acris</i>					9	4	H(T)	Sp	-
Asteraceae	<i>Erigeron annuus</i>				+	7	6	H	K	N+P
Geraniaceae	<i>Erodium cicutarium</i>				+	8	4	T	Ar	N+P
Brassicaceae	<i>Erysimum cheiranthoides</i>			+	+	7	5	T	Ar	-
Asteraceae	<i>Eupatorium cannabinum</i>	+	+	+	+	7	7	H	Sp	N+P
Euphorbiaceae	<i>Euphorbia cyparissias</i>	+	+	+	+	8	3	H	Ap	N+P
Fagaceae	<i>Fagus sylvatica</i>	+				3	5	M	Sp	-
Polygonaceae	<i>Fallopia convolvulus</i>	+	+			7	5	T	Ar	N+P
Polygonaceae	<i>Fallopia dumetorum</i>	+	+	+	+	6	5	T	Sp	N+P
Poaceae	<i>Festuca pratensis</i>		+		+	8	6	H	Ap	-
Poaceae	<i>Festuca rubra</i>				+	x	6	H	Ap	-
Poaceae	<i>Festuca trachyphylla</i>		+	+	+	8	3	H	Ap	-
Asteraceae	<i>Filago arvensis</i>		+	+	+	8	3	T	Ap	-
Rosaceae	<i>Fragaria vesca</i>	+	+	+	+	7	5	H	Sp	N+P
Rosaceae	<i>Fragaria viridis</i>		+	+	+	7	3	H	Sp	N+P
Rosaceae	<i>Fragaria x ananassa</i>					6	5	H	Ef	N+P
Rhamnaceae	<i>Frangula alnus</i>	+	+		+	6	8	N	Sp	N+P
Lamiaceae	<i>Galeopsis pubescens</i>			+	+	7	5	T	Ap	N+P
Lamiaceae	<i>Galeopsis tetrahit</i>				+	7	5	T	Ap	N+P
Rubiaceae	<i>Galium aparine</i>			+	+	7	x	T	Ap	N+P
Rubiaceae	<i>Galium boreale</i>		+			6	6	H	Ap	-

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Rubiaceae	<i>Galium mollugo</i>				+	7	4	H	Ap	N+P
Rubiaceae	<i>Galium verum</i>	+	+			7	4	H	Ap	N+P
Fabaceae	<i>Genista tinctoria</i>					8	6	N/Ch	Sp	P
Geraniaceae	<i>Geranium pusillum</i>		+			7	4	T	Ar	N
Geraniaceae	<i>Geranium robertianum</i>					5	x	TH	Sp	N+P
Rosaceae	<i>Geum urbanum</i>		+			4	5	H	Ap	N+P
Lamiaceae	<i>Glechoma hederacea</i>		+			6	6	GH	Ap	N+P
Araliaceae	<i>Hedera helix</i>	+				4	5	ChL	Sp	N+P
Asteraceae	<i>Helianthus annuus</i>		+			7	6	T	Ef	N+P
Asteraceae	<i>Helichrysum arenarium</i>		+	+	+	8	2	H	Ap	P
Caryophyllaceae	<i>Herniaria glabra</i>		+		+	8	3	HT	Ap	-
Asteraceae	<i>Hieracium murorum</i>		+			4	5	H	Sp	N+P
Asteraceae	<i>Hieracium pilosella</i>		+	+	+	7	4	H	Ap	N+P
Asteraceae	<i>Hieracium umbellatum</i>	+	+			6	4	H	Sp	-
Cannabaceae	<i>Humulus lupulus</i>			+		7	8	H	Ap	-
Hypericaceae	<i>Hypericum perforatum</i>	+	+	+	+	7	4	H	Ap	P
Asteraceae	<i>Hypochaeris radicata</i>		+			8	5	H	Ap	-
Balsaminaceae	<i>Impatiens parviflora</i>	+	+	+	+	4	5	T	K	N+P
Campanulaceae	<i>Jasione montana</i>		+	+	+	7	3	H	Ap	N
Juncaceae	<i>Juncus effusus</i>				+	8	7	H	Ap	-
Cupressaceae	<i>Juniperus communis</i>			+	+	8	4	N/M	Sp	-
Dipsacaceae	<i>Knautia arvensis</i>	+	+		+	7	4	H	Ap	N+P
Asteraceae	<i>Lactuca serriola</i>		+	+	+	9	4	H	Ar	N+P
Asteraceae	<i>Lapsana communis</i>				+	5	5	TH	Ap	N+P
Lemnaceae	<i>Lemna gibba</i>				+	8	11	Hy	Sp	-
Lemnaceae	<i>Lemna minor</i>			+	+	7	11	Hy	Sp	-
Asteraceae	<i>Leontodon autumnalis</i>				+	7	5	H	Ap	N+P
Brassicaceae	<i>Lepidium densiflorum</i>	+	+	+	8	4	T(H)	K	-	

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Brassicaceae	<i>Lepidium ruderale</i>		+			9	4	T(H)	Ar	-
Scrophulariaceae	<i>Linaria vulgaris</i>		+		+	8	4	G	Ap	N+P
Fabaceae	<i>Lotus corniculatus</i>		+		+	7	4	H	Ap	N+P
Juncaceae	<i>Luzula pilosa</i>	+	+		+	2	5	H	Sp	-
Lycopodiaceae	<i>Lycopodium annotinum</i>		+			3	6	C	Sp	-
Lamiaceae	<i>Lycopus europaeus</i>			+	+	7	9	HHy	Sp	N+P
Malvaceae	<i>Malva alcea</i>		+			8	5	H	Ar	N+P
Asteraceae	<i>Matricaria maritima</i> subsp. <i>inodora</i>					9	5	T	Ar	-
Fabaceae	<i>Medicago lupulina</i>		+		+	7	4	TH	Ap	N+P
Fabaceae	<i>Medicago sativa</i>		+			8	4	H	K	N+P
Scrophulariaceae	<i>Melampyrum pratense</i>	+	+			6	5	pPT	Sp	N+P
Caryophyllaceae	<i>Melandrium album</i>		+		+	9	5	T	Ar	-
Poaceae	<i>Melica nutans</i>		+			4	4	GH	Sp	-
Fabaceae	<i>Melilotus albus</i>		+			9	3	HT	Ap	N+P
Fabaceae	<i>Melilotus officinalis</i>			+		8	3	H	Ap	N+P
Lamiaceae	<i>Mentha aquatica</i>			+	+	7	9	HHy	Sp	-
Asteraceae	<i>Mycelis muralis</i>			+	+	4	5	H	Sp	P
Boraginaceae	<i>Myosotis palustris</i>					7	8	H	Ap	-
Caryophyllaceae	<i>Myosoton aquaticum</i>				+	7	8	HG	Sp	N+P
Onagraceae	<i>Oenothera biennis</i>		+	+	+	9	4	H	Ap	N+P
Fabaceae	<i>Ononis spinosa</i>		+			8	4	HN	Ap	N
Rosaceae	<i>Padus avium</i>	+	+	+	+	5	8	M/N	Sp	N+P
Rosaceae	<i>Padus serotina</i>	+	+	+		6	5	M(N)	K	N+P
Papaveraceae	<i>Papaver dubium</i>		+		+	6	4	T	Ar	P
Vitaceae	<i>Parthenocissus inserta</i>					7	7	L	Ef	P

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Vitaceae	<i>Parthenocissus quinquefolia</i>		+			-	-	L	K	P
Caryophyllaceae	<i>Petrorhagia prolifera</i>		+	+	+	8	3	T	Ap	-
Apiaceae	<i>Peucedanum oreoselinum</i>	+	+		+	6	3	H	Sp	N+P
Poaceae	<i>Phalaris arundinacea</i>		+	+	+	7	8	HyH	Sp	-
Poaceae	<i>Phragmites australis</i>			+	+	7	10	GHy	Sp	-
Asteraceae	<i>Picris hieracioides</i>		+		+	8	4	H	Ap	N+P
Apiaceae	<i>Pimpinella saxifraga</i>				+	7	3	H	Sp	N+P
Pinaceae	<i>Pinus sylvestris</i>	+	+	+	+	7	x	M	Sp	-
Plantaginaceae	<i>Plantago lanceolata</i>		+			6	x	H	Ap	P
Plantaginaceae	<i>Plantago major</i>		+		+	8	5	H	Ap	P
Poaceae	<i>Poa annua</i>				+	7	6	TH	Ap	-
Poaceae	<i>Poa compressa</i>		+	+	+	9	3	H	Ap	-
Poaceae	<i>Poa palustris</i>				+	7	9	H	Ap	-
Poaceae	<i>Poa pratensis</i>		+		+	6	5	H	Ap	-
Poaceae	<i>Poa trivialis</i>					6	7	H	Ap	-
Convallariaceae	<i>Polygonatum odoratum</i>	+				7	3	G	Sp	N
Polygonaceae	<i>Polygonum aviculare</i>			+	+	7	4	T	Ap	N+P
Polygonaceae	<i>Polygonum hydropiper</i>			+	+	7	8	T	Ap	N+P
Polygonaceae	<i>Polygonum lapathifolium</i> subsp. <i>lapathifolium</i>			+	+	6	8	T	Ap	N+P
Polygonaceae	<i>Polygonum persicaria</i>		+	+	+	6	5	T	Ap	-
Salicaceae	<i>Populus alba</i>		+	+	+	5	7	M	Sp	P
Salicaceae	<i>Populus tremula</i>	+	+		+	6	5	M	Sp	P
Salicaceae	<i>Populus x canadensis</i>		+		+	-	-	M	K	P
Rosaceae	<i>Potentilla alba</i>	+				6	4	H	Sp	-
Rosaceae	<i>Potentilla arenaria</i>		+		+	9	1	H	Sp	-
Rosaceae	<i>Potentilla argentea</i>		+	+	+	9	2	H	Ap	P
Rosaceae	<i>Potentilla reptans</i>		+		+	6	6	H	Ap	P

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Rosaceae	<i>Prunus cerasifera</i> 'Atropurpurea'					-	-	H	K	N
Rosaceae	<i>Prunus spinosa</i>	+		+		7	4	N	Ap	N+P
Poaceae	<i>Puccinellia distans</i>	+		+		8	6	H	Ap	-
Rosaceae	<i>Pyrus communis</i>	+		+		6	5	M	K	N+P
Fagaceae	<i>Quercus petraea</i>	+	+	+		6	5	M	Sp	P
Fagaceae	<i>Quercus robur</i>	+	+	+		7	x	M	Sp	P
Fagaceae	<i>Quercus petraea x robur</i>	+				6	5	M	Sp	P
Fagaceae	<i>Quercus rubra</i>		+			7	5	M	K	P
Grossulariaceae	<i>Ribes rubrum</i>					4	8	N	Ef	N
Fabaceae	<i>Robinia pseudacacia</i>	+				5	4	M	K	N+P
Brassicaceae	<i>Rorippa palustris</i>			+		7	8	T(H)	Ap	-
Rosaceae	<i>Rosa canina</i>		+	+		8	4	N	Ap	P
Rosaceae	<i>Rubus caesius</i>	+	+	+	+	6	x	NCh	Ap	N+P
Rosaceae	<i>Rubus idaeus</i>	+	+	+	+	7	x	N	Sp	N+P
Polygonaceae	<i>Rumex acetosa</i>			+		8	x	H	Ap	P
Polygonaceae	<i>Rumex acetosella</i>		+	+	+	8	3	GH	Ap	P
Polygonaceae	<i>Rumex conglomeratus</i>				+	8	7	H	Ap	-
Polygonaceae	<i>Rumex obtusifolius</i>			+		7	6	H	Ap	-
Polygonaceae	<i>Rumex thyrsiflorus</i>	+			+	8	3	H	Ap	-
Salicaceae	<i>Salix caprea</i>		+	+		7	6	NM	Ap	N+P
Salicaceae	<i>Salix cinerea</i>			+		7	9	NM	Sp	N+P
Salicaceae	<i>Salix purpurea</i>	+	+	+		8	x	NM	Ap	P
Caprifoliaceae	<i>Sambucus nigra</i>					7	5	NM	Ap	P
Caryophyllaceae	<i>Scleranthus annuus</i>				+	6	5	T	Ar	-
Caryophyllaceae	<i>Scleranthus perennis</i>	+				8	2	H	Sp	-

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Scrophulariaceae	<i>Scrophularia nodosa</i>		+			4	6	H	Sp	N+P
Lamiaceae	<i>Scutellaria galericulata</i>			+	+	7	9	H	Sp	N+P
Crassulaceae	<i>Sedum acre</i>			+	+	8	2	C	Ap	N+P
Asteraceae	<i>Senecio jacobaea</i>	+	+	+	+	8	4	H	Ap	N+P
Asteraceae	<i>Senecio vernalis</i>			+	+	7	4	TH	K	-
Asteraceae	<i>Senecio viscosus</i>			+	+	8	3	T	Ar	-
Asteraceae	<i>Senecio vulgaris</i>	+		+	+	7	5	TH	Ar	N+P
Poaceae	<i>Setaria pumila</i>			+	+	7	4	T	Ar	-
Poaceae	<i>Setaria viridis</i>	+	+	+	+	7	4	T	Ar	-
Caryophyllaceae	<i>Silene vulgaris</i>		+			8	4	HC	Ap	N+P
Brassicaceae	<i>Sisymbrium altissimum</i>	+				8	4	TH	K	-
Brassicaceae	<i>Sisymbrium officinale</i>		+			8	4	T	Ar	-
Solanaceae	<i>Solanum nigrum</i>			+	+	7	5	T	Ar	N+P
Asteraceae	<i>Solidago canadensis</i>			+	+	8	x	HG	K	N+P
Asteraceae	<i>Solidago gigantea</i>			+	+	8	6	HG	K	N+P
Asteraceae	<i>Solidago virga-aurea</i>					5	5	H	Sp	N+P
Asteraceae	<i>Sonchus oleraceus</i>			+	+	7	4	TH	Ar	N+P
Rosaceae	<i>Sorbus aucuparia</i>	+	+		+	6	x	M	Sp	N+P
Rosaceae	<i>Sorbus intermedia</i>	+				6	x	M	K	N+P
Caryophyllaceae	<i>Spergula arvensis</i>		+			6	5	T	Ar	-
Lemnaceae	<i>Spirodela polyrhiza</i>			+	+	7	11	Hy	Sp	-
Lamiaceae	<i>Stachys palustris</i>				+	7	7	G	Ap	-
Caryophyllaceae	<i>Stellaria media</i>			+	+	6	x	T	Ap	N+P
Caprifoliaceae	<i>Symporicarpos albus</i>	+	+			5	5	N	K	N+P
Asteraceae	<i>Tanacetum vulgare</i>	+		+	+	8	5	H	Ap	N+P
Asteraceae	<i>Taraxacum officinale</i>	+	+	+	+	7	5	H	Ap	N+P

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Thelypteridaceae	<i>Thelypteris palustris</i>				+	5	8	G	Sp	-
Lamiaceae	<i>Thymus pulegioides</i>					8	4	Ch	Sp	N+P
Tiliaceae	<i>Tilia cordata</i>					5	5	M	Sp	N+P
Apiaceae	<i>Torilis japonica</i>	+			+	6	5	TH	Ap	N+P
Asteraceae	<i>Tragopogon dubius</i>					8	4	H	Ar	-
Asteraceae	<i>Tragopogon pratensis</i>	+			+	7	4	H	Ap	N+P
Fabaceae	<i>Trifolium arvense</i>	+	+	+	+	8	3	T	Ap	N+P
Fabaceae	<i>Trifolium dubium</i>					6	4	T	Ap	N+P
Fabaceae	<i>Trifolium hybridum</i>				+	7	6	H	Ap	N+P
Fabaceae	<i>Trifolium medium</i>	+	+		+	7	4	H	Ap	-
Fabaceae	<i>Trifolium repens</i>				+	8	5	H	Ap	N+P
Asteraceae	<i>Tussilago farfara</i>				+	8	6	G(H)	Ap	N+P
Ulmaceae	<i>Ulmus minor</i>	+			+	5	x	M	Sp	-
Urticaceae	<i>Urtica dioica</i>	+	+	+	+	x	6	H	Ap	-
Ericaceae	<i>Vaccinium myrtillus</i>	+				5	x	Ch	Sp	N+P
Ericaceae	<i>Vaccinium vitis-idaea</i>	+				5	4	Ch	Sp	N+P
Scrophulariaceae	<i>Verbascum lychnitis</i>		+			7	3	H	Ap	P
Scrophulariaceae	<i>Verbascum phlomoides</i>	+	+	+	+	8	4	H	Ar	P
Scrophulariaceae	<i>Veronica anagallis-aquatica</i>			+	+	7	9	HHy	Sp	-
Scrophulariaceae	<i>Veronica officinalis</i>	+	+	+	+	6	4	C	Sp	-
Fabaceae	<i>Vicia cracca</i>		+		+	7	6	H	Ap	N+P
Fabaceae	<i>Vicia sativa</i>	+	+	+	+	5	x	T	Ar	-
Fabaceae	<i>Vicia tetrasperma</i>				+	6	5	T	Ar	N+P
Violaceae	<i>Viola arvensis</i>			+	+	6	x	T	Ar	N+P
Violaceae	<i>Viola canina</i>	+	+	+	+	7	4	H	Sp	-

Family	Species	Habitat types				L	F	Lf	Ghg	Fp
		A	B	C	D					
Violaceae	<i>Viola reichenbachiana</i>	+		+		4	5	H	Sp	-

**Explanations:**

„+“ - occurrence of the plant species at the study sites

**L- an intensity of light (according to Ellenberg's indicator numbers),** the scale of requirements for plant species: 1- full shade plants, 2- intermediate between 1 and 3, 3- shade, usually less than 5 % full daylight, 4- intermediate between 3 and 5, 5- penumbra, exceptionally in full light, usually receiving less than 10 % full daylight, 6- intermediate between 5 and 7, 7- half-light, usually in full light, but also in the shade, receiving up to 30 % full daylight, 8- lights, only exceptionally at less than 40 % of full daylight, 9- full light, species of extremely light-demanding plants, receiving no less than 50 % of full daylight, x- neutral species in relations to the indicator, „-“ no data

**F- soil humidity (according to Ellenberg's indicator numbers),** the range of requirements for plant species: 1- very dry soils, limited only to overdried localities, 2- intermediate between 1 and 3, 3- dry soils, more often on dry than fresh soils; they do not occur on wet, 4- intermediate between 3 and 5, 5- fresh soils, mainly moderately moist, not found in wet or dry places, 6- intermediate between 5 and 7, 7- moist soils; occur on wet, but not wet soils, 8- intermediate between 7 and 9, 9- wet, often soaked, heavy soils, 10- water level change indicators, water plants that can withstand a long time without flooding, 11- aquatic plants that have roots under water and leaves emerging above the water surface or floating on the surface, x- neutral species in relations to the indicator, „-“ no data

**Lf- life forms:** C- non-woody chamaephytes, Ch- woody chamaephytes, G- geophytes, H- hemicryptophytes, Hy- hydrophytes; helophytes, L- lianas , M- megaphanerophytes, N- nanophanerophytes, T- therophytes, pPT- semi-parasites

**Ghg- geographical-historical groups:** Ap- apophytes, Ar- archaeophytes, Ef- ephemeralophytes, K- kenophytes, Sp- non-synanthrophic spontaneophytes

**Fp- food plants for bees:** N- nectariferous plants, P- polleniferous plants, " - „- no data