

Table S2. Moderating effect of housing type on objectively measured changes in the pattern of physical activity and sedentary behavior after COVID-19 vaccination in older adults with hypertension ($n = 32$).

	β	SE	95% CI	p^a
SEDENTARY BEHAVIOR				
Weekdays				
Sedentary bouts ≥ 10 min, bouts/day	-0.7	1.2	-3.0, 1.6	0.555
Sedentary bouts ≥ 30 min, bouts/day	-0.8	0.6	-1.9, 0.3	0.162
Sedentary bouts ≥ 10 min, min/day	-45.6	31.3	-108.3, 17.0	0.150
Sedentary bouts ≥ 30 min, min/day	-47.3	26.0	-99.4, 4.9	0.075
Length of sedentary bouts, min/day	-0.8	0.5	-1.8, 0.1	0.091
Breaks ≥ 1 min, breaks/day	3.3	4.6	-5.9, 12.5	0.478
Breaks ≥ 5 min, breaks/day	3.0	1.6	-0.2, 6.2	0.066
Break rate ≥ 1 min, breaks/h	0.2	0.3	-0.4, 0.7	0.495
Break rate ≥ 5 min, breaks/h	0.2	0.1	0.0, 0.4	0.052
Weekend				
Sedentary bouts ≥ 10 min, bouts/day	-0.6	1.4	-3.5, 2.3	0.672
Sedentary bouts ≥ 30 min, bouts/day	-2.2	0.9	-3.9, -0.4	0.015
Sedentary bouts ≥ 10 min, min/day	-85.2	38.9	-163.1, -7.3	0.033
Sedentary bouts ≥ 30 min, min/day	-106	37	-181, -31	0.006
Length of sedentary bouts, min/day	-1.6	0.7	-3.0, -0.2	0.029
Breaks ≥ 1 min, breaks/day	11.8	6.0	-0.2, 23.8	0.053
Breaks ≥ 5 min, breaks/day	5.9	2.3	1.2, 10.6	0.014
Break rate ≥ 1 min, breaks/h	0.7	0.4	0.0, 1.5	0.052
Break rate ≥ 5 min, breaks/h	0.4	0.1	0.1, 0.7	0.014
PHYSICAL ACTIVITY				
Weekdays				
Light PA in bouts ≥ 10 min, bouts/day	1.0	0.7	-0.5, 2.4	0.194
Light PA in bouts ≥ 10 min, min/day	13.6	12.5	-11.4, 38.7	0.281
MVPA in bouts ≥ 10 min, bouts/day	0.0	0.1	-0.3, 0.3	0.943
MVPA in bouts ≥ 10 min, min/day	-3.6	3.1	-9.8, 2.6	0.249
Weekend				
Light PA in bouts ≥ 10 min, bouts/day	1.0	1.0	-1.0, 3.0	0.326
Light PA in bouts ≥ 10 min, min/day	7.7	18.4	-29.1, 44.5	0.677
MVPA in bouts ≥ 10 min, bouts/day	-0.2	0.1	-0.5, 0.1	0.132
MVPA in bouts ≥ 10 min, min/day	-6.6	4.2	-15.0, 1.9	0.125

Values are expressed as coefficient estimates (β), standard error (SE) and 95% Wald confidence intervals (CI) of the housing type by time period interaction (i.e. change in apartment/row house vs. change in detached house – reference group). ^a The models were analyzed using a generalized linear mixed model controlling for the daily accelerometer wearing time, except for the length of sedentary bouts and the break rate. Bold values indicate significance at $p < 0.10$. Abbreviations: MVPA, moderate-vigorous physical activity; PA, physical activity.