

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: PddpppCF3NN

Bond precision: C-C = 0.0087 Å Wavelength=0.71075

Cell: a=14.952 (6) b=18.858 (8) c=22.029 (9)
 alpha=90 beta=90 gamma=90

Temperature: 193 K

	Calculated	Reported
Volume	6211 (4)	6211 (4)
Space group	P b c a	P b c a
Hall group	-P 2ac 2ab	-P 2ac 2ab
Moiety formula	C31 H26 F6 N2 O2 P2 Pd	C31 H26 F6 N2 O2 P2 Pd
Sum formula	C31 H26 F6 N2 O2 P2 Pd	C31 H26 F6 N2 O2 P2 Pd
Mr	740.88	740.90
Dx, g cm ⁻³	1.585	1.584
Z	8	8
Mu (mm ⁻¹)	0.768	0.769
F000	2976.0	2976.0
F000'	2971.23	
h, k, lmax	19, 24, 28	19, 24, 28
Nref	7123	7096
Tmin, Tmax	0.871, 0.891	0.773, 0.891
Tmin'	0.857	

Correction method= # Reported T Limits: Tmin=0.773 Tmax=0.891
AbsCorr = MULTI-SCAN

Data completeness= 0.996 Theta(max)= 27.484

R(reflections)= 0.0742 (6811)	wR2(reflections)=
S = 1.368	0.1593 (7096)
Npar= 397	

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT094_ALERT_2_C	Ratio of Maximum / Minimum Residual Density	2.09	Report
PLAT220_ALERT_2_C	NonSolvent Resd 1 C Ueq(max)/Ueq(min) Range	3.7	Ratio
PLAT342_ALERT_3_C	Low Bond Precision on C-C Bonds	0.00871	Ang.



Alert level G

CHEMS02_ALERT_1_G Please check that you have entered the correct
_publ_requested_category classification of your compound;
FI or CI or EI for inorganic; FM or CM or EM for metal-organic;
FO or CO or EO for organic.
From the CIF: _publ_requested_category CHOOSE FI FM FO CI CM CO or A
From the CIF: _chemical_formula_sum :C31 H26 F6 N2 O2 P2 Pd1

PLAT083_ALERT_2_G	SHELXL Second Parameter in WGHT Unusually Large	15.43	Why ?
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of	C1	Check
PLAT242_ALERT_2_G	Low 'MainMol' Ueq as Compared to Neighbors of	C4	Check

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
 - 0 **ALERT level B** = A potentially serious problem, consider carefully
 - 3 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
 - 4 **ALERT level G** = General information/check it is not something unexpected
-
- 1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
 - 5 ALERT type 2 Indicator that the structure model may be wrong or deficient
 - 1 ALERT type 3 Indicator that the structure quality may be low
 - 0 ALERT type 4 Improvement, methodology, query or suggestion
 - 0 ALERT type 5 Informative message, check
-

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.