

Table S1. Isolate numbers of each *Candida* species identified by different methods.

<i>Candida</i> Species	Number of Isolates	Identification Method					
		Germ Tube Test	Chromogenic Agar Media	PCR	PCR followed by RFLP	Citrate Utilization Test ^{*1}	Sequence Analysis ^{*2}
<i>C. albicans</i>	40	38	37	37	40	-	-
<i>C. parapsilosis</i>	25	0	4	20	25	-	-
<i>C. ciferrii</i>	12	0	0	8	8	4	-
<i>C. tropicalis</i>	10	0	8	3	10	-	-
<i>C. glabrata</i>	6	0	3	6	6	-	-
<i>C. rugosa</i>	4	0	0	2	4	-	-
<i>C. famata</i>	3	0	0	3	3	-	-
<i>C. auris</i>	3	0	0	0	0	0	3
<i>K. ohmeri</i>	2	0	0	0	0	0	2
<i>C. krusei</i>	1	0	1	1	1	-	-
<i>C. kefyr</i>	1	0	0	1	1	-	-
<i>C. lusitaniae</i>	1	0	0	1	1	-	-
<i>C. dubliniensis</i>	1	1	1	0	1	-	-
Total	109	39	54	82	100	4	5

^{*1} This test was done for only for isolates of which the identification by PCR-RFLP showed ambiguous results.

^{*2} Sequence of ITS1-5.8S-ITS2 ribosomal region was analyzed for only 5 isolates that were not identified by other methods.

Table S2. MIC of Fluconazole against isolated *Candida* species by broth microdilution method (n = 109).

Candida species	No. of Isolates	MIC (µg/mL)							
		0.5	1	2	4	8	16	32	64
<i>C. albicans</i>	40	12	6	8	10	0	1	1	2
<i>C. parapsilosis</i>	25	0	5	12	5	0	0	0	3
<i>C. ciferrii</i>	12	0	0	2	2	0	0	0	8
<i>C. tropicalis</i>	10	0	2	3	4	0	0	1	0
<i>C. glabrata</i>	6	0	0	0	3	0	0	1	2
<i>C. rugosa</i>	4	0	0	0	4	0	0	0	0
<i>C. famata</i>	3	0	0	3	0	0	0	0	0
<i>C. auris</i>	3	0	0	0	0	0	0	0	3
<i>K. ohmeri</i>	2	0	0	0	0	0	0	2	0
<i>C. krusei</i>	1	0	0	0	0	0	0	1	0
<i>C. kefyr</i>	1	0	0	0	0	0	0	1	0
<i>C. lusitaniae</i>	1	0	1	0	0	0	0	0	0
<i>C. dubliniensis</i>	1	0	1	0	0	0	0	0	0

C. krusei is intrinsically resistant to fluconazole.

Table S3. MIC of Amphotericin B against of *Candida* species isolated from blood using the broth microdilution method (n = 39).

Candida species	No. of isolates	MIC (µg/mL)							
		0.0032	0.0063	0.125	0.25	0.5	1	2	4
<i>C. albicans</i>	4	0	0	0	2	2	0	0	0
<i>C. parapsilosis</i>	16	0	0	0	9	7	0	0	0
<i>C. ciferrii</i>	9	0	0	0	3	2	1	0	3
<i>C. rugosa</i>	4	0	0	0	1	3	0	0	0
<i>C. auris</i>	3	0	0	0	0	0	0	0	3
<i>C. tropicalis</i>	1	0	0	1	0	0	0	0	0
<i>C. glabrata</i>	1	0	0	0	1	0	0	0	0
<i>C. lusitaniae</i>	1	0	0	0	0	0	0	0	1