

Table S5: Difference in expression of HLA-DR on PBMCs – MFI.

Difference in expression of HLA-DR on PBMCs - MFI [AU]															
	χ^2 ANOVA = 48.41 p<0.00001														
	Pa 1	Pa 2	Pa 3	Pa 4	Pa 5	Pa 6	Pa 7	Pa 8	Pa 9	Pa 10	Pa 11	Pa 12	Pa 13	Pa 14	Pa 15
Pa 1	-	NS	NS	NS	NS	NS	p<0.05	NS	p<0.05	NS	NS	NS	p<0.05	p<0.05	p<0.05
Pa 2	NS	-	NS												
Pa 3	NS	NS	-	NS	p<0.05	NS	NS								
Pa 4	NS	NS	NS	-	NS										
Pa 5	NS	NS	NS	NS	-	NS	p<0.05	NS	NS						
Pa 6	NS	NS	NS	NS	NS	-	NS								
Pa 7	p<0.05	NS	NS	NS	NS	NS	-	NS							
Pa 8	NS	NS	NS	NS	NS	NS	NS	-	NS						
Pa 9	p<0.05	NS	-	NS	NS	NS	NS	NS	NS						
Pa 10	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS	NS
Pa 11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS	NS
Pa 12	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-	NS	NS	NS
Pa 13	p<0.05	NS	p<0.05	NS	p<0.05	NS	-	NS	NS						
Pa 14	p<0.05	NS	-	NS											
Pa 15	p<0.05	NS	-												
No.	Pa 1	Pa 2	Pa 3	Pa 4	Pa 5	Pa 6	Pa 7	Pa 8	Pa 9	Pa 10	Pa 11	Pa 12	Pa 13	Pa 14	Pa 15
median	391.87	326.13	329.77	314.01	328.65	324.31	308.72	315.35	285.07	330.45	305.77	327.77	265.53	303.69	285.14
IQR	47.05	27.5	115.44	49.23	20.43	52.11	73.09	67.88	89.37	77.91	40.71	87.07	39.57	84.5	27.93